Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80962	2.9	13	<1	<1	2	3	5	8	17
20-34	185621	3.2	8	<1	1	3	4	6	7	13
35-49	72924	4.0	16	<1	1	3	5	8	11	19
50-64	55627	4.8	22	<1	1	3	6	10	13	22
65+	49743	5.9	39	<1	1	4	8	13	17	30
2. MULTIPLE DX										
0-19 YRS	66007	5.5	72	<1	1	3	6	11	19	54
20-34	160920	5.4	42	1	1	4	6	9	14	36
35-49	125060	6.9	60	1	1	5	8	14	20	43
50-64	179136	8.8	87	1	2	6	11	18	25	54
65+	354102	11.7	136	2	2	9	15	24	36	83
TOT. SINGLE DX	444877	3.8	16	<1	1	3	4	8	10	19
" MULTIPLE DX	885225	8.8	101	1	2	6	11	19	28	63
TOTAL 0-19 YRS	146969	4.1	41	<1	<1	2	4	8	12	36
20-34	346541	4.2	25	<1	1	3	5	7	10	25
35-49	197984	5.8	46	<1	1	4	7	11	16	36
50-64	234763	7.9	75	1	2	6	10	16	23	48
65+	403845	11.0	128	2	2	8	14	23	33	77
GRAND TOTAL	**1330102**	**7.1**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	9.9	105	2	2	8	13	18	21	64
20-34	80	9.8	30	2	3	9	12	17	23	78
35-49	121	11.8	70	3	5	10	14	19	22	45
50-64	137	11.5	34	3	5	11	15	21	24	99+
65+	88	18.1	217	5	7	14	21	30	41	92
2. MULTIPLE DX										
0-19 YRS	193	16.7	334	1	2	11	20	46	60	99+
20-34	127	22.1	338	3	6	17	33	68	99+	99+
35-49	191	22.7	339	4	7	18	32	68	99+	99+
50-64	380	22.9	276	6	8	18	31	51	79	99+
65+	529	25.4	331	7	9	21	37	64	99+	99+
TOT. SINGLE DX	515	12.1	93	2	4	10	15	22	27	83
" MULTIPLE DX	1420	22.9	325	4	7	18	32	58	92	99+
TOTAL 0-19 YRS	282	14.6	272	1	2	10	17	32	57	99+
20-34	207	17.3	255	3	4	13	24	52	98	99+
35-49	312	18.5	263	4	6	14	24	48	74	99+
50-64	517	19.9	238	5	7	15	26	45	69	99+
65+	617	24.4	321	7	8	20	33	61	92	99+
GRAND TOTAL	**1935**	**20.0**	**286**	**3**	**6**	**15**	**26**	**51**	**77**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	8.9	146	2	3	6	7	15	26	70
20-34	36	12.2	76	3	4	10	14	21	33	45
35-49	31	10.2	36	2	4	10	13	17	25	28
50-64	32	11.1	39	3	4	9	13	21	23	29
65+	24	15.9	161	5	6	13	18	27	48	63
2. MULTIPLE DX										
0-19 YRS	81	19.6	312	4	5	13	28	48	70	99+
20-34	86	22.3	328	4	5	16	37	68	98	99+
35-49	82	23.4	424	4	7	16	33	63	92	99+
50-64	108	22.5	241	7	8	18	32	49	78	99+
65+	196	26.0	352	7	9	20	35	59	72	99+
TOT. SINGLE DX	184	11.1	101	3	4	8	13	21	27	66
" MULTIPLE DX	553	23.4	334	5	7	18	33	56	78	99+
TOTAL 0-19 YRS	142	15.0	268	3	4	8	18	40	65	99+
20-34	122	19.3	274	4	5	13	30	50	72	99+
35-49	113	19.7	351	3	6	13	26	53	81	99+
50-64	140	19.9	218	6	7	16	28	45	61	99+
65+	220	24.9	341	7	9	19	33	56	70	99+
GRAND TOTAL	**737**	**20.3**	**304**	**4**	**5**	**15**	**27**	**50**	**70**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	5.4	7	2	2	5	7	9	9	15
20-34	24	6.5	15	1	2	6	9	12	14	16
35-49	10	6.0	6	2	2	6	7	9	11	11
50-64	6	10.0	14	6	6	10	13	15	15	15
65+	5	4.8	4	3	3	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	89	11.6	130	3	4	8	13	39	58	99+
20-34	82	13.3	231	2	3	9	16	29	65	99+
35-49	40	15.0	234	3	4	11	14	31	55	73
50-64	26	17.3	310	4	5	12	21	51	84	99+
65+	21	19.3	431	5	6	12	21	44	74	91
TOT. SINGLE DX	175	5.7	9	2	2	5	7	9	12	16
" MULTIPLE DX	258	13.9	223	3	4	9	16	37	63	99+
TOTAL 0-19 YRS	219	7.9	66	2	3	6	8	15	35	99+
20-34	106	11.8	190	2	3	8	15	24	56	99+
35-49	50	13.2	201	3	4	9	13	30	45	73
50-64	32	16.0	262	5	6	12	18	48	77	99+
65+	26	16.5	380	3	4	9	19	32	66	91
GRAND TOTAL	**433**	**10.6**	**152**	**2**	**3**	**7**	**12**	**22**	**44**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	8.5	50	3	4	6	10	14	17	46
20-34	7	7.6	19	2	2	7	11	13	14	14
35-49	5	10.6	107	3	3	6	16	28	28	28
50-64	12	10.6	13	5	6	10	13	15	18	18
65+	21	14.2	44	4	6	14	18	23	27	31
2. MULTIPLE DX										
0-19 YRS	123	17.3	295	4	4	12	21	55	90	99+
20-34	26	19.1	292	4	5	14	27	55	66	99+
35-49	37	20.2	372	5	7	14	25	75	93	99+
50-64	53	17.8	185	4	6	14	25	44	90	99+
65+	157	27.4	505	7	8	19	39	78	99	99+
TOT. SINGLE DX	95	10.1	49	3	4	9	12	18	23	39
" MULTIPLE DX	396	21.8	389	4	6	16	30	67	98	99+
TOTAL 0-19 YRS	173	14.8	240	3	4	9	18	47	70	99+
20-34	33	16.7	255	2	4	12	22	53	59	99+
35-49	42	19.0	347	4	5	14	25	74	89	99+
50-64	65	16.5	161	4	6	13	23	40	69	99+
65+	178	25.9	469	7	8	18	36	75	97	99+
GRAND TOTAL	**491**	**19.5**	**345**	**4**	**5**	**14**	**26**	**57**	**86**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	68	6.0	42	1	2	4	7	11	20	38
20-34	32	8.8	58	1	2	7	12	17	26	36
35-49	16	10.0	111	1	1	5	15	23	36	41
50-64	13	10.8	62	1	3	8	19	34	85	99+
65+	4	13.8	51	5	5	14	19	22	22	22
2. MULTIPLE DX										
0-19 YRS	378	9.8	170	2	2	5	11	26	39	99+
20-34	111	16.2	369	2	3	10	22	38	94	99+
35-49	63	14.5	209	2	3	10	19	47	78	99+
50-64	57	21.6	420	2	3	16	34	73	99+	99+
65+	66	19.2	387	3	4	16	28	97	99+	99+
TOT. SINGLE DX	133	7.9	59	1	2	5	10	19	26	51
" MULTIPLE DX	675	13.2	265	2	2	8	18	36	74	99+
TOTAL 0-19 YRS	446	9.2	153	2	2	5	10	24	36	99+
20-34	143	14.6	309	2	3	9	18	36	87	99+
35-49	79	13.6	191	2	3	9	18	43	63	99+
50-64	70	19.6	370	2	3	15	31	66	99+	99+
65+	70	18.9	369	3	4	15	27	94	99+	99+
GRAND TOTAL	**808**	**12.3**	**235**	**2**	**2**	**7**	**16**	**33**	**64**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	10.1	57	2	4	8	10	23	29	30
20-34	130	8.1	32	4	4	6	10	14	18	35
35-49	215	8.6	38	4	4	7	10	14	20	39
50-64	241	9.4	27	4	4	8	11	16	19	31
65+	145	11.3	70	5	5	9	13	18	23	34
2. MULTIPLE DX										
0-19 YRS	34	11.7	60	3	5	9	13	22	31	34
20-34	131	11.6	91	4	5	9	12	21	34	70
35-49	274	12.7	106	4	5	9	14	25	35	63
50-64	497	14.3	135	5	6	10	17	28	41	78
65+	658	18.5	205	6	7	13	24	39	50	83
TOT. SINGLE DX	743	9.3	41	4	4	8	11	16	20	35
" MULTIPLE DX	1594	15.5	161	5	6	11	18	33	44	79
TOTAL 0-19 YRS	46	11.3	59	3	5	9	13	22	31	34
20-34	261	9.9	65	4	4	8	11	17	25	56
35-49	489	10.9	80	4	4	8	12	20	32	51
50-64	738	12.7	105	4	5	9	15	24	33	68
65+	803	17.2	189	6	7	12	21	36	46	81
GRAND TOTAL	**2337**	**13.5**	**131**	**4**	**5**	**10**	**16**	**28**	**38**	**72**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	9.6	47	2	2	8	15	19	24	26
20-34	80	6.3	23	1	2	4	9	13	17	22
35-49	83	7.0	33	1	2	5	10	15	18	27
50-64	52	7.3	27	2	2	7	10	14	15	25
65+	20	16.9	112	3	4	16	22	34	38	39
2. MULTIPLE DX										
0-19 YRS	74	18.6	231	3	5	14	24	38	56	65
20-34	103	15.7	151	3	4	12	23	38	47	99+
35-49	119	13.9	247	1	2	10	17	27	54	98
50-64	132	16.8	209	2	3	13	23	39	55	99+
65+	165	21.5	306	2	4	16	30	50	62	99+
TOT. SINGLE DX	266	7.9	44	1	2	6	11	17	22	31
" MULTIPLE DX	593	17.6	243	2	4	13	24	40	57	99+
TOTAL 0-19 YRS	105	16.0	193	2	3	12	20	34	51	63
20-34	183	11.6	117	2	2	8	16	27	39	86
35-49	202	11.0	171	1	2	7	14	23	30	89
50-64	184	14.1	176	2	2	10	18	31	50	88
65+	185	21.0	287	2	4	16	29	47	61	99+
GRAND TOTAL	**859**	**14.6**	**201**	**2**	**2**	**10**	**19**	**33**	**50**	**94**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	3.1	11	1	1	2	3	5	12	17
20-34	103	2.7	9	<1	<1	2	3	4	9	19
35-49	140	3.1	11	<1	<1	2	4	7	10	17
50-64	125	2.6	4	<1	<1	2	3	6	8	11
65+	50	3.3	15	<1	<1	2	4	7	10	24
2. MULTIPLE DX										
0-19 YRS	21	3.7	8	<1	1	2	5	9	10	11
20-34	105	5.1	85	<1	1	2	4	11	17	56
35-49	104	5.3	49	<1	1	3	6	10	20	41
50-64	141	6.9	82	<1	1	3	8	17	26	41
65+	113	9.5	166	1	2	3	12	25	36	86
TOT. SINGLE DX	446	2.9	10	<1	<1	2	3	6	9	16
" MULTIPLE DX	484	6.6	95	<1	1	3	7	17	26	56
TOTAL 0-19 YRS	49	3.4	10	1	1	2	3	7	11	17
20-34	208	3.9	49	<1	<1	2	4	8	16	41
35-49	244	4.0	29	<1	<1	2	4	8	12	30
50-64	266	4.9	50	<1	1	2	5	11	17	38
65+	163	7.6	128	<1	1	3	10	23	30	77
GRAND TOTAL	**930**	**4.8**	**58**	**<1**	**<1**	**2**	**4**	**11**	**18**	**39**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	2.3	8	<1	<1	2	2	3	8	17
20-34	605	1.8	1	<1	<1	1	2	3	4	6
35-49	784	1.8	1	<1	<1	1	2	3	4	6
50-64	702	1.8	2	<1	<1	1	2	3	3	6
65+	371	1.9	2	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	173	2.1	2	<1	<1	2	3	4	5	8
20-34	449	3.0	21	<1	<1	2	3	5	8	22
35-49	513	3.4	24	<1	1	2	3	6	11	28
50-64	729	3.0	16	<1	<1	2	3	6	9	16
65+	577	4.0	40	<1	1	2	4	9	16	39
TOT. SINGLE DX	2571	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	2441	3.3	24	<1	<1	2	3	6	10	24
TOTAL 0-19 YRS	282	2.2	5	<1	<1	2	2	4	6	11
20-34	1054	2.3	10	<1	<1	2	3	4	5	14
35-49	1297	2.4	11	<1	<1	2	2	4	6	19
50-64	1431	2.4	10	<1	<1	2	2	4	6	13
65+	948	3.2	27	<1	<1	2	3	6	10	25
GRAND TOTAL	**5012**	**2.5**	**13**	**<1**	**<1**	**2**	**3**	**4**	**7**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	14	6.1	13	1	1	6	9	10	13	14
35-49	10	6.7	23	4	4	5	6	14	20	20
50-64	10	10.3	147	2	3	7	8	27	44	44
65+	15	13.7	362	1	2	8	16	26	64	77
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	9.0	151	3	4	5	7	14	36	61
35-49	27	11.0	67	3	4	10	13	20	29	41
50-64	62	14.6	158	4	5	11	19	29	46	97
65+	175	16.8	187	5	6	13	20	35	46	86
TOT. SINGLE DX	51	9.2	147	1	2	6	9	19	26	77
" MULTIPLE DX	286	15.2	172	4	5	11	19	32	44	85
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	35	7.9	96	2	3	6	8	12	15	61
35-49	37	9.8	58	3	4	7	12	19	25	41
50-64	72	14.0	157	4	5	10	18	29	45	95
65+	190	16.6	200	4	5	12	20	34	47	85
GRAND TOTAL	**337**	**14.3**	**172**	**3**	**4**	**10**	**17**	**29**	**43**	**79**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	2.2	2	<1	<1	2	3	4	5	6
35-49	26	4.1	14	<1	<1	2	6	9	11	16
50-64	24	2.5	3	<1	<1	2	3	5	7	8
65+	8	2.0	2	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	3.3	5	1	1	3	5	7	7	7
20-34	16	5.4	53	<1	<1	3	5	14	24	29
35-49	23	11.9	222	1	2	6	15	28	42	67
50-64	51	6.8	76	1	1	4	8	14	22	54
65+	79	8.8	138	1	2	6	10	17	21	77
TOT. SINGLE DX	78	2.9	7	<1	<1	2	4	7	8	14
" MULTIPLE DX	175	8.1	121	1	1	5	10	17	25	64
TOTAL 0-19 YRS	8	3.0	5	1	1	3	4	6	7	7
20-34	34	3.7	28	<1	<1	2	4	7	13	29
35-49	49	7.8	125	<1	1	4	9	20	28	67
50-64	75	5.4	57	<1	1	3	6	12	18	47
65+	87	8.2	130	1	1	5	10	17	19	74
GRAND TOTAL	**253**	**6.5**	**92**	**<1**	**1**	**3**	**8**	**15**	**21**	**54**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	3.7	1	2	2	4	4	5	6	9
20-34	401	3.8	5	2	2	4	4	5	6	10
35-49	589	3.8	2	2	2	4	4	5	6	10
50-64	431	3.8	1	2	2	4	5	6	6	8
65+	158	4.3	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	26	5.6	20	2	2	4	5	11	14	24
20-34	210	5.1	22	2	3	4	5	8	11	23
35-49	326	4.7	9	2	3	4	5	7	9	19
50-64	455	5.4	17	2	3	4	6	9	14	25
65+	356	9.0	94	3	3	5	10	21	27	78
TOT. SINGLE DX	1642	3.8	3	2	2	4	4	5	6	10
" MULTIPLE DX	1373	6.1	39	2	3	4	6	11	18	34
TOTAL 0-19 YRS	89	4.3	8	2	2	4	5	6	9	19
20-34	611	4.3	11	2	2	4	5	6	8	15
35-49	915	4.1	5	2	2	4	5	6	7	14
50-64	886	4.6	10	2	3	4	5	7	9	18
65+	514	7.6	71	3	3	5	7	17	24	51
GRAND TOTAL	**3015**	**4.9**	**21**	**2**	**3**	**4**	**5**	**7**	**10**	**25**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	2.4	5	<1	1	2	3	4	5	18
20-34	83	2.5	1	1	1	2	3	4	5	6
35-49	79	3.5	5	1	1	3	4	6	8	12
50-64	76	4.3	16	1	2	4	5	6	8	29
65+	25	4.6	5	1	2	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	33	4.9	33	<1	1	3	5	11	22	25
20-34	51	7.7	66	2	2	5	10	15	24	45
35-49	109	7.6	60	2	3	4	8	16	26	41
50-64	188	7.5	85	2	3	4	7	14	23	56
65+	181	10.9	180	2	3	6	12	24	38	83
TOT. SINGLE DX	422	3.1	7	1	1	3	4	5	7	14
" MULTIPLE DX	562	8.4	109	2	3	5	9	19	29	68
TOTAL 0-19 YRS	192	2.8	11	<1	1	2	3	5	8	23
20-34	134	4.5	32	1	1	3	4	9	11	34
35-49	188	5.9	41	1	2	4	6	12	18	35
50-64	264	6.6	68	2	3	4	6	12	22	44
65+	206	10.1	163	2	3	6	11	22	34	81
GRAND TOTAL	**984**	**6.2**	**72**	**1**	**1**	**4**	**6**	**12**	**22**	**46**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	6.3	15	1	2	6	10	12	12	12
20-34	22	7.7	7	4	5	8	8	10	14	17
35-49	25	8.8	9	4	6	8	11	13	14	16
50-64	20	10.2	15	6	7	9	12	14	19	23
65+	18	10.8	22	3	6	10	13	18	19	20
2. MULTIPLE DX										
0-19 YRS	26	18.4	225	5	6	16	23	50	71	99+
20-34	31	9.7	101	3	3	7	9	18	26	56
35-49	54	15.1	77	6	7	12	19	32	37	97
50-64	83	15.6	214	2	5	10	17	32	40	84
65+	86	15.8	141	3	6	12	19	29	42	64
TOT. SINGLE DX	96	8.9	15	3	5	8	11	13	17	22
" MULTIPLE DX	280	15.2	156	4	6	11	18	31	41	84
TOTAL 0-19 YRS	37	14.8	193	2	3	10	21	33	61	99+
20-34	53	8.8	63	3	4	8	8	12	24	55
35-49	79	13.1	64	6	6	10	16	26	34	82
50-64	103	14.5	180	3	5	10	16	27	36	83
65+	104	14.9	124	3	6	11	18	27	41	61
GRAND TOTAL	**376**	**13.6**	**128**	**3**	**5**	**10**	**16**	**27**	**37**	**80**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	1.2		<1	<1	<1	1	2	2	4
20-34	19	1.3		<1	<1	1	1	2	3	4
35-49	37	1.5		<1	<1	1	2	3	3	3
50-64	56	1.6		<1	<1	1	2	3	3	5
65+	71	2.2	3	<1	<1	2	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	18	1.2		<1	<1	1	1	2	2	2
20-34	19	2.4	16	<1	<1	1	2	3	12	19
35-49	53	1.9	4	<1	<1	1	2	3	4	15
50-64	90	3.2	24	<1	<1	2	3	6	11	31
65+	154	5.9	163	<1	1	2	5	11	19	87
TOT. SINGLE DX	292	1.5	1	<1	<1	1	2	3	3	8
" MULTIPLE DX	334	4.1	86	<1	<1	2	3	8	14	52
TOTAL 0-19 YRS	127	1.2		<1	<1	<1	1	2	2	3
20-34	38	1.8	9	<1	<1	1	2	3	4	19
35-49	90	1.7	3	<1	<1	1	2	3	4	11
50-64	146	2.6	16	<1	<1	1	2	4	7	30
65+	225	4.7	116	<1	<1	2	3	9	14	71
GRAND TOTAL	**626**	**2.9**	**48**	**<1**	**<1**	**1**	**2**	**5**	**8**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	1.5		<1	<1	1	2	2	3	6
20-34	58	2.2	13	<1	<1	1	2	4	5	27
35-49	132	1.7		<1	<1	1	2	3	4	5
50-64	174	1.6		<1	<1	1	2	2	3	4
65+	160	1.6		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	233	3.1	15	<1	1	2	4	6	9	28
20-34	288	3.6	25	1	1	2	4	6	9	25
35-49	266	2.9	11	<1	1	2	3	6	8	22
50-64	376	3.2	28	<1	1	2	3	5	10	25
65+	505	5.8	88	1	1	2	6	14	25	65
TOT. SINGLE DX	697	1.7	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	1668	4.0	43	<1	1	2	4	8	13	42
TOTAL 0-19 YRS	406	2.4	10	<1	<1	2	2	5	7	14
20-34	346	3.3	24	<1	1	2	4	6	9	28
35-49	398	2.5	8	<1	<1	2	3	4	7	17
50-64	550	2.7	20	<1	1	2	2	4	8	18
65+	665	4.8	71	<1	1	2	4	11	19	59
GRAND TOTAL	**2365**	**3.3**	**32**	**<1**	**1**	**2**	**3**	**6**	**10**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.8	1	<1	<1	1	2	3	4	7
20-34	18	1.5		<1	1	1	2	2	3	3
35-49	20	2.1	2	<1	1	2	2	3	6	8
50-64	27	2.3	2	<1	<1	2	3	4	5	8
65+	52	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	20	3.0	19	<1	<1	2	3	6	14	20
20-34	12	2.1	1	<1	<1	2	3	4	4	4
35-49	18	3.5	22	<1	1	2	3	9	16	20
50-64	39	2.2		1	1	2	3	3	3	4
65+	109	2.6	4	1	1	2	3	4	7	14
TOT. SINGLE DX	141	1.9	1	<1	1	2	2	3	4	8
" MULTIPLE DX	198	2.6	7	1	1	2	3	4	6	17
TOTAL 0-19 YRS	44	2.3	10	<1	<1	1	2	3	8	20
20-34	30	1.7	1	<1	1	2	2	3	3	4
35-49	38	2.8	12	<1	1	2	3	3	10	20
50-64	66	2.2	1	<1	1	2	3	3	4	7
65+	161	2.3	3	1	1	2	3	4	5	13
GRAND TOTAL	**339**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**3**	**4**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.0		<1	<1	<1	1	1	1	1
20-34	10	2.6	6	<1	<1	1	4	7	7	7
35-49	5	1.4		<1	<1	<1	2	2	2	2
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	10	3.3	5	<1	<1	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	10	2.9	5	<1	<1	2	4	6	7	7
20-34	5	5.8	11	2	2	6	8	10	10	10
35-49	5	18.0	1172	<1	<1	1	26	79	79	79
50-64	9	4.3	14	<1	<1	3	8	10	10	10
65+	21	6.5	82	<1	1	2	5	25	29	30
TOT. SINGLE DX	39	2.1	4	<1	<1	1	2	5	7	8
" MULTIPLE DX	50	6.5	150	<1	<1	3	6	12	28	79
TOTAL 0-19 YRS	19	2.0	3	<1	<1	1	2	5	7	7
20-34	15	3.7	10	<1	<1	2	7	8	9	10
35-49	10	9.7	598	<1	<1	1	2	43	79	79
50-64	14	3.3	11	<1	<1	2	5	9	10	10
65+	31	5.5	59	<1	1	2	5	17	28	30
GRAND TOTAL	**89**	**4.6**	**90**	**<1**	**<1**	**2**	**4**	**8**	**13**	**60**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.8	8	2	2	3	5	9	9	9
20-34	25	2.3	1	1	1	2	3	3	5	5
35-49	17	2.7	3	<1	<1	2	4	6	7	7
50-64	23	2.4	2	<1	1	2	3	4	6	7
65+	80	2.7	1	1	1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	5	4.4	7	2	2	4	5	9	9	9
20-34	9	3.0		2	2	3	3	4	5	5
35-49	20	3.2	9	1	1	2	3	8	11	12
50-64	34	4.0	17	1	1	3	4	8	16	19
65+	236	4.0	16	1	1	3	5	7	10	20
TOT. SINGLE DX	150	2.6	2	1	1	2	3	5	5	7
" MULTIPLE DX	304	4.0	16	1	1	3	4	7	10	18
TOTAL 0-19 YRS	10	4.1	7	2	2	3	4	9	9	9
20-34	34	2.5	1	1	1	3	3	4	5	5
35-49	37	3.0	7	<1	1	2	4	7	9	12
50-64	57	3.4	12	1	1	2	3	6	11	19
65+	316	3.7	13	1	1	3	4	7	8	17
GRAND TOTAL	**454**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	2.7	3	<1	<1	2	4	6	6	10
20-34	64	2.3	2	<1	<1	2	3	4	6	8
35-49	41	2.0	1	<1	<1	2	2	3	5	6
50-64	35	1.9	3	<1	<1	1	2	3	6	11
65+	35	1.9	1	<1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	39	3.8	6	<1	<1	4	5	7	9	12
20-34	34	5.4	46	1	1	4	6	9	20	36
35-49	29	4.4	21	1	1	4	5	8	10	26
50-64	34	3.7	56	<1	<1	2	3	6	7	45
65+	86	4.0	20	<1	1	2	5	8	11	26
TOT. SINGLE DX	233	2.2	3	<1	<1	2	3	5	6	8
" MULTIPLE DX	222	4.2	27	<1	1	3	5	8	10	32
TOTAL 0-19 YRS	97	3.2	5	<1	<1	3	4	6	7	11
20-34	98	3.4	20	<1	1	2	4	6	8	29
35-49	70	3.0	11	<1	<1	2	4	6	7	23
50-64	69	2.8	30	<1	<1	2	2	5	6	39
65+	121	3.4	16	<1	1	2	4	7	9	22
GRAND TOTAL	**455**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**6**	**8**	**22**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	1	<1	<1	1	2	3	4	5
20-34	9	4.7	36	1	1	2	5	14	20	20
35-49	26	2.3	1	<1	1	2	3	5	5	5
50-64	123	2.7	2	<1	1	2	3	5	6	9
65+	131	2.4	3	<1	1	2	3	4	4	12
2. MULTIPLE DX										
0-19 YRS	13	3.6	36	<1	<1	2	3	9	20	23
20-34	13	5.9	92	<1	1	3	5	15	33	37
35-49	32	3.6	9	1	1	2	4	7	12	15
50-64	111	3.4	9	<1	1	2	4	7	8	16
65+	297	3.8	16	1	1	3	4	8	12	28
TOT. SINGLE DX	310	2.5	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	466	3.7	17	1	1	2	4	7	11	26
TOTAL 0-19 YRS	34	2.4	15	<1	<1	1	2	3	6	23
20-34	22	5.4	67	<1	1	3	5	12	27	37
35-49	58	3.0	7	1	1	2	3	5	7	15
50-64	234	3.0	6	<1	1	2	4	6	7	9
65+	428	3.4	12	<1	1	2	4	6	11	21
GRAND TOTAL	**776**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	4.5	7	<1	1	5	6	8	10	11
20-34	25	3.3	4	<1	1	3	4	7	8	8
35-49	15	2.1	1	<1	<1	2	3	4	4	4
50-64	43	2.2	2	<1	1	2	3	5	6	8
65+	58	2.4	3	<1	1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	27	4.4	10	<1	1	4	7	10	11	12
20-34	26	5.5	33	1	1	5	7	9	14	31
35-49	23	3.9	5	<1	1	3	6	7	8	8
50-64	57	5.1	46	<1	1	3	6	10	18	41
65+	192	4.7	62	<1	1	3	5	9	14	51
TOT. SINGLE DX	162	2.8	4	<1	1	2	3	5	7	10
" MULTIPLE DX	325	4.8	49	<1	1	3	5	9	12	44
TOTAL 0-19 YRS	48	4.5	9	<1	1	4	6	9	11	12
20-34	51	4.4	20	1	1	3	6	8	9	31
35-49	38	3.2	5	<1	1	3	4	7	8	8
50-64	100	3.9	30	<1	1	2	4	8	11	33
65+	250	4.2	49	<1	1	2	4	7	12	50
GRAND TOTAL	**487**	**4.1**	**35**	**<1**	**1**	**3**	**5**	**8**	**10**	**35**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.8	1	<1	<1	1	2	3	5	6
20-34	12	2.4	1	1	1	2	3	5	6	6
35-49	61	1.8		<1	<1	2	2	2	3	4
50-64	521	2.0		<1	1	2	2	3	3	4
65+	2340	2.0		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	26	3.0	15	<1	<1	1	4	6	15	15
20-34	10	2.1	1	1	1	2	2	4	5	5
35-49	70	2.5	5	1	1	2	2	4	4	15
50-64	723	2.3	2	1	1	2	2	3	4	9
65+	3957	2.8	19	1	1	2	2	4	6	20
TOT. SINGLE DX	2966	2.0		<1	1	2	2	3	3	4
" MULTIPLE DX	4786	2.7	16	1	1	2	2	3	5	18
TOTAL 0-19 YRS	58	2.3	8	<1	<1	1	2	5	6	15
20-34	22	2.3	2	1	1	2	2	4	5	6
35-49	131	2.2	3	<1	1	2	2	3	4	13
50-64	1244	2.1	2	<1	1	2	2	3	3	8
65+	6297	2.5	12	1	1	2	2	3	4	15
GRAND TOTAL	**7752**	**2.4**	**10**	**1**	**1**	**2**	**2**	**3**	**4**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	1.5		<1	<1	1	2	2	2	7
20-34	29	2.0	1	<1	<1	2	2	3	3	8
35-49	168	1.7		<1	<1	2	2	2	3	4
50-64	1008	1.8		<1	<1	2	2	2	3	4
65+	3923	1.8		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	44	2.6	6	<1	1	2	3	4	7	16
20-34	32	2.0		<1	<1	2	3	3	4	4
35-49	186	2.6	12	1	1	2	2	4	7	22
50-64	1333	2.3	8	<1	1	2	2	3	4	13
65+	7220	2.4	14	<1	1	2	2	3	4	16
TOT. SINGLE DX	5178	1.8	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	8815	2.4	13	<1	1	2	2	3	4	15
TOTAL 0-19 YRS	94	2.0	4	<1	<1	2	2	3	5	12
20-34	61	2.0	1	<1	<1	2	2	3	4	8
35-49	354	2.2	7	<1	1	2	2	3	4	13
50-64	2341	2.0	5	<1	<1	2	2	3	3	11
65+	11143	2.2	10	<1	1	2	2	3	4	11
GRAND TOTAL	**13993**	**2.2**	**9**	**<1**	**1**	**2**	**2**	**3**	**4**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	25	1.6		<1	<1	1	2	2	3	5
50-64	115	1.7		<1	<1	2	2	2	2	5
65+	377	1.8		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	3.1	5	<1	<1	2	4	7	8	8
35-49	15	1.5		<1	<1	1	2	2	3	3
50-64	150	2.0	2	<1	1	2	2	3	4	6
65+	643	2.4	8	1	1	2	2	3	4	17
TOT. SINGLE DX	521	1.8	1	<1	<1	2	2	2	3	5
" MULTIPLE DX	819	2.3	7	<1	1	2	2	3	4	16
TOTAL 0-19 YRS	5	2.0	2	<1	<1	2	3	4	4	4
20-34	10	2.8	5	<1	<1	2	4	6	8	8
35-49	40	1.6	1	<1	<1	1	2	2	3	5
50-64	265	1.9	2	<1	<1	2	2	3	3	6
65+	1020	2.2	6	<1	<1	2	2	3	4	14
GRAND TOTAL	**1340**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	3.7	3	1	2	3	4	5	8	10
20-34	100	3.5	3	1	2	3	4	5	7	10
35-49	108	3.6	3	1	2	3	4	6	8	9
50-64	351	3.7	3	2	2	4	5	6	7	11
65+	258	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	28	7.8	284	1	2	4	6	10	31	91
20-34	89	4.3	9	1	2	4	5	7	8	21
35-49	119	4.1	7	1	2	3	5	6	9	16
50-64	446	4.4	20	2	2	4	5	7	9	15
65+	581	4.6	8	2	2	4	5	8	11	17
TOT. SINGLE DX	852	3.8	3	1	2	3	5	6	7	10
" MULTIPLE DX	1263	4.5	19	2	2	4	5	7	9	17
TOTAL 0-19 YRS	63	5.6	130	1	2	3	5	7	10	82
20-34	189	3.9	6	1	2	3	5	7	8	12
35-49	227	3.8	5	1	2	3	5	6	8	12
50-64	797	4.1	11	2	2	4	5	6	8	13
65+	839	4.4	7	2	2	4	5	7	9	17
GRAND TOTAL	**2115**	**4.2**	**13**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.8	10	1	1	2	6	9	10	10
20-34	14	3.5	6	<1	1	3	4	7	9	10
35-49	16	2.6	3	<1	<1	2	3	5	7	8
50-64	73	3.3	5	<1	<1	2	4	7	8	12
65+	128	2.9	4	<1	<1	2	3	7	8	10
2. MULTIPLE DX										
0-19 YRS	17	2.9	2	<1	<1	3	3	5	7	8
20-34	58	5.6	59	1	2	4	5	9	19	51
35-49	56	5.3	26	1	2	4	6	12	19	25
50-64	152	4.3	14	1	1	3	5	8	10	20
65+	371	4.1	26	1	1	3	4	8	11	20
TOT. SINGLE DX	242	3.1	5	<1	<1	2	4	7	8	11
" MULTIPLE DX	654	4.3	26	1	1	3	5	8	11	23
TOTAL 0-19 YRS	28	3.3	6	<1	1	3	4	8	8	10
20-34	72	5.2	50	1	2	3	5	9	16	47
35-49	72	4.7	23	1	1	3	5	10	17	24
50-64	225	4.0	12	<1	1	3	5	8	10	19
65+	499	3.8	21	<1	1	3	4	7	10	18
GRAND TOTAL	**896**	**4.0**	**21**	**<1**	**1**	**3**	**4**	**8**	**10**	**21**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1025	1.3		<1	<1	1	2	2	2	3
20-34	122	1.6		<1	<1	2	2	2	2	4
35-49	65	1.7	1	<1	<1	2	2	2	3	9
50-64	20	1.7		<1	<1	2	2	3	3	3
65+	9	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	299	1.3		<1	<1	1	1	2	2	5
20-34	59	1.4		<1	<1	1	2	2	2	3
35-49	48	1.8	3	<1	<1	1	2	2	3	14
50-64	29	1.8		<1	1	2	2	2	3	6
65+	29	1.8		<1	1	2	2	2	3	3
TOT. SINGLE DX	1241	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	464	1.4	1	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	1324	1.3		<1	<1	1	2	2	2	3
20-34	181	1.5		<1	<1	1	2	2	2	3
35-49	113	1.8	2	<1	<1	2	2	2	3	11
50-64	49	1.8	1	<1	1	2	2	2	3	6
65+	38	1.7		<1	<1	2	2	2	3	3
GRAND TOTAL	**1705**	**1.4**		**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
TOT. SINGLE DX	3	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	7	3.9	10	1	1	2	7	8	8	8
TOTAL 0-19 YRS	4	2.8	12	1	1	1	5	8	8	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**10**	**3.0**	**8**	**1**	**1**	**2**	**5**	**8**	**8**	**8**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	3.5	13	<1	<1	2	4	8	12	16
20-34	45	2.6	4	<1	1	2	3	5	7	10
35-49	41	3.0	4	1	1	2	4	6	7	11
50-64	25	2.6	4	<1	1	2	3	4	6	12
65+	50	2.8	3	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	46	4.6	16	1	1	3	6	11	14	16
20-34	61	4.7	21	1	1	3	5	10	11	29
35-49	65	5.1	32	1	1	3	6	11	13	33
50-64	68	4.9	25	1	1	3	6	13	15	25
65+	169	6.3	66	1	1	3	7	15	20	48
TOT. SINGLE DX	203	2.9	6	<1	1	2	3	6	8	14
" MULTIPLE DX	409	5.4	42	1	1	3	6	12	16	33
TOTAL 0-19 YRS	88	4.0	15	<1	1	2	5	9	14	16
20-34	106	3.8	15	1	1	3	4	9	10	23
35-49	106	4.3	22	1	1	3	5	9	11	30
50-64	93	4.3	21	1	1	3	5	12	14	23
65+	219	5.5	54	1	1	3	6	12	18	44
GRAND TOTAL	**612**	**4.6**	**32**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	1.9	1	<1	<1	2	2	3	5	7
20-34	79	1.8	2	<1	<1	1	2	3	5	10
35-49	59	1.7	1	<1	<1	1	2	3	4	6
50-64	49	1.8	2	<1	<1	1	2	3	5	8
65+	53	2.0	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	191	3.2	13	<1	<1	2	4	6	9	22
20-34	100	3.8	12	<1	1	2	5	9	11	17
35-49	66	6.2	112	<1	1	3	6	14	26	96
50-64	78	5.7	75	<1	1	2	6	15	28	45
65+	173	9.2	159	<1	1	5	11	22	36	81
TOT. SINGLE DX	489	1.9	2	<1	<1	1	2	3	5	8
" MULTIPLE DX	608	5.6	79	<1	1	3	6	12	21	61
TOTAL 0-19 YRS	440	2.4	7	<1	<1	2	3	5	6	12
20-34	179	2.9	9	<1	<1	2	3	7	10	13
35-49	125	4.1	65	<1	<1	2	4	9	14	81
50-64	127	4.2	51	<1	<1	2	3	8	18	44
65+	226	7.5	132	<1	<1	3	9	19	28	76
GRAND TOTAL	**1097**	**4.0**	**48**	**<1**	**<1**	**2**	**4**	**8**	**13**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	1.9		1	1	2	2	3	3	3
20-34	155	2.2		1	1	2	3	3	4	5
35-49	156	2.2		1	1	2	3	3	4	5
50-64	180	2.1		1	1	2	3	3	3	6
65+	74	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	23	2.0		1	1	2	3	3	4	4
20-34	47	2.2	6	<1	1	2	2	3	4	18
35-49	69	2.4	2	1	1	2	3	4	6	9
50-64	95	2.3	1	1	1	2	3	4	4	8
65+	41	2.2	1	1	1	2	3	3	4	5
TOT. SINGLE DX	591	2.2	1	1	1	2	3	3	4	5
" MULTIPLE DX	275	2.3	2	1	1	2	3	3	4	9
TOTAL 0-19 YRS	49	2.0	1	1	1	2	2	3	3	4
20-34	202	2.2	2	1	1	2	3	3	4	5
35-49	225	2.3	1	1	1	2	3	3	4	6
50-64	275	2.2	1	1	1	2	3	3	4	6
65+	115	2.3	1	1	1	2	3	4	4	5
GRAND TOTAL	**866**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	266	1.6		<1	1	2	2	2	3	4
20-34	152	1.7		<1	1	1	2	3	3	4
35-49	121	2.0	6	<1	1	2	2	3	3	12
50-64	119	1.8		1	1	2	2	3	3	5
65+	34	1.8		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	254	1.6		<1	1	2	2	2	3	4
20-34	189	2.0	2	1	1	2	2	3	3	10
35-49	150	2.0	1	1	1	2	2	3	3	4
50-64	158	2.3	2	1	1	2	3	3	4	6
65+	73	2.3		1	1	2	3	3	4	5
TOT. SINGLE DX	692	1.7	2	<1	1	2	2	3	3	4
" MULTIPLE DX	824	2.0	2	1	1	2	2	3	3	5
TOTAL 0-19 YRS	520	1.6		<1	1	2	2	2	3	4
20-34	341	1.8	2	<1	1	2	2	3	3	5
35-49	271	2.0	4	1	1	2	2	3	3	5
50-64	277	2.1	2	1	1	2	3	3	3	5
65+	107	2.1	1	1	1	2	3	3	4	5
GRAND TOTAL	**1516**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2433	1.0		<1	<1	<1	<1	1	1	2
20-34	56	1.2		<1	<1	1	1	2	2	3
35-49	56	1.5	2	<1	<1	1	2	2	2	12
50-64	50	1.3		<1	<1	1	1	2	3	4
65+	34	2.7	47	<1	<1	1	2	3	8	41
2. MULTIPLE DX										
0-19 YRS	1725	1.4	3	<1	<1	1	1	2	2	8
20-34	61	3.0	71	<1	<1	1	2	4	8	60
35-49	49	2.3	10	<1	<1	1	2	4	13	15
50-64	53	5.0	41	<1	<1	2	6	15	20	26
65+	49	8.5	109	<1	<1	6	12	21	25	99+
TOT. SINGLE DX	2629	1.1	1	<1	<1	<1	<1	1	1	2
" MULTIPLE DX	1937	1.7	11	<1	<1	1	1	2	4	16
TOTAL 0-19 YRS	4158	1.2	2	<1	<1	<1	1	1	2	5
20-34	117	2.1	38	<1	<1	1	2	3	4	30
35-49	105	1.9	7	<1	<1	1	2	2	5	14
50-64	103	3.2	25	<1	<1	1	2	8	15	25
65+	83	6.1	91	<1	<1	2	9	16	25	87
GRAND TOTAL	**4566**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	2.1	1	1	1	2	2	3	4	7
20-34	91	2.5	2	1	1	2	3	4	5	9
35-49	78	2.5	2	1	1	2	3	4	5	11
50-64	61	3.2	9	1	1	3	3	4	12	17
65+	19	2.7	2	<1	1	3	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	204	2.6	4	1	1	2	3	5	6	12
20-34	138	3.0	12	1	1	2	3	5	7	21
35-49	136	3.0	9	1	1	2	3	5	7	21
50-64	140	3.0	5	1	1	3	3	5	7	14
65+	104	5.7	59	1	2	3	5	15	20	42
TOT. SINGLE DX	326	2.6	3	1	1	2	3	4	5	12
" MULTIPLE DX	722	3.3	16	1	1	2	3	5	8	20
TOTAL 0-19 YRS	281	2.5	3	1	1	2	3	4	5	9
20-34	229	2.8	9	1	1	2	3	4	6	17
35-49	214	2.8	7	1	1	2	3	4	6	16
50-64	201	3.1	7	1	1	3	3	5	7	15
65+	123	5.2	52	1	1	3	4	13	19	37
GRAND TOTAL	**1048**	**3.1**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**19**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	1.5	1	<1	<1	<1	2	3	3	7
20-34	66	2.2	1	<1	1	2	3	4	5	6
35-49	78	2.4	2	<1	1	2	3	4	5	8
50-64	70	2.8	2	1	1	3	4	5	6	9
65+	26	3.3	5	1	1	3	3	5	9	13
2. MULTIPLE DX										
0-19 YRS	120	1.9	2	<1	<1	1	2	3	4	12
20-34	76	3.8	24	1	1	2	3	9	14	31
35-49	91	2.4	1	1	1	2	3	4	5	7
50-64	95	3.6	10	<1	1	3	4	9	12	17
65+	57	7.1	101	1	2	3	6	16	30	55
TOT. SINGLE DX	377	2.2	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	439	3.3	23	<1	1	2	3	6	11	29
TOTAL 0-19 YRS	257	1.7	2	<1	<1	1	2	3	3	11
20-34	142	3.0	14	<1	1	2	3	5	9	17
35-49	169	2.4	2	1	1	2	3	4	5	7
50-64	165	3.2	7	<1	1	3	4	6	9	15
65+	83	5.9	74	1	2	3	5	14	24	50
GRAND TOTAL	**816**	**2.8**	**14**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	2.3		1	1	2	3	4	4	5
20-34	620	2.1	1	1	1	2	3	3	4	5
35-49	289	2.0		<1	1	2	2	3	4	5
50-64	114	2.0		<1	1	2	2	3	4	5
65+	34	2.3	3	<1	1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	499	2.1	1	1	1	2	3	3	4	5
20-34	1206	2.1	1	1	1	2	3	3	4	5
35-49	688	2.2	1	1	1	2	3	3	4	6
50-64	344	2.8	7	1	1	2	3	4	6	14
65+	88	2.8	8	1	1	2	3	4	6	21
TOT. SINGLE DX	1328	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	2825	2.2	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	770	2.2	1	1	1	2	3	3	4	5
20-34	1826	2.1	1	1	1	2	3	3	4	5
35-49	977	2.1	2	1	1	2	3	3	4	6
50-64	458	2.6	6	1	1	2	3	4	5	13
65+	122	2.6	8	1	1	2	3	4	6	15
GRAND TOTAL	**4153**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	551	2.0		1	1	2	2	3	4	5
20-34	1030	1.9	4	<1	1	2	2	3	4	5
35-49	476	1.8		<1	1	2	2	3	4	5
50-64	182	2.0	1	1	1	2	2	3	4	6
65+	37	2.5	7	<1	1	2	2	4	8	15
2. MULTIPLE DX										
0-19 YRS	874	2.0	1	<1	1	2	3	3	4	6
20-34	1873	2.0	1	<1	1	2	2	3	4	7
35-49	1002	2.1	2	1	1	2	2	3	4	7
50-64	500	2.5	7	1	1	2	3	4	6	18
65+	185	4.0	37	1	1	2	4	8	12	21
TOT. SINGLE DX	2276	1.9	3	<1	1	2	2	3	4	5
" MULTIPLE DX	4434	2.2	4	1	1	2	3	3	4	9
TOTAL 0-19 YRS	1425	2.0	1	1	1	2	2	3	4	6
20-34	2903	2.0	3	<1	1	2	2	3	4	6
35-49	1478	2.0	2	1	1	2	2	3	4	6
50-64	682	2.4	6	1	1	2	3	4	5	11
65+	222	3.8	33	1	1	2	4	8	11	21
GRAND TOTAL	**6710**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.7	2	<1	<1	1	2	3	5	10
20-34	102	2.1	8	<1	<1	1	2	3	5	20
35-49	108	1.7	1	<1	<1	1	2	3	4	7
50-64	155	2.0	2	<1	<1	1	2	4	6	9
65+	133	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	112	2.8	9	<1	1	2	3	5	8	17
20-34	216	2.1	1	<1	1	2	3	4	4	6
35-49	260	2.4	3	<1	1	2	3	4	6	13
50-64	351	3.4	18	<1	1	2	3	7	11	17
65+	405	4.8	47	1	1	2	5	11	16	48
TOT. SINGLE DX	570	1.9	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	1344	3.4	22	<1	1	2	3	7	11	26
TOTAL 0-19 YRS	184	2.4	7	<1	<1	2	3	4	6	11
20-34	318	2.1	4	<1	<1	2	3	4	4	8
35-49	368	2.2	3	<1	<1	2	3	4	5	10
50-64	506	2.9	14	<1	<1	2	3	6	9	16
65+	538	4.1	38	<1	<1	2	4	9	14	43
GRAND TOTAL	**1914**	**2.9**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**23**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	1.5	1	<1	<1	1	2	3	4	5
20-34	316	1.9	2	<1	<1	1	2	4	5	8
35-49	115	2.8	3	<1	<1	2	4	6	6	8
50-64	120	3.7	4	<1	1	4	5	7	7	10
65+	73	4.7	9	1	2	4	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	247	3.0	23	<1	1	2	3	5	8	11
20-34	343	3.7	19	1	1	2	4	7	12	25
35-49	210	4.2	14	1	1	3	5	8	10	19
50-64	249	5.4	24	1	2	4	6	9	13	25
65+	467	6.9	71	1	2	5	8	13	17	49
TOT. SINGLE DX	1090	2.2	4	<1	<1	1	3	5	6	9
" MULTIPLE DX	1516	4.9	39	1	1	3	6	9	13	31
TOTAL 0-19 YRS	713	2.0	9	<1	<1	1	2	4	5	9
20-34	659	2.8	12	<1	<1	2	3	6	7	18
35-49	325	3.7	11	<1	1	3	5	7	9	16
50-64	369	4.9	19	1	1	4	6	8	11	21
65+	540	6.6	64	1	2	5	7	12	17	43
GRAND TOTAL	**2606**	**3.8**	**26**	**<1**	**<1**	**2**	**5**	**7**	**10**	**24**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.9	2	<1	1	1	2	3	6	7
20-34	127	2.6	5	1	1	2	3	4	6	13
35-49	118	2.8	16	1	1	2	3	4	5	31
50-64	74	2.4	3	<1	1	2	3	4	5	12
65+	46	2.5	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	31	4.9	82	1	1	3	4	10	12	51
20-34	144	3.0	7	1	1	2	3	5	10	14
35-49	161	3.3	13	1	1	2	3	5	9	20
50-64	153	3.5	48	1	1	2	4	4	6	36
65+	99	4.6	30	1	1	3	4	10	15	32
TOT. SINGLE DX	383	2.6	8	1	1	2	3	4	5	12
" MULTIPLE DX	588	3.6	28	1	1	2	4	5	11	25
TOTAL 0-19 YRS	49	3.8	54	1	1	2	3	8	11	51
20-34	271	2.8	6	1	1	2	3	5	9	14
35-49	279	3.1	15	1	1	2	3	5	7	26
50-64	227	3.1	34	1	1	2	3	4	5	22
65+	145	3.9	23	1	1	3	4	9	11	27
GRAND TOTAL	**971**	**3.2**	**20**	**1**	**1**	**2**	**3**	**5**	**9**	**20**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.2	28	<1	<1	1	3	5	16	28
20-34	35	3.4	47	<1	<1	2	3	5	9	45
35-49	88	3.0	6	<1	<1	2	4	7	[illegible]	13
50-64	70	2.5	2	<1	<1	2	3	5	6	9
65+	46	4.3	30	<1	1	3	4	10	18	28
2. MULTIPLE DX										
0-19 YRS	100	5.5	63	<1	1	3	6	13	14	49
20-34	144	4.2	42	<1	1	2	4	8	14	40
35-49	183	4.8	55	<1	1	3	4	11	15	46
50-64	199	5.9	78	1	1	3	5	14	21	58
65+	147	7.9	115	1	1	4	9	20	30	99+
TOT. SINGLE DX	327	3.2	22	<1	<1	2	3	5	9	25
" MULTIPLE DX	773	5.6	73	1	1	3	5	13	20	57
TOTAL 0-19 YRS	138	4.9	54	<1	<1	3	5	12	14	42
20-34	229	3.9	44	<1	1	2	4	7	11	41
35-49	271	4.2	40	<1	1	2	4	9	14	37
50-64	269	5.0	61	<1	1	3	5	10	19	56
65+	193	7.0	97	1	1	4	8	17	26	86
GRAND TOTAL	**1100**	**4.9**	**59**	**<1**	**1**	**3**	**5**	**11**	**17**	**54**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1491	1.2		<1	<1	1	1	2	2	2
20-34	1138	1.3	1	<1	<1	1	1	2	2	3
35-49	200	1.4		<1	<1	1	2	2	2	5
50-64	115	1.4		<1	<1	1	2	2	2	2
65+	73	1.9	2	<1	<1	2	2	3	4	79
2. MULTIPLE DX										
0-19 YRS	768	1.9	9	<1	<1	1	2	2	4	21
20-34	1007	3.1	34	<1	<1	2	2	6	11	34
35-49	505	3.6	44	<1	<1	2	2	8	15	44
50-64	628	4.3	55	<1	1	2	3	11	20	43
65+	666	6.4	111	1	1	2	7	17	31	99+
TOT. SINGLE DX	3017	1.3	1	<1	<1	1	1	2	2	3
" MULTIPLE DX	3574	3.7	51	<1	<1	2	2	9	16	50
TOTAL 0-19 YRS	2259	1.4	3	<1	<1	1	1	2	2	6
20-34	2145	2.1	18	<1	<1	1	2	2	5	25
35-49	705	2.9	33	<1	<1	2	2	5	11	36
50-64	743	3.9	48	<1	<1	2	3	9	16	40
65+	739	6.0	103	1	1	2	7	16	29	99+
GRAND TOTAL	**6591**	**2.6**	**29**	**<1**	**<1**	**1**	**2**	**4**	**9**	**34**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	1.1		<1	<1	<1	1	1	2	2
20-34	15	1.5		<1	<1	1	2	2	3	3
35-49	5	2.8	1	<1	<1	3	4	4	4	4
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	5	3.0	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	181	1.7	20	<1	<1	1	1	2	3	46
20-34	71	2.9	20	<1	1	2	2	4	10	30
35-49	20	3.3	37	<1	1	2	2	3	16	29
50-64	5	3.0	3	1	1	3	4	6	6	6
65+	7	9.4	34	3	3	7	14	18	19	19
TOT. SINGLE DX	153	1.3	1	<1	<1	<1	1	2	3	4
" MULTIPLE DX	284	2.3	23	<1	<1	1	2	3	6	31
TOTAL 0-19 YRS	304	1.5	12	<1	<1	<1	1	2	2	13
20-34	86	2.7	17	<1	<1	2	2	3	8	28
35-49	25	3.2	30	<1	1	2	3	4	10	29
50-64	10	2.7	3	<1	<1	2	3	5	6	6
65+	12	6.8	30	1	2	5	9	16	19	19
GRAND TOTAL	**437**	**2.0**	**15**	**<1**	**<1**	**1**	**2**	**2**	**5**	**23**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.9	2	<1	<1	1	2	3	5	9
20-34	74	1.8	2	<1	<1	1	2	4	5	8
35-49	115	1.9	11	<1	<1	1	2	3	4	16
50-64	89	1.8	1	<1	<1	1	2	3	4	5
65+	33	3.3	7	<1	1	2	4	6	11	13
2. MULTIPLE DX										
0-19 YRS	117	2.4	24	<1	<1	1	2	4	6	26
20-34	117	2.7	13	<1	1	2	2	5	9	52
35-49	97	3.2	31	<1	1	2	3	5	10	35
50-64	122	4.2	59	<1	1	2	3	8	16	41
65+	107	5.8	76	1	1	3	8	12	17	53
TOT. SINGLE DX	348	2.0	6	<1	<1	1	2	4	5	9
" MULTIPLE DX	560	3.6	42	<1	1	2	3	8	12	37
TOTAL 0-19 YRS	154	2.3	19	<1	<1	1	2	4	6	13
20-34	191	2.4	9	<1	<1	2	2	4	7	25
35-49	212	2.5	21	<1	<1	1	2	4	5	26
50-64	211	3.2	36	<1	<1	2	3	4	8	33
65+	140	5.3	62	1	1	3	6	11	17	41
GRAND TOTAL	**908**	**3.0**	**29**	**<1**	**<1**	**2**	**3**	**5**	**10**	**32**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	2.5	1	<1	1	2	3	5	5	6
20-34	210	3.1	2	1	1	3	4	5	6	8
35-49	260	3.2	2	1	1	3	4	5	6	9
50-64	262	3.3	3	1	2	3	4	5	7	10
65+	228	3.8	10	1	2	3	4	7	8	17
2. MULTIPLE DX										
0-19 YRS	29	2.7	1	1	1	3	3	5	5	7
20-34	100	4.3	49	1	1	3	4	6	10	49
35-49	155	4.7	29	1	1	3	5	10	15	35
50-64	267	4.7	20	1	2	4	5	9	12	18
65+	390	6.1	44	2	2	4	7	12	19	58
TOT. SINGLE DX	1015	3.3	5	1	1	3	4	5	7	11
" MULTIPLE DX	941	5.2	35	1	2	4	5	10	15	39
TOTAL 0-19 YRS	84	2.6	2	<1	1	2	3	5	5	7
20-34	310	3.5	18	1	1	3	4	6	7	17
35-49	415	3.7	14	1	1	3	4	6	9	20
50-64	529	4.0	13	1	2	3	5	7	9	16
65+	618	5.3	33	1	2	4	6	10	14	44
GRAND TOTAL	**1956**	**4.2**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	3.8	3	1	1	3	5	6	7	9
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	7	8.3	212	<1	<1	2	6	34	41	41
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	172	4.1	3	2	2	4	5	6	8	12
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	9	7.4	38	1	1	6	10	18	20	20
50-64	5	4.0	6	1	1	3	6	7	7	7
65+	2	6.5	41	2	2	6	11	11	11	11
TOT. SINGLE DX	186	3.9	11	1	1	3	5	6	7	10
" MULTIPLE DX	191	4.3	6	2	2	4	5	7	8	15
TOTAL 0-19 YRS	337	4.0	4	1	2	4	5	6	8	10
20-34	8	3.4	2	2	2	3	4	6	6	6
35-49	16	5.2	28	1	1	3	7	13	18	20
50-64	12	6.5	123	<1	1	3	6	17	38	41
65+	4	5.5	16	2	2	4	8	11	11	11
GRAND TOTAL	**377**	**4.1**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	348	3.1	9	<1	<1	2	5	6	7	9
20-34	122	3.4	11	<1	<1	2	4	7	9	20
35-49	119	3.8	34	<1	<1	2	4	9	12	33
50-64	197	3.9	22	<1	<1	2	4	9	14	30
65+	163	3.9	19	<1	<1	2	4	9	14	24
2. MULTIPLE DX										
0-19 YRS	401	4.0	25	1	1	3	5	7	11	23
20-34	251	5.2	80	1	1	3	5	10	14	42
35-49	232	6.2	69	<1	1	3	7	14	23	44
50-64	390	9.4	167	<1	1	4	12	23	36	79
65+	524	9.6	168	1	1	5	12	23	38	90
TOT. SINGLE DX	949	3.5	17	<1	<1	2	4	7	9	21
" MULTIPLE DX	1798	7.2	117	1	1	3	8	17	27	67
TOTAL 0-19 YRS	749	3.6	18	<1	<1	2	5	7	8	23
20-34	373	4.6	59	<1	1	3	5	8	13	34
35-49	351	5.4	58	<1	<1	3	6	12	19	43
50-64	587	7.5	126	<1	1	3	9	18	28	65
65+	687	8.2	139	1	1	4	10	20	32	78
GRAND TOTAL	**2747**	**5.9**	**85**	**<1**	**1**	**3**	**6**	**14**	**22**	**52**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3997	1.4		1	1	1	2	2	2	3
20-34	2574	1.6		1	1	1	2	2	3	3
35-49	264	1.7		1	1	2	2	3	3	4
50-64	43	1.7		1	1	1	2	3	4	4
65+	12	2.9	7	1	1	2	3	8	9	9
2. MULTIPLE DX										
0-19 YRS	860	1.7	2	1	1	1	2	2	3	7
20-34	470	2.0	1	1	1	2	2	3	4	7
35-49	84	2.6	8	1	1	2	3	4	7	19
50-64	16	6.9	64	<1	1	4	7	15	28	33
65+	15	5.6	71	1	1	2	5	12	28	34
TOT. SINGLE DX	6890	1.5		1	1	1	2	2	3	3
" MULTIPLE DX	1445	1.9	4	1	1	2	2	3	4	9
TOTAL 0-19 YRS	4857	1.5	1	1	1	1	2	2	2	4
20-34	3044	1.6	1	1	1	2	2	2	3	4
35-49	348	1.9	3	1	1	2	2	3	4	7
50-64	59	3.1	23	1	1	2	3	6	10	31
65+	27	4.4	43	1	1	2	4	9	15	34
GRAND TOTAL	**8335**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5519	1.3		<1	1	1	2	2	2	3
20-34	192	1.3		1	1	1	2	2	2	3
35-49	11	1.4		1	1	1	2	2	2	2
50-64	6	1.0		<1	<1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4140	1.4	1	<1	1	1	2	2	2	5
20-34	58	2.3	21	1	1	2	2	3	4	34
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	5729	1.3		<1	1	1	2	2	2	3
" MULTIPLE DX	4201	1.4	2	<1	1	1	2	2	2	5
TOTAL 0-19 YRS	9659	1.3	1	<1	1	1	2	2	2	3
20-34	250	1.6	5	1	1	1	2	2	3	5
35-49	13	1.5		1	1	1	2	2	3	3
50-64	6	1.0		<1	<1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**9930**	**1.3**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	1.2		<1	<1	1	1	2	2	2
20-34	7	1.4		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	1152	1.2		<1	<1	1	1	2	2	3
20-34	9	1.2		<1	<1	1	1	2	2	2
35-49	4	2.5	9	1	1	1	4	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
TOT. SINGLE DX	475	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	1166	1.2	1	<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	1618	1.2		<1	<1	1	1	2	2	3
20-34	16	1.3		<1	<1	1	2	2	2	2
35-49	5	2.2	7	1	1	1	3	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**1641**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	2.3	3	<1	1	2	3	4	5	10
20-34	288	2.5	5	<1	1	2	3	4	5	11
35-49	105	3.3	20	<1	1	2	3	6	9	29
50-64	82	3.4	11	<1	1	2	4	8	10	19
65+	67	2.9	8	<1	1	2	3	4	9	18
2. MULTIPLE DX										
0-19 YRS	129	3.8	20	1	1	3	4	7	14	50
20-34	102	4.4	28	1	1	3	4	8	11	37
35-49	80	7.9	152	1	1	4	8	16	37	68
50-64	149	8.2	135	1	1	4	9	18	36	59
65+	172	9.0	94	1	1	5	12	21	29	39
TOT. SINGLE DX	942	2.6	7	<1	1	2	3	4	6	12
" MULTIPLE DX	632	6.9	90	1	1	3	8	16	24	58
TOTAL 0-19 YRS	529	2.7	8	<1	1	2	3	5	6	17
20-34	390	3.0	12	1	1	2	4	5	7	13
35-49	185	5.3	82	1	1	3	5	10	18	54
50-64	231	6.5	96	1	1	3	7	15	22	58
65+	239	7.3	78	1	1	3	10	20	24	36
GRAND TOTAL	**1574**	**4.3**	**45**	**<1**	**1**	**2**	**4**	**9**	**16**	**38**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pha[illegible] (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	4	6
20-34	29	2.6	2	<1	<1	2	4	5	5	5
35-49	22	3.8	6	<1	1	3	5	8	9	10
50-64	32	3.1	6	<1	1	2	4	6	8	13
65+	34	3.2	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	47	4.4	25	1	1	3	4	7	11	28
20-34	29	5.2	37	1	1	4	6	10	12	33
35-49	37	5.2	23	1	1	4	6	10	11	28
50-64	83	4.8	14	1	1	4	6	10	12	20
65+	200	6.2	57	1	1	4	7	14	19	60
TOT. SINGLE DX	148	2.8	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	396	5.5	40	1	1	4	7	11	16	35
TOTAL 0-19 YRS	78	3.2	18	<1	<1	2	4	6	7	27
20-34	58	3.9	21	<1	1	3	4	7	10	31
35-49	59	4.7	18	1	1	4	6	10	11	26
50-64	115	4.3	13	1	1	4	5	9	12	18
65+	234	5.7	51	1	1	4	7	12	16	52
GRAND TOTAL	**544**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	1.9	2	<1	<1	2	2	2	3	10
20-34	187	1.5		<1	<1	1	2	2	2	6
35-49	317	1.6	2	<1	<1	1	2	2	2	8
50-64	476	1.8	4	<1	<1	2	2	2	2	9
65+	251	1.7	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	67	3.9	37	<1	1	2	3	9	12	37
20-34	71	2.2	8	<1	<1	2	2	3	6	20
35-49	168	3.3	26	<1	<1	2	2	8	13	30
50-64	389	3.7	32	<1	1	2	3	9	15	31
65+	399	4.6	54	<1	1	2	5	12	17	71
TOT. SINGLE DX	1346	1.7	3	<1	<1	1	2	2	3	9
" MULTIPLE DX	1094	3.9	39	<1	1	2	3	10	15	34
TOTAL 0-19 YRS	182	2.6	16	<1	<1	2	2	4	9	25
20-34	258	1.7	3	<1	<1	1	2	2	3	9
35-49	485	2.2	11	<1	<1	2	2	2	7	20
50-64	865	2.6	18	<1	<1	2	2	4	9	20
65+	650	3.5	36	<1	1	2	2	9	13	33
GRAND TOTAL	**2440**	**2.7**	**20**	**<1**	**<1**	**2**	**2**	**4**	**9**	**22**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	2	7.5	85	<1	<1	7	14	14	14	14
35-49	10	3.9	19	<1	<1	2	6	11	15	15
50-64	29	11.9	105	1	1	11	18	26	28	40
65+	21	10.0	58	1	1	11	16	20	22	24
2. MULTIPLE DX										
0-19 YRS	11	6.7	112	1	1	3	8	21	36	37
20-34	8	11.8	617	1	1	2	24	89	99+	99+
35-49	13	12.7	404	1	2	7	11	33	69	77
50-64	48	12.1	117	1	2	10	15	24	37	48
65+	57	13.8	187	1	2	11	20	26	46	99
TOT. SINGLE DX	66	9.3	79	<1	1	7	15	21	25	38
" MULTIPLE DX	137	12.4	197	1	2	10	17	26	47	99+
TOTAL 0-19 YRS	15	5.5	85	<1	1	3	4	11	30	37
20-34	10	10.9	493	<1	1	2	12	84	99	99+
35-49	23	8.9	248	<1	1	5	9	16	41	77
50-64	77	12.0	112	1	1	11	17	25	35	47
65+	78	12.8	155	1	2	11	18	25	27	95
GRAND TOTAL	**203**	**11.4**	**160**	**1**	**1**	**9**	**16**	**24**	**36**	**90**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	8	16.5	21	12	12	15	18	24	26	26
50-64	26	15.8	44	7	10	15	18	25	32	33
65+	23	17.2	58	11	12	14	21	29	36	37
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	25	24.3	190	6	11	24	30	40	56	63
50-64	143	22.0	152	10	11	19	26	39	50	89
65+	121	24.0	228	10	11	20	31	46	70	99+
TOT. SINGLE DX	58	16.4	45	9	12	14	19	26	33	37
" MULTIPLE DX	289	23.0	188	10	11	19	28	43	55	99+
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	33	22.4	159	8	12	18	27	38	52	63
50-64	169	21.0	141	10	11	17	25	36	44	85
65+	144	22.9	207	10	11	19	29	43	69	99+
GRAND TOTAL	**347**	**21.9**	**170**	**10**	**11**	**18**	**26**	**39**	**51**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	3	16.3	17	13	13	15	19	21	21	21
2. MULTIPLE DX										
0-19 YRS	5	19.2	58	7	8	21	28	93	99+	99+
20-34	12	28.6	649	4	4	29	49	91	98	99+
35-49	12	42.9	629	4	9	61	99+	99+	99+	99+
50-64	48	25.6	337	4	4	25	52	99+	99+	99+
65+	76	38.4	641	6	8	40	72	99+	99+	99+
TOT. SINGLE DX	7	9.0	56	1	1	6	14	20	21	21
" MULTIPLE DX	153	33.3	562	4	7	34	65	99+	99+	99+
TOTAL 0-19 YRS	5	19.2	59	7	8	21	28	93	99+	99+
20-34	12	28.6	649	4	4	29	49	91	98	99+
35-49	13	40.0	688	4	5	59	99+	99+	99+	99+
50-64	51	24.3	346	2	4	23	51	99+	99+	99+
65+	79	37.5	635	6	8	38	71	99+	99+	99+
GRAND TOTAL	**160**	**32.3**	**564**	**4**	**6**	**33**	**63**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	6.2	66	1	1	3	7	17	27	35
20-34	17	5.2	26	1	1	4	8	18	68	99+
35-49	12	12.8	187	1	2	9	17	34	45	47
50-64	19	4.2	18	<1	1	2	6	12	14	15
65+	18	10.5	368	<1	1	3	12	61	91	99+
2. MULTIPLE DX										
0-19 YRS	88	19.3	646	1	1	8	38	89	99+	99+
20-34	61	26.7	702	1	1	18	60	90	99+	99+
35-49	86	26.8	558	2	3	24	47	83	99+	99+
50-64	250	26.3	553	1	2	23	55	99+	99+	99+
65+	370	37.0	735	2	4	42	67	99+	99+	99+
TOT. SINGLE DX	94	7.3	126	1	1	3	9	21	35	99+
" MULTIPLE DX	855	30.3	688	1	2	29	59	99+	99+	99+
TOTAL 0-19 YRS	116	16.1	537	1	1	7	23	76	99+	99+
20-34	78	22.0	633	1	1	14	44	86	99+	99+
35-49	98	25.1	532	2	2	19	44	78	99+	99+
50-64	269	24.8	547	1	2	20	52	99+	99+	99+
65+	388	35.8	748	2	3	39	66	99+	99+	99+
GRAND TOTAL	**949**	**28.0**	**680**	**1**	**2**	**23**	**57**	**98**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	4.9	14	<1	1	3	8	10	12	12
20-34	93	5.4	24	<1	1	3	7	10	17	25
35-49	159	5.8	49	<1	1	3	7	14	21	32
50-64	280	5.5	35	<1	<1	3	8	13	18	26
65+	298	5.8	36	<1	1	3	9	14	16	29
2. MULTIPLE DX										
0-19 YRS	28	9.0	27	2	2	8	14	17	18	18
20-34	345	16.9	180	2	2	15	23	35	43	99+
35-49	641	15.4	199	1	2	11	20	34	46	71
50-64	1697	11.7	120	1	2	9	15	25	32	61
65+	3069	13.5	137	2	2	11	17	28	36	88
TOT. SINGLE DX	841	5.6	37	<1	1	3	8	13	17	28
" MULTIPLE DX	5780	13.3	143	2	2	11	17	28	37	75
TOTAL 0-19 YRS	39	7.8	26	1	2	7	11	16	17	18
20-34	438	14.4	170	1	2	11	21	32	40	89
35-49	800	13.5	185	1	2	10	18	31	42	69
50-64	1977	10.8	113	1	2	8	14	23	31	57
65+	3367	12.8	133	1	2	10	17	27	35	84
GRAND TOTAL	**6621**	**12.4**	**136**	**1**	**2**	**10**	**16**	**27**	**35**	**71**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	3	21.0	349	4	4	18	35	41	41	41
65+	4	15.3	165	1	1	14	24	32	32	32
TOT. SINGLE DX	1	30.0		30	30	30	30	30	30	30
" MULTIPLE DX	7	17.7	208	1	2	16	28	39	41	41
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	3	21.0	349	4	4	18	35	41	41	41
65+	5	18.2	167	1	1	16	30	32	32	32
GRAND TOTAL	**8**	**19.3**	**197**	**1**	**2**	**17**	**31**	**38**	**41**	**41**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	11.3	64	4	4	9	13	22	32	33
20-34	60	8.7	20	3	4	8	11	15	18	21
35-49	95	9.1	42	1	2	8	11	15	21	40
50-64	170	8.8	36	1	2	8	11	16	19	27
65+	141	8.3	53	<1	1	7	12	18	21	36
2. MULTIPLE DX										
0-19 YRS	58	15.9	134	5	6	12	21	31	50	96
20-34	158	15.5	166	3	5	11	20	30	39	75
35-49	292	14.8	133	3	5	11	20	30	41	73
50-64	790	14.3	139	2	4	11	18	29	37	80
65+	1162	15.1	144	2	3	12	19	30	42	63
TOT. SINGLE DX	477	8.7	41	1	1	8	11	17	20	33
" MULTIPLE DX	2460	14.9	143	2	4	12	19	30	40	73
TOTAL 0-19 YRS	69	15.2	125	5	6	12	19	31	46	92
20-34	218	13.6	135	3	4	10	16	28	36	64
35-49	387	13.4	117	2	5	10	17	28	37	67
50-64	960	13.3	126	2	3	10	16	26	35	75
65+	1303	14.4	139	1	2	12	18	28	40	59
GRAND TOTAL	**2937**	**13.9**	**131**	**2**	**3**	**11**	**18**	**28**	**37**	**64**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	12.7	44	7	7	11	14	24	25	25
35-49	25	10.3	14	6	7	9	12	15	19	23
50-64	103	12.6	22	7	8	11	16	20	22	26
65+	75	12.9	28	8	8	11	16	20	24	33
2. MULTIPLE DX										
0-19 YRS	11	16.4	64	5	7	16	21	28	30	30
20-34	12	13.3	80	6	6	10	15	30	33	34
35-49	85	16.0	82	8	9	13	18	28	34	56
50-64	513	16.1	98	7	8	13	20	27	35	51
65+	544	18.4	142	8	9	15	21	31	44	85
TOT. SINGLE DX	210	12.4	25	7	8	11	15	20	23	26
" MULTIPLE DX	1165	17.2	118	8	9	14	20	30	38	78
TOTAL 0-19 YRS	12	15.8	63	5	7	15	21	27	30	30
20-34	18	13.1	65	6	6	10	14	27	32	34
35-49	110	14.7	73	8	8	12	17	23	32	52
50-64	616	15.5	87	7	8	13	18	26	33	49
65+	619	17.8	132	8	9	15	20	30	42	83
GRAND TOTAL	**1375**	**16.5**	**107**	**8**	**8**	**13**	**19**	**28**	**36**	**73**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	2.7	8	<1	<1	2	2	7	10	13
20-34	65	6.2	72	1	1	4	7	13	17	56
35-49	91	4.9	28	<1	1	3	6	9	13	30
50-64	201	4.7	28	<1	1	2	6	12	16	26
65+	156	5.8	37	<1	1	3	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	144	10.6	204	1	2	6	12	27	52	99+
20-34	200	13.1	167	1	1	10	18	29	53	99+
35-49	396	12.1	134	1	2	9	16	28	37	49
50-64	1042	11.6	132	1	2	8	15	26	35	68
65+	1970	14.4	173	2	3	11	18	30	42	95
TOT. SINGLE DX	606	4.9	33	<1	1	2	6	12	15	28
" MULTIPLE DX	3752	13.2	161	1	2	10	17	28	40	92
TOTAL 0-19 YRS	237	7.5	142	<1	1	3	10	18	30	99+
20-34	265	11.4	153	1	1	8	16	26	48	99+
35-49	487	10.7	122	1	1	7	14	25	31	48
50-64	1243	10.5	122	1	1	7	14	24	33	62
65+	2126	13.8	169	2	2	11	18	29	40	94
GRAND TOTAL	**4358**	**12.0**	**151**	**1**	**2**	**9**	**16**	**27**	**37**	**86**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	4.8	9	1	2	4	6	10	11	12
20-34	49	6.1	29	2	2	5	7	13	17	33
35-49	19	7.5	21	1	2	7	10	15	17	17
50-64	12	7.7	30	1	2	6	12	14	17	18
65+	4	12.3	61	5	5	11	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	17	16.2	244	4	4	12	22	35	55	64
20-34	33	11.9	189	3	3	7	12	32	66	99+
35-49	35	13.9	102	2	3	12	20	35	38	99+
50-64	70	16.9	255	3	4	10	25	35	55	76
65+	95	16.1	293	3	4	12	18	33	73	99+
TOT. SINGLE DX	100	6.6	27	2	2	5	8	13	17	27
" MULTIPLE DX	250	15.5	238	3	4	11	20	34	63	99+
TOTAL 0-19 YRS	33	10.7	160	2	2	6	12	26	36	64
20-34	82	8.5	100	2	3	5	9	17	32	90
35-49	54	11.6	82	2	3	8	18	23	37	97
50-64	82	15.5	232	2	3	10	22	34	49	75
65+	99	16.0	284	3	4	12	18	32	72	99+
GRAND TOTAL	**350**	**12.9**	**194**	**2**	**3**	**8**	**17**	**29**	**42**	**99+**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	6.0	15	2	2	5	8	10	14	20
20-34	526	5.6	16	2	3	5	7	10	11	20
35-49	182	6.6	29	2	3	5	8	13	17	30
50-64	79	6.4	15	2	2	6	8	11	14	21
65+	49	8.9	35	2	3	8	12	17	24	99+
2. MULTIPLE DX										
0-19 YRS	229	14.8	281	3	3	9	16	37	62	99+
20-34	506	10.9	115	3	4	8	13	21	29	60
35-49	380	13.2	130	3	4	9	18	29	36	65
50-64	787	14.2	151	3	4	10	18	30	40	71
65+	1200	16.8	214	4	5	13	21	34	45	92
TOT. SINGLE DX	948	6.1	20	2	3	5	7	10	14	23
" MULTIPLE DX	3102	14.6	181	3	4	10	18	31	42	84
TOTAL 0-19 YRS	341	11.9	211	2	3	7	13	25	52	91
20-34	1032	8.2	72	2	3	6	9	15	22	49
35-49	562	11.0	107	2	3	7	14	24	33	62
50-64	866	13.5	144	3	4	10	17	29	38	66
65+	1249	16.5	210	3	5	12	21	33	45	93
GRAND TOTAL	**4050**	**12.6**	**156**	**3**	**3**	**9**	**15**	**27**	**37**	**80**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	6.4	8	1	3	7	7	9	11	18
20-34	131	7.5	83	<1	1	5	10	16	19	44
35-49	101	5.7	47	<1	<1	3	8	13	16	40
50-64	120	6.7	36	1	1	5	9	15	18	31
65+	97	5.9	43	<1	1	3	8	13	16	38
2. MULTIPLE DX										
0-19 YRS	89	10.3	125	2	2	7	11	18	25	71
20-34	176	11.5	117	1	2	9	15	23	32	59
35-49	228	13.2	157	1	2	10	17	26	40	77
50-64	622	12.6	117	1	2	11	17	25	32	56
65+	916	15.0	181	2	3	12	20	31	41	76
TOT. SINGLE DX	607	6.5	43	<1	1	5	8	13	17	31
" MULTIPLE DX	2031	13.6	153	2	2	11	18	27	37	74
TOTAL 0-19 YRS	247	7.8	54	1	3	7	8	13	18	39
20-34	307	9.8	107	1	2	7	12	20	25	55
35-49	329	10.9	135	<1	1	8	14	23	33	73
50-64	742	11.7	109	1	2	9	15	24	31	53
65+	1013	14.1	175	2	2	11	19	29	39	75
GRAND TOTAL	**2638**	**11.9**	**136**	**1**	**2**	**9**	**16**	**25**	**34**	**70**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	9.0	26	4	4	8	10	15	23	27
20-34	21	10.0	10	6	7	10	11	13	17	21
35-49	32	11.6	9	8	8	11	13	17	17	19
50-64	75	12.6	16	8	8	12	14	19	21	27
65+	36	15.0	55	5	10	14	16	25	32	42
2. MULTIPLE DX										
0-19 YRS	438	13.5	121	6	7	10	15	24	32	86
20-34	82	18.4	303	7	8	12	18	36	68	83
35-49	170	15.4	96	7	8	13	19	28	40	92
50-64	504	18.0	161	8	9	14	21	31	43	79
65+	620	20.8	149	9	10	17	25	37	48	85
TOT. SINGLE DX	275	11.2	29	4	6	10	13	17	22	30
" MULTIPLE DX	1814	17.6	156	7	8	14	21	32	44	82
TOTAL 0-19 YRS	549	12.6	106	5	6	10	14	22	30	77
20-34	103	16.7	254	7	7	11	15	32	59	82
35-49	202	14.8	85	7	8	12	18	25	35	81
50-64	579	17.3	146	8	9	14	20	29	40	77
65+	656	20.5	146	9	10	17	25	36	47	81
GRAND TOTAL	**2089**	**16.8**	**144**	**7**	**8**	**13**	**20**	**30**	**41**	**79**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	11.0		11	11	11	11	11	11	11
35-49	79	11.7	17	8	8	11	13	16	18	32
50-64	255	12.1	12	8	9	11	13	16	20	27
65+	98	12.6	15	8	9	11	14	18	23	65
2. MULTIPLE DX										
0-19 YRS	6	24.5	440	9	9	12	50	53	53	53
20-34	14	14.0	51	7	8	10	20	24	29	30
35-49	600	12.6	43	7	8	11	14	20	26	43
50-64	2779	14.0	56	8	8	12	16	22	27	45
65+	1905	17.7	115	8	9	14	21	30	40	66
TOT. SINGLE DX	434	12.1	14	8	9	11	13	17	20	28
" MULTIPLE DX	5304	15.2	81	8	8	12	17	25	32	55
TOTAL 0-19 YRS	7	22.7	389	9	9	12	41	52	53	53
20-34	15	13.8	48	7	8	11	19	23	28	30
35-49	679	12.5	41	7	8	11	14	19	25	41
50-64	3034	13.8	53	8	8	12	15	22	27	43
65+	2003	17.4	112	8	9	14	20	30	39	66
GRAND TOTAL	**5738**	**14.9**	**76**	**8**	**8**	**12**	**17**	**24**	**31**	**54**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	277	1.8	1	<1	1	2	2	2	4	7
20-34	151	2.8	6	1	1	2	2	5	10	14
35-49	956	3.0	8	1	1	2	2	6	10	16
50-64	1864	2.7	6	1	2	2	2	5	9	14
65+	766	2.8	8	1	2	2	2	5	9	16
2. MULTIPLE DX										
0-19 YRS	699	2.6	12	1	1	2	2	4	7	17
20-34	337	4.7	51	1	2	2	5	10	14	29
35-49	3106	4.2	19	1	2	2	5	10	13	20
50-64	8427	4.6	28	1	2	2	6	11	15	24
65+	5035	6.4	61	1	2	3	9	15	21	38
TOT. SINGLE DX	4014	2.8	7	1	1	2	2	5	9	15
" MULTIPLE DX	17604	5.0	37	1	2	2	6	12	16	29
TOTAL 0-19 YRS	976	2.4	10	1	1	2	2	4	7	15
20-34	488	4.1	38	1	1	2	4	10	13	23
35-49	4062	3.9	18	1	1	2	4	10	13	19
50-64	10291	4.3	25	1	2	2	5	11	14	23
65+	5801	6.0	56	1	2	2	8	15	20	36
GRAND TOTAL	**21618**	**4.6**	**32**	**1**	**1**	**2**	**5**	**11**	**15**	**27**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.8	4	2	2	4	6	8	9	9
20-34	17	4.7	4	2	3	4	5	7	10	11
35-49	35	5.0	19	1	2	3	5	13	16	19
50-64	127	5.1	18	1	2	4	6	12	14	19
65+	589	5.1	18	1	2	4	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	32	7.3	47	2	3	5	8	11	19	39
20-34	24	9.0	63	2	2	6	12	19	25	36
35-49	166	10.1	57	2	2	9	14	17	24	45
50-64	1028	11.6	77	2	3	10	15	20	25	49
65+	5893	12.0	104	2	3	9	15	23	31	62
TOT. SINGLE DX	776	5.1	18	1	2	4	6	10	14	20
" MULTIPLE DX	7143	11.8	99	2	3	10	15	22	30	59
TOTAL 0-19 YRS	40	6.8	39	2	2	5	8	10	16	39
20-34	41	7.2	43	2	2	5	9	16	19	36
35-49	201	9.2	55	2	2	8	13	17	20	40
50-64	1155	10.9	75	2	3	9	14	20	24	48
65+	6482	11.3	100	2	3	9	14	22	30	59
GRAND TOTAL	**7919**	**11.2**	**95**	**2**	**3**	**9**	**14**	**22**	**29**	**54**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.8	16	1	1	3	7	10	13	15
20-34	23	6.6	22	1	2	5	10	12	15	20
35-49	132	5.1	35	2	2	3	6	10	13	31
50-64	288	4.1	8	2	2	3	5	8	10	15
65+	92	4.6	11	2	2	4	5	9	12	18
2. MULTIPLE DX										
0-19 YRS	44	12.9	210	1	2	8	18	26	46	69
20-34	79	10.1	68	2	2	8	12	24	28	36
35-49	490	7.2	32	2	3	5	9	15	18	26
50-64	1213	7.9	56	2	3	6	10	15	20	35
65+	692	10.7	99	3	3	8	14	21	26	63
TOT. SINGLE DX	555	4.6	16	2	2	3	5	9	12	17
" MULTIPLE DX	2518	8.7	69	2	3	6	11	17	22	44
TOTAL 0-19 YRS	64	10.3	162	1	2	7	12	24	31	68
20-34	102	9.3	60	2	2	7	11	20	26	36
35-49	622	6.7	34	2	2	5	9	14	18	26
50-64	1501	7.2	50	2	2	5	9	14	18	32
65+	784	10.0	93	2	3	7	13	19	24	59
GRAND TOTAL	**3073**	**7.9**	**62**	**2**	**2**	**5**	**10**	**16**	**21**	**38**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	236	3.0	5	<1	<1	2	4	6	7	13
20-34	119	3.5	13	<1	<1	2	4	9	13	17
35-49	122	3.2	16	<1	<1	2	4	7	11	22
50-64	131	3.3	18	<1	<1	2	3	8	12	23
65+	132	3.8	19	<1	1	2	4	9	12	22
2. MULTIPLE DX										
0-19 YRS	459	5.5	55	1	2	4	6	10	15	47
20-34	215	11.4	149	1	1	8	13	27	39	60
35-49	333	9.4	114	1	1	7	11	19	27	61
50-64	1022	10.1	94	1	2	8	14	23	28	49
65+	2817	13.4	145	2	3	10	17	27	38	72
TOT. SINGLE DX	740	3.3	13	<1	<1	2	4	7	10	20
" MULTIPLE DX	4846	11.6	130	1	2	9	15	24	33	66
TOTAL 0-19 YRS	695	4.7	40	1	1	3	5	9	13	27
20-34	334	8.6	115	<1	1	5	11	20	30	46
35-49	455	7.7	96	<1	1	5	10	17	25	49
50-64	1153	9.3	90	1	1	7	13	21	27	45
65+	2949	13.0	144	1	2	10	17	26	37	72
GRAND TOTAL	**5586**	**10.5**	**123**	**1**	**1**	**7**	**14**	**23**	**31**	**63**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.9	1	<1	1	3	4	5	5	5
20-34	526	3.1	2	1	1	3	4	5	6	10
35-49	796	3.6	5	1	2	3	4	6	7	13
50-64	509	4.0	12	1	2	3	4	6	8	15
65+	115	4.7	15	1	2	4	5	8	12	23
2. MULTIPLE DX										
0-19 YRS	4	3.8	1	2	2	4	5	5	5	5
20-34	139	4.6	21	1	1	3	5	8	10	33
35-49	379	5.2	34	1	2	4	5	10	14	27
50-64	414	5.8	30	2	2	4	6	12	16	30
65+	249	10.0	133	2	2	6	12	21	30	68
TOT. SINGLE DX	1965	3.6	7	1	2	3	4	5	7	14
" MULTIPLE DX	1185	6.3	56	1	2	4	6	13	19	40
TOTAL 0-19 YRS	23	3.0	2	<1	1	3	4	5	5	5
20-34	665	3.4	7	1	1	3	4	5	7	12
35-49	1175	4.1	16	1	2	3	5	6	9	18
50-64	923	4.8	21	1	2	4	5	8	13	24
65+	364	8.3	102	2	2	5	9	19	25	56
GRAND TOTAL	3150	4.6	27	1	2	3	5	8	12	26

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	9.6	56	2	2	8	15	20	26	28
20-34	30	5.5	27	1	1	3	8	13	15	24
35-49	83	8.7	48	1	2	8	10	13	23	41
50-64	259	9.6	22	3	4	9	11	15	19	28
65+	255	10.5	43	2	3	9	13	17	21	33
2. MULTIPLE DX										
0-19 YRS	67	12.9	142	2	3	10	15	24	41	94
20-34	148	13.4	272	2	2	8	15	31	54	87
35-49	504	13.4	146	2	3	10	15	29	38	66
50-64	1913	15.7	171	4	6	12	18	30	41	78
65+	3190	19.0	208	5	7	15	24	39	52	97
TOT. SINGLE DX	644	9.6	36	2	3	9	12	16	20	30
" MULTIPLE DX	5822	17.2	196	4	6	13	21	35	49	88
TOTAL 0-19 YRS	84	12.2	126	2	2	10	15	21	37	88
20-34	178	12.1	240	2	2	7	14	26	48	85
35-49	587	12.8	135	2	3	10	15	27	37	64
50-64	2172	15.0	158	3	5	11	17	28	40	76
65+	3445	18.3	201	5	7	14	23	37	51	95
GRAND TOTAL	6466	16.4	185	3	5	12	20	33	46	85

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	11.0		11	11	11	11	11	11	11
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34										
35-49										
50-64	10	14.4	36	7	9	13	16	23	29	29
65+	5	14.0	22	9	9	12	19	19	19	19
TOT. SINGLE DX	4	11.5	3	10	10	11	13	14	14	14
" MULTIPLE DX	18	14.2	25	8	9	13	17	19	25	29
TOTAL 0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	12	13.8	31	7	10	12	15	21	28	29
65+	6	14.0	18	9	9	13	19	19	19	19
GRAND TOTAL	22	13.7	22	8	10	12	16	19	23	29

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	10	3.5	6	<1	<1	3	5	7	9	9
35-49	12	4.4	14	<1	<1	3	6	11	12	12
50-64	23	7.0	35	1	2	5	9	18	20	23
65+	19	5.4	16	<1	1	5	8	11	14	15
2. MULTIPLE DX										
0-19 YRS	49	4.1	7	1	1	4	5	8	10	13
20-34	286	6.7	48	1	2	5	8	14	19	35
35-49	538	7.8	73	1	2	6	9	15	23	54
50-64	929	8.7	109	2	2	6	10	18	25	66
65+	1217	10.1	101	2	2	7	12	21	31	58
TOT. SINGLE DX	67	5.5	22	<1	1	4	7	12	15	22
" MULTIPLE DX	3019	8.8	94	2	2	6	10	19	27	57
TOTAL 0-19 YRS	52	4.2	8	1	1	4	5	8	10	13
20-34	296	6.6	47	1	2	5	8	13	19	35
35-49	550	7.8	72	1	2	5	9	15	22	54
50-64	952	8.7	108	2	2	6	10	18	25	65
65+	1236	10.0	100	2	2	7	12	21	31	58
GRAND TOTAL	3086	8.8	93	1	2	6	10	18	26	57

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	5.1	12	1	1	5	6	9	12	17
20-34	166	5.5	48	1	1	4	6	12	14	47
35-49	221	6.9	33	1	1	5	9	15	17	27
50-64	556	7.3	35	1	2	6	9	13	17	35
65+	755	8.1	34	1	2	7	10	15	18	29
2. MULTIPLE DX										
0-19 YRS	942	17.2	348	1	3	10	24	51	74	99+
20-34	604	10.2	127	1	1	7	13	25	34	80
35-49	1078	11.8	178	1	2	8	14	28	42	88
50-64	3861	11.9	131	2	3	9	14	24	35	74
65+	7674	14.2	156	3	4	11	18	29	41	94
TOT. SINGLE DX	1876	7.2	35	1	2	6	9	14	17	28
" MULTIPLE DX	14159	13.4	165	2	3	10	17	29	42	94
TOTAL 0-19 YRS	1120	15.3	315	1	2	8	20	45	70	99+
20-34	770	9.2	114	1	1	6	12	21	31	75
35-49	1299	11.0	157	1	2	7	14	26	38	77
50-64	4417	11.3	122	2	3	8	14	23	34	69
65+	8429	13.7	148	2	4	11	17	28	39	90
GRAND TOTAL	**16035**	**12.7**	**154**	**2**	**3**	**9**	**16**	**27**	**39**	**88**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	299	2.9	11	<1	<1	2	3	7	10	19
20-34	439	3.0	8	<1	<1	2	3	7	10	16
35-49	308	3.2	11	<1	<1	2	4	7	9	17
50-64	277	4.3	19	<1	<1	3	5	10	12	22
65+	203	4.3	27	<1	<1	2	5	9	12	33
2. MULTIPLE DX										
0-19 YRS	151	5.3	41	<1	1	3	6	12	18	38
20-34	351	9.3	97	<1	1	6	12	22	27	49
35-49	403	9.4	109	1	1	6	13	20	28	51
50-64	695	9.2	95	1	2	6	12	20	28	50
65+	984	11.2	132	1	2	8	15	25	33	61
TOT. SINGLE DX	1526	3.4	15	<1	<1	2	4	8	11	19
" MULTIPLE DX	2584	9.8	111	1	2	7	12	22	30	53
TOTAL 0-19 YRS	450	3.7	23	<1	<1	2	4	9	12	24
20-34	790	5.8	58	<1	<1	3	7	15	21	40
35-49	711	6.7	76	<1	1	4	8	16	21	46
50-64	972	7.8	78	<1	1	5	10	18	25	48
65+	1187	10.1	121	1	2	7	13	22	31	57
GRAND TOTAL	**4110**	**7.4**	**84**	**<1**	**1**	**4**	**10**	**17**	**24**	**48**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.9	12	<1	<1	3	6	10	11	11
20-34	23	3.3	8	<1	1	2	4	8	10	11
35-49	41	5.3	21	1	1	4	7	11	13	25
50-64	45	6.3	23	1	2	5	8	12	18	23
65+	47	6.8	21	2	3	6	8	13	17	25
2. MULTIPLE DX										
0-19 YRS	18	5.8	19	1	1	4	9	13	13	13
20-34	50	7.6	18	2	3	7	9	12	14	26
35-49	90	8.0	66	2	2	5	10	16	22	48
50-64	252	11.0	107	2	3	8	12	25	32	48
65+	262	10.1	63	3	4	8	12	19	25	46
TOT. SINGLE DX	168	5.6	20	1	1	5	7	11	14	24
" MULTIPLE DX	672	9.9	77	2	3	8	11	19	29	47
TOTAL 0-19 YRS	30	5.0	17	<1	1	3	8	12	13	13
20-34	73	6.2	19	1	1	6	9	11	14	23
35-49	131	7.2	53	1	2	5	9	14	20	44
50-64	297	10.3	98	2	3	7	11	22	30	48
65+	309	9.6	58	3	4	8	12	18	24	46
GRAND TOTAL	**840**	**9.0**	**69**	**2**	**2**	**7**	**10**	**18**	**25**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	75.0		75	75	75	75	75	75	75
35-49										
50-64	3	26.0	579	3	3	24	44	51	51	51
65+	2	16.5	113	9	9	16	24	24	24	24
TOT. SINGLE DX	1	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	7	30.6	618	3	4	24	45	70	75	75
TOTAL 0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	75.0		75	75	75	75	75	75	75
35-49										
50-64	3	26.0	579	3	3	24	44	51	51	51
65+	3	11.3	136	1	1	9	20	24	24	24
GRAND TOTAL	**8**	**26.9**	**639**	**1**	**2**	**24**	**39**	**68**	**75**	**75**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	25.7	264	8	8	29	37	40	40	40
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	72.2	[illegible]95	56	58	71	97	99+	99+	99+
20-34	5	38.4	57	30	30	35	44	49	49	49
35-49	8	33.9	182	5	12	39	43	45	46	46
50-64										
65+										
TOT. SINGLE DX	5	16.2	301	1	1	8	32	40	40	40
" MULTIPLE DX	24	52.4	500	23	29	52	71	99	99+	99+
TOTAL 0-19 YRS	13	61.4	858	1	3	69	92	99+	99+	99+
20-34	8	33.6	151	8	14	35	41	47	49	49
35-49	8	33.9	182	5	12	39	43	45	46	46
50-64										
65+										
GRAND TOTAL	**29**	**46.1**	**647**	**3**	**7**	**44**	**69**	**98**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	264	6.5	53	<1	1	6	7	12	20	32
20-34	223	7.7	40	2	2	7	9	13	18	41
35-49	153	7.0	29	2	2	6	9	13	19	34
50-64	150	8.9	64	1	2	7	10	18	24	47
65+	228	7.9	55	2	2	6	9	14	20	46
2. MULTIPLE DX										
0-19 YRS	422	11.6	154	1	2	8	12	24	39	67
20-34	652	12.9	146	3	4	9	15	29	41	77
35-49	765	13.8	155	2	3	10	17	30	42	72
50-64	1598	13.7	139	2	4	10	16	28	37	64
65+	4805	14.9	165	3	5	11	18	30	43	93
TOT. SINGLE DX	1018	7.5	50	1	2	6	9	13	20	39
" MULTIPLE DX	8242	14.2	158	3	4	10	17	29	41	78
TOTAL 0-19 YRS	686	9.6	121	<1	2	7	10	21	31	60
20-34	875	11.6	125	2	3	8	13	25	38	66
35-49	918	12.7	141	2	3	9	16	28	39	70
50-64	1748	13.3	135	2	4	10	16	28	36	64
65+	5033	14.6	163	3	4	11	18	30	43	91
GRAND TOTAL	**9260**	**13.5**	**151**	**2**	**4**	**10**	**17**	**28**	**40**	**74**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	10.5	138	1	2	6	14	25	30	68
20-34	56	11.1	186	<1	1	5	15	33	48	98
35-49	52	8.9	123	<1	1	5	11	25	33	52
50-64	51	9.1	120	1	1	3	11	28	38	40
65+	35	9.6	131	<1	1	5	12	20	40	50
2. MULTIPLE DX										
0-19 YRS	282	18.0	390	2	2	11	25	58	70	99+
20-34	334	16.0	239	1	2	11	23	40	47	74
35-49	402	15.6	265	2	2	10	21	37	48	92
50-64	743	14.3	221	1	2	9	19	37	52	95
65+	926	16.8	251	2	3	12	24	40	54	99+
TOT. SINGLE DX	256	9.9	140	1	1	5	12	27	37	65
" MULTIPLE DX	2687	16.0	260	2	2	10	22	40	55	99+
TOTAL 0-19 YRS	344	16.7	353	2	2	10	23	52	67	99+
20-34	390	15.3	234	1	2	10	22	39	47	75
35-49	454	14.8	254	1	2	9	20	37	47	91
50-64	794	13.9	217	1	2	9	19	36	50	90
65+	961	16.5	249	2	2	12	24	40	53	99+
GRAND TOTAL	**2943**	**15.4**	**252**	**1**	**2**	**10**	**22**	**39**	**53**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	2.6	16	<1	<1	2	2	3	10	24
20-34	76	3.8	16	<1	<1	2	5	10	12	19
35-49	98	3.5	21	<1	<1	2	4	8	9	27
50-64	157	4.6	74	<1	<1	2	5	9	13	37
65+	188	4.2	15	<1	<1	2	6	10	12	19
2. MULTIPLE DX										
0-19 YRS	127	7.6	151	1	1	3	8	18	34	87
20-34	199	8.5	88	<1	1	5	10	17	32	48
35-49	460	8.9	104	1	1	6	11	18	27	65
50-64	1002	9.5	116	1	1	7	12	22	31	56
65+	1929	10.8	115	1	2	8	14	23	36	74
TOT. SINGLE DX	605	3.9	33	<1	<1	2	5	9	11	22
" MULTIPLE DX	3717	10.0	115	1	2	7	12	22	32	69
TOTAL 0-19 YRS	213	5.6	103	<1	1	2	5	13	22	74
20-34	275	7.2	73	<1	1	5	9	15	22	42
35-49	558	7.9	94	<1	1	5	10	16	25	58
50-64	1159	8.8	114	<1	1	6	11	20	29	51
65+	2117	10.2	110	1	2	7	13	23	33	71
GRAND TOTAL	**4322**	**9.1**	**108**	**<1**	**1**	**6**	**11**	**20**	**31**	**68**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	402	3.8	2	2	2	4	4	6	7	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	3	12.0	91	<1	<1	17	18	18	18	18
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	126	5.9	16	2	3	5	6	10	13	26
20-34	10	15.5	148	5	5	9	23	33	43	43
35-49	6	22.5	510	7	7	13	30	61	65	65
50-64	18	18.2	361	3	4	13	18	44	66	79
65+	28	21.0	243	7	8	16	22	45	56	74
TOT. SINGLE DX	410	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	188	10.4	142	3	3	6	11	21	32	71
TOTAL 0-19 YRS	528	4.3	7	2	2	4	5	7	8	15
20-34	11	14.6	142	5	5	9	22	32	42	43
35-49	8	18.1	433	2	3	8	23	54	65	65
50-64	21	17.3	321	2	3	14	18	42	61	79
65+	30	20.0	240	7	7	15	22	42	54	74
GRAND TOTAL	**598**	**5.9**	**56**	**2**	**2**	**4**	**6**	**10**	**17**	**45**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	17.6	349	5	5	9	25	50	50	50
20-34	2	14.0	162	5	5	14	23	23	23	23
35-49	4	18.0	298	6	6	11	29	43	43	43
50-64	13	16.2	283	3	3	10	21	35	59	65
65+	26	12.4	102	3	3	8	28	73	99+	99+
2. MULTIPLE DX										
0-19 YRS	56	21.8	429	4	5	14	28	65	75	99
20-34	24	22.5	667	3	4	16	63	99+	99+	99+
35-49	64	25.4	462	5	7	18	35	54	77	98
50-64	193	21.1	437	3	5	14	30	78	97	99+
65+	1193	24.4	424	4	6	19	40	82	99+	99+
TOT. SINGLE DX	50	14.4	177	3	3	9	24	44	94	99+
" MULTIPLE DX	1530	23.9	432	4	6	19	37	80	99+	99+
TOTAL 0-19 YRS	61	21.5	418	4	5	13	28	61	74	98
20-34	26	21.8	626	3	4	16	57	99+	99+	99+
35-49	68	25.0	451	5	7	17	35	53	76	98
50-64	206	20.8	428	3	5	14	29	75	95	99+
65+	1219	24.2	420	4	6	19	39	82	99+	99+
GRAND TOTAL	**1580**	**23.6**	**426**	**4**	**5**	**18**	**37**	**80**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	6.4	47	<1	<1	4	10	15	22	25
20-34	65	4.4	11	<1	<1	4	6	9	11	16
35-49	123	4.7	18	<1	<1	4	7	9	11	24
50-64	146	4.9	11	<1	<1	4	7	9	11	14
65+	171	5.7	56	<1	<1	4	8	11	16	25
2. MULTIPLE DX										
0-19 YRS	37	5.3	22	1	2	4	7	8	17	24
20-34	229	7.2	65	2	2	6	8	12	15	36
35-49	526	7.8	39	1	2	6	9	15	20	32
50-64	1165	8.7	50	2	3	7	10	16	22	39
65+	3514	11.6	95	3	4	9	14	22	30	59
TOT. SINGLE DX	521	5.1	29	<1	<1	4	7	10	12	21
" MULTIPLE DX	5471	10.4	81	2	3	8	12	20	28	51
TOTAL 0-19 YRS	53	5.6	30	<1	<1	4	7	12	20	25
20-34	294	6.6	55	<1	2	5	8	11	15	33
35-49	649	7.2	37	<1	1	6	9	14	19	31
50-64	1311	8.3	48	1	2	7	10	16	21	38
65+	3685	11.3	95	2	4	9	14	22	30	59
GRAND TOTAL	**5992**	**9.9**	**79**	**1**	**3**	**8**	**12**	**19**	**26**	**50**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	23	11.5	47	5	7	9	13	14	26	40
35-49	61	13.4	32	7	8	11	17	21	24	29
50-64	79	14.0	35	8	9	13	16	23	27	34
65+	60	13.8	44	8	8	12	15	19	26	47
2. MULTIPLE DX										
0-19 YRS	7	26.0	808	3	4	13	44	73	78	78
20-34	46	16.5	187	7	9	11	17	37	48	75
35-49	159	16.0	119	8	8	13	18	26	46	97
50-64	356	19.6	184	8	9	15	23	38	50	80
65+	760	23.2	219	9	10	19	28	44	60	99+
TOT. SINGLE DX	224	13.5	38	7	8	12	15	20	26	36
" MULTIPLE DX	1328	21.1	206	8	9	17	25	41	56	94
TOTAL 0-19 YRS	8	24.0	725	3	5	12	34	71	78	78
20-34	69	14.9	145	6	8	11	15	27	41	71
35-49	220	15.2	96	8	8	12	18	25	37	81
50-64	435	18.6	162	8	9	15	22	33	45	79
65+	820	22.5	213	9	10	19	27	43	58	99+
GRAND TOTAL	**1552**	**20.0**	**189**	**8**	**9**	**16**	**24**	**38**	**52**	**90**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	4	22.3	71	12	12	23	29	31	31	31
50-64	9	14.1	18	11	11	13	14	21	25	25
65+	16	20.8	108	9	10	17	24	37	44	47
2. MULTIPLE DX										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	4	14.8	9	11	11	15	17	18	18	18
35-49	17	19.7	103	5	9	18	27	36	38	39
50-64	101	20.7	138	11	12	16	24	35	41	91
65+	126	27.5	308	12	13	23	34	55	74	99+
TOT. SINGLE DX	29	18.9	82	10	11	16	24	32	37	47
" MULTIPLE DX	249	24.0	232	11	12	19	29	41	67	99+
TOTAL 0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	4	14.8	9	11	11	15	17	18	18	18
35-49	21	20.2	95	6	10	19	28	34	38	39
50-64	110	20.1	132	11	11	16	23	34	40	89
65+	142	26.8	290	11	13	21	33	51	70	99+
GRAND TOTAL	**278**	**23.5**	**218**	**11**	**12**	**18**	**28**	**40**	**63**	**99**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	8.7	2	6	7	9	10	11	11	11
35-49	32	9.7	9	6	7	9	10	15	16	19
50-64	29	10.6	12	6	7	10	12	15	16	23
65+	14	13.1	41	6	7	11	16	19	28	31
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	19	12.6	25	6	7	13	15	20	23	25
35-49	50	15.8	131	7	7	12	20	24	34	73
50-64	74	16.4	113	7	8	12	21	29	40	93
65+	101	21.5	186	8	8	19	25	37	55	68
TOT. SINGLE DX	90	10.3	16	6	7	9	11	15	17	28
" MULTIPLE DX	245	18.1	148	7	8	14	22	33	43	73
TOTAL 0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	33	10.9	19	6	7	9	13	16	21	25
35-49	82	13.4	92	7	7	10	15	21	27	65
50-64	103	14.8	92	7	8	12	17	28	34	85
65+	115	20.5	176	8	8	17	25	36	50	68
GRAND TOTAL	**335**	**16.0**	**124**	**7**	**8**	**12**	**20**	**29**	**37**	**70**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	6.7	10	2	3	6	9	11	13	14
20-34	200	7.2	5	5	5	7	8	10	11	16
35-49	189	7.4	8	5	5	7	9	11	14	18
50-64	87	9.4	17	6	6	8	10	15	16	29
65+	63	11.3	44	6	7	9	13	18	21	42
2. MULTIPLE DX										
0-19 YRS	132	19.4	354	3	5	12	28	47	79	99+
20-34	356	9.5	48	5	5	7	10	16	24	53
35-49	622	10.6	85	5	5	8	10	17	28	52
50-64	433	14.1	119	5	6	10	16	26	37	59
65+	778	21.0	210	7	8	17	26	43	56	99+
TOT. SINGLE DX	582	8.0	14	4	5	7	9	12	15	22
" MULTIPLE DX	2321	15.1	166	5	6	10	18	32	45	91
TOTAL 0-19 YRS	175	16.3	299	3	4	10	19	38	61	99+
20-34	556	8.7	34	5	5	7	9	14	19	44
35-49	811	9.8	69	5	5	8	10	16	22	50
50-64	520	13.3	105	5	6	10	15	25	34	59
65+	841	20.3	205	7	8	16	25	42	55	99+
GRAND TOTAL	**2903**	**13.7**	**144**	**5**	**6**	**9**	**16**	**29**	**40**	**78**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	6.1	26	<1	1	5	8	12	15	29
20-34	265	6.0	24	<1	1	5	8	11	15	27
35-49	239	5.1	32	<1	<1	4	7	11	14	23
50-64	463	3.2	12	<1	<1	1	4	8	11	16
65+	468	3.9	23	<1	<1	2	5	10	12	26
2. MULTIPLE DX										
0-19 YRS	215	10.0	143	<1	2	6	13	21	36	93
20-34	572	8.3	63	1	2	6	10	16	19	47
35-49	806	8.7	58	1	2	7	11	17	23	39
50-64	1848	8.5	64	<1	1	7	11	18	23	42
65+	4888	10.5	105	1	2	8	14	22	30	70
TOT. SINGLE DX	1533	4.4	23	<1	<1	3	6	10	13	22
" MULTIPLE DX	8329	9.7	91	1	2	7	12	20	28	59
TOTAL 0-19 YRS	313	8.8	110	<1	1	6	11	18	29	81
20-34	837	7.6	52	<1	2	6	9	14	18	40
35-49	1045	7.9	55	<1	1	6	10	16	21	38
50-64	2311	7.4	59	<1	<1	6	10	16	22	37
65+	5356	10.0	102	1	1	8	13	21	29	66
GRAND TOTAL	**9862**	**8.9**	**84**	**<1**	**1**	**7**	**11**	**19**	**26**	**52**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	13.2	250	6	6	10	11	19	49	80
20-34	30	10.5	50	5	6	9	11	15	18	44
35-49	26	10.7	20	5	6	10	13	19	19	20
50-64	40	11.8	29	6	7	10	13	18	25	30
65+	55	14.4	74	7	8	11	17	26	28	57
2. MULTIPLE DX										
0-19 YRS	62	15.2	201	6	6	11	18	35	77	99+
20-34	145	17.0	194	7	7	12	18	33	46	78
35-49	158	17.6	125	7	8	14	22	33	42	97
50-64	322	20.1	211	8	8	16	24	37	53	90
65+	731	22.2	239	8	9	18	27	45	69	99+
TOT. SINGLE DX	172	12.4	73	6	7	10	14	19	26	55
" MULTIPLE DX	1418	20.4	219	7	8	16	25	40	61	99+
TOTAL 0-19 YRS	83	14.7	212	6	6	10	15	30	77	99+
20-34	175	15.9	176	6	7	11	18	31	45	75
35-49	184	16.7	116	6	7	14	20	31	41	91
50-64	362	19.2	198	7	8	15	23	34	51	89
65+	786	21.6	232	8	9	17	26	43	66	99+
GRAND TOTAL	**1590**	**19.5**	**209**	**7**	**8**	**15**	**24**	**38**	**56**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	14.9	198	5	5	10	15	32	51	69
20-34	85	10.8	23	6	7	10	12	16	21	31
35-49	193	11.7	39	6	7	10	13	17	23	43
50-64	434	10.9	15	7	8	10	12	15	18	28
65+	617	12.3	27	7	8	11	14	18	21	34
2. MULTIPLE DX										
0-19 YRS	68	19.7	311	7	8	12	22	53	64	83
20-34	271	17.5	148	6	7	14	21	33	48	64
35-49	668	15.2	85	7	8	12	18	27	34	52
50-64	2457	15.3	99	8	8	12	17	25	35	66
65+	6465	19.1	164	8	9	15	22	35	47	95
TOT. SINGLE DX	1363	11.8	30	7	8	10	13	17	21	34
" MULTIPLE DX	9929	17.9	147	8	9	14	21	32	43	86
TOTAL 0-19 YRS	102	18.1	277	6	7	11	18	41	62	80
20-34	356	15.9	127	6	7	12	19	29	41	63
35-49	861	14.5	77	7	8	12	16	26	33	51
50-64	2891	14.7	90	7	8	12	16	24	32	62
65+	7082	18.5	157	8	9	15	21	34	46	93
GRAND TOTAL	**11292**	**17.1**	**137**	**8**	**9**	**13**	**20**	**30**	**42**	**84**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	20.7	794	4	4	13	14	70	84	84
20-34	5	5.6	14	1	1	4	9	10	10	10
35-49	10	14.4	75	4	5	13	14	29	34	34
50-64	20	11.6	55	5	6	10	12	19	31	38
65+	23	18.4	318	7	8	14	19	31	57	93
2. MULTIPLE DX										
0-19 YRS	14	15.7	70	7	8	14	19	23	36	40
20-34	31	14.4	74	6	6	12	18	28	35	40
35-49	53	15.7	157	5	6	13	19	27	36	82
50-64	112	18.0	119	6	8	16	22	35	42	55
65+	318	22.8	237	8	9	18	31	50	65	99+
TOT. SINGLE DX	65	15.0	230	4	5	11	15	24	37	92
" MULTIPLE DX	528	20.4	199	7	8	16	26	41	55	99+
TOTAL 0-19 YRS	21	17.4	290	5	7	13	18	29	60	84
20-34	36	13.2	75	4	5	11	15	25	34	40
35-49	63	15.5	143	4	6	13	19	27	35	77
50-64	132	17.1	115	6	8	13	21	34	40	51
65+	341	22.5	243	8	9	18	30	49	65	99+
GRAND TOTAL	**593**	**19.8**	**205**	**6**	**8**	**15**	**24**	**40**	**55**	**99+**

601: intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	6.0	11	2	3	5	8	9	12	19
20-34	92	8.4	10	4	5	8	10	12	13	22
35-49	91	8.4	8	4	5	8	10	12	13	18
50-64	172	9.0	14	4	6	9	10	12	13	27
65+	178	9.6	35	3	5	9	11	14	16	27
2. MULTIPLE DX										
0-19 YRS	146	11.8	159	4	5	8	13	21	31	83
20-34	195	13.1	103	4	6	10	15	23	31	62
35-49	284	13.1	112	5	6	10	14	25	33	63
50-64	593	13.8	121	5	6	11	15	24	34	65
65+	1275	14.9	135	5	7	11	17	28	39	92
TOT. SINGLE DX	630	8.5	20	3	4	8	10	12	14	24
" MULTIPLE DX	2493	14.1	129	5	6	11	16	26	37	78
TOTAL 0-19 YRS	243	9.5	108	3	3	7	10	16	23	66
20-34	287	11.6	78	4	5	9	13	20	26	56
35-49	375	12.0	91	5	6	10	12	21	31	58
50-64	765	12.7	102	5	6	10	13	22	31	62
65+	1453	14.2	126	5	6	11	16	26	38	87
GRAND TOTAL	**3123**	**13.0**	**112**	**4**	**6**	**10**	**14**	**23**	**34**	**67**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.0	29	6	6	8	13	18	18	18
20-34	10	14.2	103	<1	2	14	16	28	39	39
35-49	16	14.2	242	<1	2	10	19	59	88	99+
50-64	16	12.9	42	3	7	11	17	22	26	28
65+	27	17.4	80	8	9	14	25	31	37	37
2. MULTIPLE DX										
0-19 YRS	23	17.3	112	5	7	16	29	42	99+	99+
20-34	37	19.2	173	5	6	16	28	36	43	63
35-49	76	20.2	168	6	9	17	26	44	65	99+
50-64	289	21.3	186	8	9	17	26	41	55	99+
65+	670	24.9	290	8	10	20	31	55	72	99+
TOT. SINGLE DX	73	14.9	107	2	7	12	18	28	37	92
" MULTIPLE DX	1095	23.3	251	8	9	19	29	49	69	99+
TOTAL 0-19 YRS	27	16.2	106	6	7	15	24	40	99+	99+
20-34	47	18.1	160	4	6	15	24	36	40	63
35-49	92	19.2	185	5	7	16	25	45	68	99+
50-64	305	20.8	182	8	9	17	25	40	53	99+
65+	697	24.6	284	8	10	20	31	54	72	99+
GRAND TOTAL	**1168**	**22.8**	**246**	**8**	**9**	**18**	**29**	**48**	**68**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4929	4.1	4	2	2	4	5	7	8	12
20-34	3357	4.3	4	2	2	4	5	7	8	11
35-49	1115	5.3	7	2	3	5	7	9	10	14
50-64	497	6.5	10	3	3	6	8	10	13	18
65+	180	7.4	10	3	4	7	9	12	14	17
2. MULTIPLE DX										
0-19 YRS	1438	6.7	21	3	3	5	8	12	15	23
20-34	1251	6.7	20	3	3	5	8	12	15	26
35-49	661	8.4	29	3	3	7	10	14	18	32
50-64	602	10.0	32	4	4	9	12	18	21	31
65+	492	12.7	63	4	5	11	16	22	28	49
TOT. SINGLE DX	10078	4.5	6	2	2	4	5	8	9	13
" MULTIPLE DX	4444	8.1	33	3	3	7	10	15	19	30
TOTAL 0-19 YRS	6367	4.7	10	2	2	4	5	8	10	16
20-34	4608	4.9	10	2	3	4	6	8	10	17
35-49	1776	6.4	18	3	3	5	8	11	14	23
50-64	1099	8.4	26	3	4	7	10	15	19	27
65+	672	11.3	55	4	5	9	14	21	25	47
GRAND TOTAL	**14522**	**5.6**	**17**	**2**	**3**	**4**	**7**	**10**	**13**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	4.0	4	2	2	3	5	7	8	14
20-34	37	5.9	7	2	3	5	7	10	11	13
35-49	8	5.4	3	3	3	5	6	8	9	9
50-64	6	5.2	9	3	3	4	6	10	11	11
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	18	7.5	15	2	3	6	9	14	16	17
20-34	28	7.0	8	4	4	6	8	11	14	16
35-49	9	7.2	4	4	4	7	8	10	11	11
50-64	8	13.9	170	4	4	10	16	36	44	44
65+	2	22.5	1	22	22	22	23	23	23	23
TOT. SINGLE DX	99	4.9	6	2	2	4	6	8	10	14
" MULTIPLE DX	65	8.5	38	4	4	7	9	14	19	41
TOTAL 0-19 YRS	65	5.0	10	2	2	4	6	9	13	17
20-34	65	6.4	8	3	4	6	8	10	12	16
35-49	17	6.4	5	3	4	6	8	9	10	11
50-64	14	10.1	116	3	3	6	11	21	39	44
65+	3	16.7	102	5	5	22	23	23	23	23
GRAND TOTAL	**164**	**6.3**	**22**	**2**	**3**	**5**	**8**	**11**	**14**	**23**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	7.6	13	4	4	8	10	13	14	14
20-34	9	8.7	14	3	3	8	11	14	15	15
35-49	9	11.8	43	6	6	10	15	23	25	25
50-64	6	11.8	20	6	6	12	16	17	17	17
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	15	12.1	24	7	7	11	14	21	23	24
20-34	11	12.1	43	4	6	11	15	21	27	28
35-49	4	9.8	13	7	7	8	12	15	15	15
50-64	12	15.8	112	8	8	13	17	31	44	46
65+	11	25.4	608	8	8	19	23	64	91	93
TOT. SINGLE DX	34	9.7	24	4	4	8	12	16	19	25
" MULTIPLE DX	53	15.5	185	7	7	12	16	24	42	92
TOTAL 0-19 YRS	24	10.4	24	4	4	10	13	16	22	24
20-34	20	10.6	32	3	4	10	13	16	22	28
35-49	13	11.2	33	6	6	9	14	20	24	25
50-64	18	14.4	82	7	8	12	16	22	37	46
65+	12	23.9	578	8	8	17	23	59	88	93
GRAND TOTAL	**87**	**13.2**	**129**	**4**	**6**	**11**	**15**	**22**	**25**	**76**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.2	12	<1	<1	2	4	7	9	20
20-34	96	4.8	37	<1	1	3	6	9	14	39
35-49	81	3.4	11	<1	<1	2	4	9	11	15
50-64	172	3.4	11	<1	<1	3	4	7	10	20
65+	255	5.0	32	<1	1	3	6	12	16	30
2. MULTIPLE DX										
0-19 YRS	70	5.8	59	<1	1	4	6	11	15	46
20-34	121	7.1	52	1	2	5	9	13	21	41
35-49	149	7.5	58	1	2	5	9	16	19	42
50-64	393	7.0	35	1	1	5	10	14	20	28
65+	1220	9.9	106	1	2	7	13	22	31	63
TOT. SINGLE DX	666	4.2	24	<1	<1	3	5	9	12	26
" MULTIPLE DX	1953	8.8	85	1	2	6	11	19	27	53
TOTAL 0-19 YRS	132	4.6	39	<1	<1	3	5	8	14	43
20-34	217	6.1	47	1	1	4	7	12	18	41
35-49	230	6.0	45	<1	1	4	7	13	17	34
50-64	565	5.9	31	<1	1	4	8	12	17	27
65+	1475	9.0	97	1	2	6	11	20	28	61
GRAND TOTAL	**2619**	**7.6**	**74**	**<1**	**1**	**5**	**10**	**17**	**24**	**47**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	3.5	4	1	1	3	5	6	8	9
20-34	142	3.2	9	1	1	2	4	6	8	19
35-49	112	3.2	11	1	1	2	4	6	7	20
50-64	63	4.0	12	1	1	3	5	7	9	22
65+	17	5.0	13	1	2	3	7	11	12	13
2. MULTIPLE DX										
0-19 YRS	29	7.9	74	1	2	5	10	15	23	44
20-34	104	4.8	14	1	1	4	7	10	12	19
35-49	108	5.1	46	1	1	4	5	10	13	44
50-64	106	7.3	112	1	1	4	8	15	29	60
65+	85	9.9	54	2	2	8	14	21	27	77
TOT. SINGLE DX	361	3.5	11	1	1	3	4	6	8	19
" MULTIPLE DX	432	6.7	62	1	1	4	8	14	20	46
TOTAL 0-19 YRS	56	5.8	45	1	1	4	7	11	16	43
20-34	246	3.9	12	1	1	3	5	8	11	19
35-49	220	4.1	30	1	1	3	4	7	11	31
50-64	169	6.1	78	1	1	4	7	11	18	48
65+	102	9.1	51	2	2	7	13	20	25	66
GRAND TOTAL	**793**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**36**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	13.3	32	7	7	13	14	20	28	29
20-34	21	13.5	27	6	8	13	16	22	24	25
35-49	34	13.7	39	6	7	13	17	20	25	33
50-64	156	12.8	25	7	9	12	14	19	21	27
65+	191	14.8	42	8	9	13	17	22	26	41
2. MULTIPLE DX										
0-19 YRS	25	15.0	73	7	8	11	19	27	35	40
20-34	30	17.1	112	7	9	14	20	31	40	54
35-49	130	16.4	126	8	8	13	17	30	42	59
50-64	653	17.3	90	9	10	14	20	30	38	72
65+	1482	20.4	142	9	11	17	24	35	44	86
TOT. SINGLE DX	414	13.8	35	7	8	13	16	21	24	32
" MULTIPLE DX	2320	19.2	128	9	10	16	23	34	43	81
TOTAL 0-19 YRS	37	14.4	59	7	8	12	16	26	32	40
20-34	51	15.6	80	7	9	13	17	25	36	54
35-49	164	15.9	110	7	8	13	17	28	37	52
50-64	809	16.4	81	9	9	14	19	27	35	63
65+	1673	19.8	134	9	10	16	23	34	43	81
GRAND TOTAL	**2734**	**18.4**	**118**	**9**	**10**	**15**	**21**	**32**	**42**	**73**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	3.2	7	<1	<1	2	4	7	8	12
20-34	490	4.3	10	<1	<1	4	5	8	10	17
35-49	520	4.3	14	<1	<1	4	6	9	11	19
50-64	582	3.7	10	<1	<1	3	5	8	10	15
65+	576	4.7	37	<1	<1	3	6	10	13	20
2. MULTIPLE DX										
0-19 YRS	264	6.3	75	1	1	[illegible]	7	11	14	43
20-34	1269	6.6	44	2	2	5	8	12	17	35
35-49	2075	7.2	48	1	2	5	8	14	19	38
50-64	3320	8.0	55	1	2	6	10	15	21	43
65+	7878	10.1	91	2	3	9	12	19	27	65
TOT. SINGLE DX	2315	4.2	18	<1	<1	3	6	8	11	18
" MULTIPLE DX	14806	8.9	75	2	2	7	11	17	24	54
TOTAL 0-19 YRS	411	5.2	53	<1	1	4	6	9	12	37
20-34	1759	6.0	36	1	2	5	7	11	15	32
35-49	2595	6.7	43	<1	1	5	8	13	18	35
50-64	3902	7.4	52	<1	1	6	9	14	19	40
65+	8454	9.8	89	1	3	7	12	19	26	63
GRAND TOTAL	**17121**	**8.2**	**70**	**<1**	**2**	**6**	**10**	**16**	**22**	**50**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.1	1	<1	<1	2	2	3	4	8
20-34	244	3.0	2	1	1	3	4	5	6	7
35-49	310	3.0	2	1	1	3	4	5	6	9
50-64	158	2.8	1	1	1	3	4	4	5	6
65+	55	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	19	3.3	5	1	1	3	4	7	9	10
20-34	199	3.8	11	1	1	3	4	7	9	17
35-49	333	3.8	11	1	1	3	4	7	9	22
50-64	275	3.8	6	1	1	3	5	7	9	16
65+	153	5.1	33	1	2	4	5	10	15	39
TOT. SINGLE DX	794	2.9	2	1	1	3	4	5	6	8
" MULTIPLE DX	979	4.0	14	1	1	3	5	7	10	20
TOTAL 0-19 YRS	46	2.6	3	<1	1	2	3	4	8	10
20-34	443	3.3	7	1	1	3	4	5	7	12
35-49	643	3.4	7	1	1	3	4	6	7	16
50-64	433	3.4	5	1	1	3	4	6	8	13
65+	208	4.6	26	1	2	3	5	8	12	31
GRAND TOTAL	**1773**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.2[illegible]; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	1.8		<1	<1	2	2	3	3	4
20-34	250	2.3	2	<1	<1	2	3	4	5	7
35-49	143	2.6	4	<1	<1	2	3	4	6	12
50-64	76	3.0	2	<1	1	3	4	5	6	8
65+	31	3.8	11	<1	1	3	5	6	6	20
2. MULTIPLE DX										
0-19 YRS	13	5.1	63	1	1	3	3	13	28	31
20-34	265	3.5	9	1	1	3	4	6	8	15
35-49	316	3.9	9	1	1	3	5	6	8	18
50-64	265	3.8	7	1	1	3	5	6	8	16
65+	199	6.6	61	1	2	4	8	14	19	77
TOT. SINGLE DX	530	2.5	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	1058	4.3	20	1	1	3	5	8	11	25
TOTAL 0-19 YRS	43	2.8	21	<1	<1	2	3	3	5	31
20-34	515	2.9	6	<1	1	2	4	5	7	11
35-49	459	3.5	8	1	1	3	4	6	8	14
50-64	341	3.6	6	1	1	3	4	6	7	14
65+	230	6.2	55	1	1	4	7	13	18	63
GRAND TOTAL	**1588**	**3.7**	**15**	**<1**	**1**	**3**	**4**	**6**	**9**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.6	1	2	2	4	5	5	5	5
20-34	260	3.5	3	1	1	3	4	5	7	12
35-49	351	3.7	3	1	2	4	5	6	7	12
50-64	211	3.7	2	2	2	4	5	6	7	9
65+	113	4.1	3	1	2	4	5	7	7	11
2. MULTIPLE DX										
0-19 YRS	17	3.1	1	1	1	3	4	5	5	5
20-34	1030	3.7	5	1	1	3	5	6	7	12
35-49	1670	4.1	7	1	2	4	5	7	8	15
50-64	1537	4.5	12	1	2	4	5	8	10	16
65+	877	5.9	37	1	2	4	6	11	15	30
TOT. SINGLE DX	945	3.7	4	1	2	4	5	6	7	11
" MULTIPLE DX	5131	4.4	14	1	2	4	5	7	10	19
TOTAL 0-19 YRS	27	3.3	2	1	1	3	4	5	5	5
20-34	1290	3.7	5	1	1	3	5	6	7	12
35-49	2021	4.0	6	1	2	4	5	6	8	14
50-64	1748	4.4	12	1	2	4	5	7	10	16
65+	990	5.7	34	1	2	4	6	11	15	29
GRAND TOTAL	**6076**	**4.3**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.7	9	1	1	3	5	7	9	19
20-34	298	2.8	3	<1	1	2	4	5	7	9
35-49	274	3.0	4	1	1	3	4	5	7	11
50-64	134	3.4	6	1	1	3	4	6	8	15
65+	80	4.3	11	1	1	3	6	8	10	77
2. MULTIPLE DX										
0-19 YRS	62	6.4	27	1	1	4	9	13	17	24
20-34	203	4.1	10	1	1	3	5	8	11	17
35-49	284	5.0	21	1	2	4	6	10	14	29
50-64	272	6.2	67	1	2	4	7	11	17	50
65+	261	7.8	77	1	2	6	9	14	22	42
TOT. SINGLE DX	848	3.2	6	1	1	3	4	6	8	11
" MULTIPLE DX	1082	5.9	46	1	1	4	7	11	16	39
TOTAL 0-19 YRS	124	5.0	20	1	1	3	7	11	14	21
20-34	501	3.3	7	1	1	3	4	6	9	14
35-49	558	4.0	14	1	1	3	5	8	11	21
50-64	406	5.3	49	1	1	3	6	9	14	43
65+	341	7.0	64	1	2	5	8	13	21	43
GRAND TOTAL	**1930**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.0	59	2	2	10	16	18	18	18
20-34	5	6.8	16	2	2	6	9	13	13	13
35-49	9	17.8	183	2	4	13	26	39	47	47
50-64	8	3.5	14	1	1	2	5	10	11	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	17.0	165	6	6	15	21	39	39	39
20-34	15	15.1	76	4	7	12	21	26	33	35
35-49	20	20.7	162	4	7	18	29	39	44	49
50-64	32	22.4	250	2	2	23	31	44	54	66
65+	44	21.8	206	2	3	18	32	43	46	60
TOT. SINGLE DX	27	9.7	109	1	1	8	13	24	30	47
" MULTIPLE DX	116	20.7	193	2	3	18	30	39	46	62
TOTAL 0-19 YRS	9	13.9	119	2	3	15	16	31	39	39
20-34	20	13.0	73	2	4	10	18	25	30	35
35-49	29	19.8	165	2	7	15	26	39	47	49
50-64	40	18.7	260	1	2	15	29	39	50	66
65	45	21.3	211	2	2	18	32	43	46	60
GRAND TOTAL	**143**	**18.6**	**195**	**2**	**2**	**16**	**26**	**38**	**45**	**60**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	4.2	23	1	1	3	5	8	11	29
20-34	155	3.5	18	<1	<1	2	5	10	11	17
35-49	213	2.9	18	<1	1	1	2	7	10	26
50-64	226	3.3	17	<1	1	2	3	9	12	18
65+	135	3.9	29	<1	1	2	3	12	15	27
2. MULTIPLE DX										
0-19 YRS	107	10.7	123	1	1	8	15	27	39	99+
20-34	259	10.3	166	1	1	7	12	24	35	69
35-49	489	11.0	187	1	1	7	14	26	42	74
50-64	880	10.6	111	1	1	8	15	24	31	53
65+	1139	12.5	129	1	2	10	17	25	35	64
TOT. SINGLE DX	769	3.4	20	<1	1	2	3	9	12	24
" MULTIPLE DX	2874	11.4	137	1	1	8	16	25	34	64
TOTAL 0-19 YRS	147	8.9	105	1	1	5	12	23	34	99+
20-34	414	7.8	122	<1	1	4	9	17	29	64
35-49	702	8.5	150	1	1	3	10	23	32	68
50-64	1106	9.1	101	1	1	6	13	22	28	48
65+	1274	11.6	126	1	1	9	16	24	33	64
GRAND TOTAL	**3643**	**9.7**	**123**	**1**	**1**	**7**	**14**	**23**	**31**	**61**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	188	6.6	7	4	4	6	7	10	12	18
20-34	2535	6.1	4	4	4	6	7	9	10	14
35-49	2565	6.5	5	4	4	6	7	9	11	15
50-64	2088	7.1	8	4	4	6	8	10	12	16
65+	1094	8.5	17	5	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	197	8.9	35	4	4	7	11	14	17	33
20-34	2377	8.1	25	4	5	7	9	13	16	27
35-49	3261	8.5	27	4	5	7	10	13	16	32
50-64	5069	9.9	45	5	5	8	11	16	20	39
65+	6760	13.9	96	5	6	11	16	24	32	64
TOT. SINGLE DX	8470	6.8	8	4	4	6	8	10	12	16
" MULTIPLE DX	17664	10.9	65	5	5	9	13	19	25	48
TOTAL 0-19 YRS	385	7.8	23	4	4	6	9	12	15	25
20-34	4912	7.1	16	4	4	6	8	11	13	21
35-49	5826	7.6	19	4	4	7	8	11	14	23
50-64	7157	9.0	36	4	5	8	10	14	18	34
65+	7854	13.1	89	5	6	11	15	23	30	60
GRAND TOTAL	**26134**	**9.6**	**50**	**4**	**5**	**8**	**11**	**16**	**21**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	11.6	6	8	8	11	13	15	16	16
20-34	35	6.0	17	1	1	7	9	10	12	17
35-49	46	7.6	27	1	2	7	11	16	17	20
50-64	58	7.9	74	1	1	6	10	15	19	55
65+	106	9.3	51	1	2	8	14	18	21	34
2. MULTIPLE DX										
0-19 YRS	19	18.7	263	3	5	12	24	39	57	70
20-34	47	11.5	83	3	4	9	14	22	43	99+
35-49	121	14.0	159	2	2	10	18	29	35	65
50-64	315	15.4	103	2	4	14	20	28	35	54
65+	989	18.7	177	3	5	16	24	36	46	93
TOT. SINGLE DX	255	8.3	47	1	2	8	12	16	19	33
" MULTIPLE DX	1491	17.4	162	2	4	15	22	34	44	84
TOTAL 0-19 YRS	29	16.2	183	4	8	12	16	32	43	70
20-34	82	9.1	62	1	2	8	10	20	24	82
35-49	167	12.2	131	2	2	10	16	26	32	54
50-64	373	14.2	106	2	3	13	18	27	34	56
65+	1095	17.8	173	2	4	15	23	35	45	85
GRAND TOTAL	**1746**	**16.1**	**155**	**2**	**3**	**14**	**21**	**32**	**42**	**78**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.8	15	1	1	6	9	11	11	11
20-34	73	5.5	23	<1	<1	4	8	12	15	22
35-49	108	6.3	70	<1	1	3	8	18	21	45
50-64	133	5.6	29	<1	1	4	8	13	17	24
65+	119	7.5	110	1	1	3	10	17	31	55
2. MULTIPLE DX										
0-19 YRS	22	8.7	143	<1	1	4	12	21	34	53
20-34	165	12.9	179	1	1	9	18	27	43	74
35-49	347	16.2	292	1	2	11	19	40	57	86
50-64	500	14.7	216	1	2	11	19	32	47	95
65+	891	15.2	184	2	2	11	20	33	43	76
TOT. SINGLE DX	443	6.2	60	<1	1	3	8	15	21	40
" MULTIPLE DX	1925	15.0	212	1	2	11	20	33	47	86
TOTAL 0-19 YRS	32	7.8	103	<1	1	4	10	21	21	53
20-34	238	10.7	143	<1	1	7	13	22	36	71
35-49	455	13.8	257	1	1	9	17	34	51	85
50-64	633	12.8	191	1	1	9	16	28	42	94
65+	1010	14.3	182	1	2	10	19	32	43	74
GRAND TOTAL	**2368**	**13.4**	**195**	**1**	**2**	**9**	**17**	**31**	**43**	**76**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	4.1	12	<1	<1	3	5	9	11	17
20-34	388	4.7	14	<1	1	4	6	9	12	16
35-49	338	4.0	11	<1	<1	3	5	8	10	14
50-64	373	4.1	13	<1	<1	3	6	9	11	17
65+	516	4.8	19	<1	<1	4	7	10	13	22
2. MULTIPLE DX										
0-19 YRS	174	6.3	71	1	1	4	7	12	15	74
20-34	635	6.3	40	1	2	5	7	12	15	30
35-49	918	7.4	43	1	2	6	9	14	20	38
50-64	2067	7.7	63	1	2	6	9	15	20	44
65+	6531	9.5	83	1	2	7	12	18	26	68
TOT. SINGLE DX	1777	4.4	15	<1	<1	4	6	9	11	17
" MULTIPLE DX	10325	8.7	74	1	2	7	11	17	23	56
TOTAL 0-19 YRS	336	5.2	44	<1	1	4	6	10	15	41
20-34	1023	5.7	31	1	1	4	7	11	14	27
35-49	1256	6.5	37	<1	1	5	8	13	17	33
50-64	2440	7.2	58	<1	1	5	9	14	19	40
65+	7047	9.2	80	1	2	7	11	18	25	65
GRAND TOTAL	**12102**	**8.1**	**68**	**1**	**2**	**6**	**10**	**16**	**22**	**52**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2021	1.6		<1	<1	1	2	3	3	5
20-34	2599	2.5	1	1	1	2	3	4	5	6
35-49	2416	2.8	2	1	1	3	3	4	5	7
50-64	3387	3.0	3	1	1	3	4	5	5	8
65+	2471	3.4	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	1104	2.1	12	<1	<1	1	2	3	5	9
20-34	1015	3.2	5	1	1	3	4	5	6	11
35-49	1550	3.5	7	1	1	3	4	6	7	14
50-64	3452	4.0	13	1	2	3	5	7	9	17
65+	5506	5.8	40	2	2	4	6	11	15	34
TOT. SINGLE DX	12894	2.7	3	<1	1	3	3	4	5	7
" MULTIPLE DX	12627	4.5	25	1	1	3	5	8	12	24
TOTAL 0-19 YRS	3125	1.8	5	<1	<1	1	2	3	4	6
20-34	3614	2.7	3	1	1	3	3	4	5	8
35-49	3966	3.1	4	1	1	3	4	5	6	10
50-64	6839	3.5	9	1	1	3	4	6	7	13
65+	7977	5.1	30	1	2	4	5	9	13	29
GRAND TOTAL	**25521**	**3.6**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	677	1.6	11	<1	<1	1	2	2	3	5
20-34	215	3.1	1	1	1	3	4	5	5	7
35-49	257	3.2	2	1	1	3	4	5	6	7
50-64	348	3.6	2	1	2	4	4	6	6	9
65+	234	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	570	2.4	43	<1	<1	1	2	3	5	73
20-34	102	3.5	2	1	1	3	4	5	6	9
35-49	196	4.0	5	1	2	4	5	6	9	13
50-64	501	4.5	7	2	2	4	5	7	8	15
65+	580	6.4	56	2	3	5	7	11	16	36
TOT. SINGLE DX	1731	2.8	7	<1	<1	2	4	5	6	8
" MULTIPLE DX	1949	4.4	35	<1	1	4	5	7	10	23
TOTAL 0-19 YRS	1247	2.0	26	<1	<1	1	2	3	3	11
20-34	317	3.2	2	1	1	3	4	5	5	8
35-49	453	3.6	4	1	1	3	4	5	6	12
50-64	849	4.2	6	2	2	4	5	6	7	10
65+	814	5.7	43	2	3	4	6	9	13	26
GRAND TOTAL	**3680**	**3.6**	**22**	**<1**	**<1**	**3**	**4**	**6**	**8**	**17**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.3	5	<1	<1	2	3	5	8	9
20-34	74	2.6	1	<1	1	2	3	4	5	8
35-49	128	3.0	2	1	1	3	4	5	5	11
50-64	132	3.5	4	1	1	3	5	6	7	12
65+	158	4.6	6	2	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	8	3.8	5	1	1	4	6	7	7	7
20-34	31	3.8	6	1	1	3	5	8	10	10
35-49	73	3.7	5	1	1	3	4	7	9	11
50-64	125	5.1	15	2	2	4	6	8	13	48
65+	494	8.9	66	2	3	7	10	19	26	99+
TOT. SINGLE DX	504	3.6	5	1	1	3	4	6	8	12
" MULTIPLE DX	731	7.4	53	2	2	5	9	15	23	99+
TOTAL 0-19 YRS	20	2.9	5	<1	<1	2	4	6	8	9
20-34	105	3.0	3	1	1	3	4	5	6	10
35-49	201	3.3	3	1	1	3	4	5	7	11
50-64	257	4.3	11	1	1	4	6	7	10	20
65+	652	7.8	55	2	2	6	9	16	24	97
GRAND TOTAL	**1235**	**5.8**	**37**	**1**	**2**	**4**	**7**	**11**	**17**	**47**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	319	1.7		<1	<1	2	2	3	3	5
20-34	193	2.7	2	1	1	2	3	4	5	8
35-49	343	2.8	2	<1	1	3	4	5	5	7
50-64	272	3.1	3	1	1	3	4	5	6	9
65+	101	3.7	4	1	1	3	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	73	3.2	14	<1	<1	2	3	7	12	19
20-34	108	4.3	16	1	1	3	5	8	10	27
35-49	298	4.2	8	1	1	4	5	7	9	17
50-64	371	5.8	39	1	2	4	7	11	15	29
65+	368	8.3	73	2	3	6	10	16	22	58
TOT. SINGLE DX	1228	2.6	3	<1	1	2	3	5	6	8
" MULTIPLE DX	1218	5.9	42	1	2	4	7	11	16	30
TOTAL 0-19 YRS	392	2.0	4	<1	<1	2	2	3	4	11
20-34	301	3.3	8	1	1	3	4	6	8	13
35-49	641	3.4	6	1	1	3	4	6	7	12
50-64	643	4.7	26	1	1	4	5	9	12	26
65+	469	7.3	62	1	2	5	8	15	20	48
GRAND TOTAL	**2446**	**4.3**	**25**	**<1**	**1**	**3**	**5**	**8**	**11**	**25**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	1.8	1	<1	<1	1	2	3	4	6
20-34	347	3.4	3	1	1	3	4	6	7	11
35-49	518	4.2	4	1	2	4	6	7	8	10
50-64	535	4.8	5	2	2	4	6	8	9	11
65+	411	5.7	9	2	2	5	7	9	12	16
2. MULTIPLE DX										
0-19 YRS	39	3.9	22	<1	<1	2	4	10	11	27
20-34	199	4.9	18	1	2	4	6	8	11	19
35-49	655	6.8	44	2	2	5	8	11	17	41
50-64	1028	7.4	30	2	3	6	9	13	16	32
65+	1286	9.6	74	3	3	8	11	18	25	56
TOT. SINGLE DX	1901	4.4	6	1	2	4	6	8	9	13
" MULTIPLE DX	3207	8.0	52	2	3	6	9	14	20	43
TOTAL 0-19 YRS	129	2.4	9	<1	<1	2	3	4	8	14
20-34	546	4.0	10	1	1	3	5	7	8	15
35-49	1173	5.6	29	1	2	5	7	9	12	32
50-64	1563	6.5	23	2	3	5	8	11	14	25
65+	1697	8.7	62	2	3	7	10	16	22	50
GRAND TOTAL	**5108**	**6.6**	**38**	**1**	**2**	**5**	**8**	**12**	**16**	**36**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	7.4	19	2	2	7	9	14	14	14
20-34	10	5.6	10	<1	1	5	7	10	12	12
35-49	12	8.0	10	3	4	9	9	11	14	15
50-64	23	7.4	11	2	3	8	10	12	13	15
65+	28	11.1	30	3	4	11	13	17	20	31
2. MULTIPLE DX										
0-19 YRS	20	19.4	391	2	5	14	22	34	63	93
20-34	36	13.6	185	5	5	9	14	27	40	76
35-49	52	9.7	30	5	6	8	11	17	23	32
50-64	112	11.9	44	5	6	10	13	23	27	35
65+	190	16.6	122	6	8	14	19	32	41	91
TOT. SINGLE DX	78	8.6	22	2	3	9	11	14	15	28
" MULTIPLE DX	410	14.3	115	5	6	11	17	27	36	78
TOTAL 0-19 YRS	25	17.0	336	2	4	12	19	33	49	93
20-34	46	11.8	157	3	4	8	12	25	31	76
35-49	64	9.4	27	4	5	8	10	15	20	31
50-64	135	11.1	42	3	6	9	12	19	26	32
65+	218	15.9	114	6	7	13	19	30	39	86
GRAND TOTAL	**488**	**13.4**	**104**	**4**	**6**	**11**	**16**	**24**	**33**	**76**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	3.7	11	<1	1	2	5	9	11	16
20-34	201	3.8	9	<1	1	3	5	8	10	15
35-49	165	5.4	23	<1	1	4	7	10	13	26
50-64	162	6.3	26	<1	1	5	9	14	16	25
65+	128	6.8	26	1	2	5	9	13	18	26
2. MULTIPLE DX										
0-19 YRS	127	9.7	209	1	1	5	12	20	29	99
20-34	333	8.9	97	1	1	6	11	18	26	52
35-49	566	11.1	96	1	2	8	15	23	30	49
50-64	1110	11.9	131	1	2	9	15	24	31	64
65+	1626	13.9	149	2	3	11	18	28	37	69
TOT. SINGLE DX	775	5.1	21	<1	1	4	7	11	14	21
" MULTIPLE DX	3762	12.3	136	1	2	9	16	25	33	66
TOTAL 0-19 YRS	246	6.8	122	<1	1	4	8	15	20	95
20-34	534	7.0	70	1	1	5	8	15	21	46
35-49	731	9.8	86	1	2	7	13	21	29	47
50-64	1272	11.2	121	1	2	8	14	23	30	58
65+	1754	13.4	144	2	3	10	17	27	36	67
GRAND TOTAL	**4537**	**11.1**	**124**	**1**	**2**	**8**	**14**	**23**	**31**	**61**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	6.0	15	1	2	5	8	11	14	18
20-34	238	5.5	10	2	3	5	7	9	11	19
35-49	102	8.0	30	2	2	7	10	15	17	31
50-64	60	8.4	19	3	4	7	9	13	20	23
65+	42	12.0	63	3	4	11	14	23	27	43
2. MULTIPLE DX										
0-19 YRS	162	9.3	76	2	3	7	12	17	21	41
20-34	397	9.3	90	2	3	6	11	19	28	71
35-49	253	13.6	178	3	4	9	16	28	47	74
50-64	350	16.6	162	4	6	13	20	36	45	99
65+	506	19.3	189	5	7	16	25	38	54	99+
TOT. SINGLE DX	572	6.9	23	2	3	6	8	13	16	26
" MULTIPLE DX	1668	14.5	165	3	4	11	19	31	42	97
TOTAL 0-19 YRS	292	7.8	52	2	3	6	10	14	19	26
20-34	635	7.9	64	2	3	6	8	15	22	46
35-49	355	12.0	143	2	4	8	14	24	39	67
50-64	410	15.4	150	4	5	12	19	33	41	89
65+	548	18.7	184	5	7	16	24	36	49	99+
GRAND TOTAL	**2240**	**12.6**	**140**	**2**	**3**	**9**	**16**	**27**	**38**	**88**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	2.9	4	<1	1	2	4	6	8	11
20-34	1186	2.1	3	<1	<1	2	2	4	6	10
35-49	248	2.0	2	<1	<1	1	2	4	6	9
50-64	26	2.5	7	<1	<1	1	2	7	10	11
65+	15	2.4	5	1	1	2	2	5	9	10
2. MULTIPLE DX										
0-19 YRS	249	3.3	9	<1	1	2	5	7	9	13
20-34	1639	2.6	7	<1	<1	2	3	6	7	14
35-49	465	2.8	23	<1	<1	2	2	6	8	20
50-64	70	4.7	24	<1	1	3	6	11	16	25
65+	52	11.1	196	1	1	7	15	25	32	87
TOT. SINGLE DX	1764	2.2	4	<1	<1	2	2	5	6	10
" MULTIPLE DX	2475	3.0	17	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	538	3.1	7	<1	1	2	4	7	8	11
20-34	2825	2.4	6	<1	<1	2	2	5	7	12
35-49	713	2.6	17	<1	<1	2	2	5	7	15
50-64	96	4.1	21	<1	<1	2	5	10	14	23
65+	67	9.2	167	1	1	5	11	21	29	79
GRAND TOTAL	**4239**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	7.4	15	2	4	7	9	13	15	20
20-34	268	5.8	19	<1	1	5	7	12	15	22
35-49	184	6.7	20	1	1	6	9	12	15	23
50-64	141	8.1	21	2	3	7	10	13	18	24
65+	116	10.3	21	3	5	10	12	17	20	24
2. MULTIPLE DX										
0-19 YRS	148	10.6	86	2	3	7	13	23	28	58
20-34	772	6.8	43	<1	1	5	8	13	19	34
35-49	615	9.8	92	1	2	7	12	19	28	43
50-64	688	14.0	147	3	4	11	17	27	37	81
65+	1142	18.4	178	5	7	15	22	36	50	98
TOT. SINGLE DX	773	7.2	22	<1	2	7	9	13	16	24
" MULTIPLE DX	3365	12.9	142	1	3	10	17	26	37	72
TOTAL 0-19 YRS	212	9.6	67	2	3	7	12	20	25	53
20-34	1040	6.5	38	<1	1	5	8	13	18	31
35-49	799	9.1	78	1	2	7	11	18	24	38
50-64	829	13.0	131	3	4	10	15	24	34	74
65+	1258	17.6	170	4	7	14	21	35	47	93
GRAND TOTAL	**4138**	**11.9**	**125**	**1**	**2**	**9**	**15**	**24**	**34**	**67**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	9.1	42	2	3	7	11	17	21	32
20-34	32	8.7	13	5	5	8	10	12	12	25
35-49	47	9.4	10	5	6	8	11	15	16	19
50-64	79	9.5	12	6	6	9	11	14	17	24
65+	93	11.3	17	7	8	10	13	16	21	26
2. MULTIPLE DX										
0-19 YRS	66	11.0	74	5	5	8	12	25	32	44
20-34	69	12.2	86	6	6	9	14	19	30	56
35-49	135	13.6	127	6	7	10	14	23	37	61
50-64	398	14.8	102	7	7	11	17	27	36	62
65+	625	16.8	99	8	8	14	20	30	37	64
TOT. SINGLE DX	281	10.0	18	5	6	9	11	15	18	25
" MULTIPLE DX	1293	15.3	104	6	7	12	18	28	36	62
TOTAL 0-19 YRS	96	10.4	65	4	4	8	12	21	30	41
20-34	101	11.1	66	5	6	9	12	18	23	52
35-49	182	12.5	100	6	7	10	13	20	32	55
50-64	477	13.9	91	6	7	11	16	25	34	57
65+	718	16.1	92	8	8	13	19	28	34	63
GRAND TOTAL	**1574**	**14.4**	**93**	**6**	**7**	**11**	**17**	**26**	**33**	**59**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	7.1	27	2	2	6	10	13	15	24
20-34	236	7.8	32	1	2	7	10	13	18	33
35-49	246	7.0	17	2	2	7	9	12	14	20
50-64	228	7.8	21	1	2	8	10	13	16	24
65+	114	7.3	19	1	2	7	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	210	12.5	130	2	2	10	14	26	35	60
20-34	347	11.3	104	2	2	9	14	23	33	53
35-49	403	11.4	86	2	2	9	15	22	30	48
50-64	636	11.8	106	2	2	9	15	23	32	55
65+	751	14.6	129	2	3	12	19	29	39	61
TOT. SINGLE DX	982	7.4	24	1	2	7	10	13	16	24
" MULTIPLE DX	2347	12.6	114	2	2	10	16	26	35	56
TOTAL 0-19 YRS	368	10.2	93	2	2	8	12	21	29	46
20-34	583	9.9	78	2	2	8	12	19	28	50
35-49	649	9.7	65	2	2	8	12	19	26	43
50-64	864	10.8	87	2	2	9	13	21	30	50
65+	865	13.7	121	2	3	11	18	28	37	59
GRAND TOTAL	**3329**	**11.1**	**93**	**2**	**2**	**9**	**14**	**22**	**31**	**51**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	5.9	4	2	3	6	7	8	8	8
20-34	97	7.4	21	1	2	7	9	13	15	26
35-49	150	8.1	21	2	3	8	10	14	15	24
50-64	145	7.7	13	2	3	8	10	12	14	17
65+	57	9.7	25	3	4	8	12	16	22	27
2. MULTIPLE DX										
0-19 YRS	21	9.5	64	1	2	8	15	23	27	28
20-34	108	9.7	77	2	3	8	12	15	18	64
35-49	178	9.6	25	2	3	9	12	16	18	27
50-64	274	10.9	51	2	4	10	14	19	23	40
65+	302	14.0	128	2	5	11	17	24	32	68
TOT. SINGLE DX	457	8.0	19	2	3	8	10	13	15	23
" MULTIPLE DX	883	11.5	79	2	3	10	14	20	24	53
TOTAL 0-19 YRS	29	8.5	50	1	2	7	10	19	26	28
20-34	205	8.6	52	2	2	7	11	15	17	45
35-49	328	8.9	24	2	3	8	11	15	17	25
50-64	419	9.8	40	2	3	9	12	17	20	36
65+	359	13.3	114	2	4	11	16	23	30	63
GRAND TOTAL	**1340**	**10.3**	**61**	**2**	**3**	**9**	**13**	**18**	**22**	**43**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	7.4	5	5	5	7	8	10	11	18
20-34	14	10.7	30	7	7	9	11	15	26	29
35-49	10	12.5	94	4	5	10	11	28	38	38
50-64	13	11.5	24	4	7	10	15	17	21	22
65+	11	13.0	219	1	3	8	14	36	52	53
2. MULTIPLE DX										
0-19 YRS	151	11.8	75	5	5	9	14	20	30	43
20-34	31	14.0	49	7	7	12	18	23	30	36
35-49	31	14.9	57	8	8	14	20	25	40	99+
50-64	59	16.0	114	5	7	13	17	29	38	66
65+	96	17.7	96	6	9	16	22	27	38	56
TOT. SINGLE DX	213	8.4	26	4	5	7	9	12	16	32
" MULTIPLE DX	368	14.5	89	5	6	12	18	26	32	60
TOTAL 0-19 YRS	316	9.5	44	5	5	8	10	16	20	37
20-34	45	13.0	45	7	7	11	15	20	29	36
35-49	41	14.3	65	6	7	11	18	25	39	99+
50-64	72	15.2	100	4	7	12	17	27	36	62
65+	107	17.2	109	4	7	14	21	27	41	57
GRAND TOTAL	**581**	**12.2**	**74**	**5**	**6**	**9**	**15**	**23**	**28**	**49**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	5.0	17	<1	1	3	7	12	14	15
20-34	298	4.1	7	1	1	4	6	7	9	15
35-49	413	4.2	6	1	1	4	6	8	9	12
50-64	296	4.6	8	1	2	4	6	8	9	17
65+	110	4.9	9	1	2	4	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	58	8.6	51	<1	1	6	13	17	20	33
20-34	186	6.3	31	1	2	5	8	11	13	22
35-49	292	6.0	16	2	2	5	8	11	14	21
50-64	367	6.8	26	2	2	6	8	12	18	24
65+	359	9.9	65	2	3	8	12	20	26	43
TOT. SINGLE DX	1170	4.4	8	1	1	4	6	8	9	15
" MULTIPLE DX	1262	7.5	40	2	2	6	9	15	19	33
TOTAL 0-19 YRS	111	6.9	38	<1	1	5	10	15	17	33
20-34	484	5.0	18	1	2	4	6	9	12	16
35-49	705	4.9	11	1	2	4	6	9	11	18
50-64	663	5.8	20	1	2	5	7	10	14	23
65+	469	8.8	57	2	2	7	11	18	22	40
GRAND TOTAL	**2432**	**6.0**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	285	2.0	4	<1	<1	1	2	5	6	12
20-34	505	3.1	6	<1	<1	2	4	7	8	13
35-49	625	3.4	8	<1	<1	2	5	7	8	16
50-64	711	3.6	12	<1	<1	3	5	7	10	17
65+	661	3.8	12	<1	<1	2	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	354	3.5	28	<1	<1	2	4	7	10	25
20-34	819	5.8	38	<1	1	4	7	12	17	30
35-49	1251	6.2	50	<1	1	4	8	13	20	34
50-64	2605	6.8	69	<1	1	5	8	15	21	43
65+	5988	10.5	135	1	2	7	13	24	35	90
TOT. SINGLE DX	2787	3.4	10	<1	<1	2	5	7	9	15
" MULTIPLE DX	11017	8.6	104	<1	1	6	11	19	28	68
TOTAL 0-19 YRS	639	2.9	18	<1	<1	1	3	7	9	16
20-34	1324	4.8	28	<1	<1	3	6	10	14	27
35-49	1876	5.3	38	<1	<1	3	7	11	16	30
50-64	3316	6.1	59	<1	1	4	8	13	19	38
65+	6649	9.8	127	1	1	7	12	22	33	85
GRAND TOTAL	**13804**	**7.5**	**90**	**<1**	**1**	**5**	**9**	**17**	**25**	**61**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	40	2.6	7	<1	<1	2	3	5	6	17
35-49	152	2.6	2	<1	<1	2	3	5	6	7
50-64	711	3.2	6	1	1	3	4	6	8	13
65+	1245	3.6	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	11	6.5	41	<1	<1	4	10	18	19	19
20-34	60	5.4	29	1	1	4	7	11	16	32
35-49	237	5.3	58	1	1	3	7	11	14	55
50-64	1525	5.0	40	1	1	3	6	10	14	30
65+	5127	6.9	62	1	2	5	8	14	20	42
TOT. SINGLE DX	2154	3.4	7	1	1	3	4	6	8	13
" MULTIPLE DX	6960	6.4	58	1	2	4	8	13	19	41
TOTAL 0-19 YRS	17	4.8	32	<1	<1	3	5	16	18	19
20-34	100	4.3	22	<1	1	3	5	8	15	26
35-49	389	4.3	38	<1	1	3	5	9	12	32
50-64	2236	4.4	30	1	1	3	5	9	13	27
65+	6372	6.3	54	1	2	4	7	13	18	38
GRAND TOTAL	**9114**	**5.7**	**48**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	4.4	13	1	1	3	5	8	10	23
20-34	68	5.3	27	1	1	4	6	11	12	34
35-49	74	4.9	14	1	1	4	6	10	13	19
50-64	178	6.2	28	1	1	4	9	12	17	27
65+	202	6.6	36	1	1	4	9	15	17	32
2. MULTIPLE DX										
0-19 YRS	147	11.1	96	1	2	8	16	24	30	47
20-34	131	9.6	107	1	1	7	13	22	32	70
35-49	226	8.9	65	1	2	7	11	19	26	99+
50-64	570	10.8	132	1	2	8	14	22	33	89
65+	1718	13.0	171	2	2	9	17	27	39	90
TOT. SINGLE DX	588	5.8	28	1	1	4	8	12	15	30
" MULTIPLE DX	2792	12.0	150	2	2	9	16	25	37	89
TOTAL 0-19 YRS	213	9.0	80	1	2	6	12	21	27	41
20-34	199	8.2	84	1	1	5	10	18	29	56
35-49	300	7.9	56	1	2	6	10	18	22	76
50-64	748	9.7	111	1	2	7	12	20	29	68
65+	1920	12.3	161	1	2	9	16	26	37	86
GRAND TOTAL	**3380**	**10.9**	**134**	**1**	**2**	**8**	**14**	**23**	**33**	**81**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	1.1		<1	<1	<1	1	1	2	3
20-34	8	1.6		<1	<1	1	2	3	3	3
35-49	6	2.8	2	1	1	3	4	5	5	5
50-64	12	1.6	1	<1	<1	1	2	3	4	4
65+	4	3.3	15	<1	<1	1	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	50	1.2		<1	<1	<1	1	1	2	6
20-34	13	3.0	7	<1	1	2	3	9	9	9
35-49	14	2.5	2	<1	1	2	3	5	6	6
50-64	22	3.0	4	<1	1	3	3	6	8	10
65+	35	7.9	57	1	1	5	13	19	25	30
TOT. SINGLE DX	146	1.3	1	<1	<1	<1	1	2	3	5
" MULTIPLE DX	134	3.6	24	<1	<1	2	4	9	15	27
TOTAL 0-19 YRS	166	1.1		<1	<1	<1	1	1	2	4
20-34	21	2.5	5	<1	<1	2	3	6	9	9
35-49	20	2.6	2	<1	1	2	3	5	6	6
50-64	34	2.5	4	<1	<1	2	3	4	6	10
65+	39	7.4	54	<1	1	5	11	18	24	30
GRAND TOTAL	**280**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**5**	**9**	**21**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	394	5.5	20	<1	1	4	9	11	14	19
20-34	123	3.5	16	<1	<1	2	4	9	12	20
35-49	75	3.5	7	<1	1	3	5	7	9	14
50-64	68	3.4	7	1	1	3	4	8	9	15
65+	70	3.9	8	1	1	3	5	8	9	14
2. MULTIPLE DX										
0-19 YRS	183	6.4	37	<1	1	4	9	14	17	29
20-34	81	6.1	41	<1	1	3	8	15	19	30
35-49	84	5.3	31	<1	<1	4	7	10	14	34
50-64	123	6.2	39	1	1	4	8	14	20	37
65+	247	7.0	57	1	1	4	9	15	22	38
TOT. SINGLE DX	730	4.6	17	<1	<1	3	7	10	12	17
" MULTIPLE DX	718	6.4	45	<1	1	4	8	14	19	37
TOTAL 0-19 YRS	577	5.8	26	<1	1	4	9	12	14	24
20-34	204	4.5	28	<1	<1	2	5	12	15	28
35-49	159	4.4	21	<1	<1	3	6	9	12	19
50-64	191	5.2	30	1	1	4	7	10	16	31
65+	317	6.3	48	1	1	4	8	14	19	38
GRAND TOTAL	**1448**	**5.5**	**31**	**<1**	**1**	**3**	**8**	**12**	**15**	**29**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.3	1	<1	<1	<1	1	2	3	8
20-34	50	3.3	9	<1	<1	2	5	7	9	16
35-49	46	2.5	5	<1	<1	2	3	5	8	12
50-64	40	2.2	3	<1	<1	1	3	4	6	9
65+	74	3.0	5	<1	<1	2	3	8	8	9
2. MULTIPLE DX										
0-19 YRS	101	1.8	5	<1	<1	<1	1	3	6	13
20-34	131	4.4	29	<1	<1	2	5	10	15	27
35-49	163	6.1	44	<1	1	4	9	14	17	31
50-64	306	6.8	68	<1	1	4	9	15	22	52
65+	848	10.5	132	1	2	7	14	23	34	74
TOT. SINGLE DX	297	2.4	5	<1	<1	1	3	6	8	10
" MULTIPLE DX	1549	8.2	101	<1	1	5	10	19	27	60
TOTAL 0-19 YRS	188	1.6	3	<1	<1	<1	1	2	4	11
20-34	181	4.1	24	<1	<1	2	5	9	13	23
35-49	209	5.3	38	<1	1	3	7	12	16	30
50-64	346	6.2	63	<1	1	3	8	14	20	51
65+	922	9.9	126	1	1	7	13	22	32	72
GRAND TOTAL	**1846**	**7.3**	**90**	**<1**	**<1**	**4**	**9**	**17**	**24**	**54**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.1	4	<1	<1	1	3	4	5	14
20-34	120	2.9	4	<1	<1	2	4	6	7	10
35-49	81	3.2	5	<1	1	3	4	6	7	13
50-64	75	3.9	13	<1	1	3	5	10	12	17
65+	106	3.8	7	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	39	2.5	8	<1	<1	1	3	5	9	15
20-34	97	4.7	43	<1	<1	3	6	11	14	40
35-49	110	4.7	35	1	1	3	5	10	15	37
50-64	196	5.7	37	1	1	4	7	13	18	35
65+	487	7.0	55	1	2	5	9	14	19	36
TOT. SINGLE DX	442	3.2	7	<1	<1	3	4	6	9	13
" MULTIPLE DX	929	6.0	47	1	1	4	7	13	18	34
TOTAL 0-19 YRS	99	2.3	6	<1	<1	1	3	4	6	15
20-34	217	3.7	23	<1	<1	3	4	7	11	18
35-49	191	4.1	23	<1	1	3	4	8	12	26
50-64	271	5.2	32	<1	1	3	6	12	17	32
65+	593	6.4	48	1	2	4	8	13	18	32
GRAND TOTAL	**1371**	**5.1**	**36**	**<1**	**1**	**3**	**6**	**11**	**15**	**29**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	5.9	5	2	3	6	7	9	10	13
35-49	155	6.8	5	4	5	6	8	10	11	16
50-64	120	7.4	4	4	5	8	8	10	10	14
65+	44	7.5	4	4	5	8	9	10	11	13
2. MULTIPLE DX										
0-19 YRS										
20-34	46	6.2	2	3	4	6	[illegible]	8	8	8
35-49	220	7.4	8	4	5	7	8	10	13	18
50-64	252	8.6	18	5	5	8	9	13	16	26
65+	163	9.4	35	3	5	8	10	14	20	33
TOT. SINGLE DX	361	6.9	5	3	4	7	8	10	10	14
" MULTIPLE DX	681	8.2	19	4	5	7	9	12	16	26
TOTAL 0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	86	6.1	4	3	3	6	8	8	9	12
35-49	375	7.2	7	4	5	7	8	10	12	17
50-64	372	8.2	14	5	5	8	9	11	14	23
65+	207	9.0	29	3	5	8	10	13	17	32
GRAND TOTAL	**1042**	**7.8**	**14**	**4**	**5**	**7**	**9**	**11**	**14**	**23**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	13	5.0	3	3	3	4	6	8	9	9
35-49	48	6.2	13	3	4	5	7	9	11	27
50-64	42	5.9	3	3	4	6	7	8	9	11
65+	25	6.6	8	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	5	8.0	17	3	3	7	11	14	14	14
20-34	19	5.6	2	3	3	6	7	8	9	9
35-49	72	6.6	8	3	3	6	7	11	11	18
50-64	75	8.1	21	3	4	7	9	12	18	29
65+	74	8.4	20	4	4	8	10	14	18	26
TOT. SINGLE DX	128	6.0	8	3	3	6	7	9	10	19
" MULTIPLE DX	245	7.6	16	3	4	7	9	12	14	26
TOTAL 0-19 YRS	5	8.0	18	3	3	7	11	14	14	14
20-34	32	5.4	3	3	3	5	7	8	9	9
35-49	120	6.4	10	3	3	6	7	10	11	21
50-64	117	7.3	16	3	4	6	8	10	13	27
65+	99	8.0	18	3	4	7	9	13	17	25
GRAND TOTAL	**373**	**7.0**	**14**	**3**	**4**	**6**	**8**	**11**	**13**	**25**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	17	3.9	4	1	1	4	6	7	7	7
35-49	38	3.9	7	<1	1	3	6	8	9	10
50-64	35	5.5	17	2	2	5	7	8	10	26
65+	11	3.6	4	1	1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	9	3.7	6	1	1	4	6	7	7	7
20-34	41	6.0	48	1	1	5	7	9	19	40
35-49	56	8.8	81	1	2	6	11	20	23	48
50-64	85	8.2	51	2	2	6	11	18	23	81
65+	108	10.6	106	1	2	7	14	21	34	51
TOT. SINGLE DX	103	4.4	10	1	1	4	6	7	9	18
" MULTIPLE DX	299	8.8	78	1	2	6	11	19	26	48
TOTAL 0-19 YRS	11	3.5	5	<1	<1	4	6	7	7	7
20-34	58	5.4	36	1	1	4	6	8	11	39
35-49	94	6.9	57	1	1	4	8	16	21	45
50-64	120	7.5	43	2	2	6	9	16	22	63
65+	119	10.0	101	1	2	6	14	20	34	50
GRAND TOTAL	**402**	**7.6**	**64**	**1**	**2**	**5**	**9**	**17**	**23**	**47**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	11	5.6	13	2	2	4	8	11	14	14
35-49	10	3.9	9	<1	<1	3	6	9	11	11
50-64	13	8.8	112	1	2	6	7	30	35	36
65+	8	4.4	8	2	2	3	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	3	9.0	3	7	7	10	55	99+	99+	99+
20-34	16	12.3	163	3	4	9	12	22	46	56
35-49	28	14.2	191	2	3	11	14	28	53	63
50-64	41	15.0	62	5	6	14	20	25	29	38
65+	77	14.4	204	1	2	10	22	34	60	99+
TOT. SINGLE DX	44	6.1	45	1	1	4	7	11	19	36
" MULTIPLE DX	165	14.2	158	2	3	11	20	30	52	99+
TOTAL 0-19 YRS	5	8.6	26	1	2	10	15	91	99+	99+
20-34	27	9.6	111	2	2	8	9	17	28	56
35-49	38	11.5	163	<1	1	9	13	23	43	63
50-64	54	13.5	80	3	4	12	20	26	32	38
65+	85	13.5	195	1	2	9	22	32	58	99+
GRAND TOTAL	**209**	**12.5**	**145**	**1**	**2**	**9**	**16**	**28**	**41**	**99+**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.0	8	4	4	5	8	10	10	10
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	36	5.2	6	2	3	5	6	7	9	17
50-64	1036	5.8	5	3	4	6	7	8	10	15
65+	2168	6.2	6	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	6	10.7	53	5	5	7	19	21	21	21
20-34	10	4.5	4	1	1	5	6	7	8	8
35-49	104	7.9	29	3	4	6	9	14	18	31
50-64	3029	7.8	34	4	4	6	8	12	16	31
65+	11911	10.2	76	4	4	7	11	19	26	55
TOT. SINGLE DX	3247	6.1	6	3	4	6	7	9	10	15
" MULTIPLE DX	15060	9.7	69	4	4	7	11	18	25	51
TOTAL 0-19 YRS	10	8.8	38	4	4	6	10	20	21	21
20-34	13	4.0	4	1	1	4	5	7	8	8
35-49	140	7.2	25	3	4	6	8	13	16	26
50-64	4065	7.3	28	3	4	6	8	11	15	29
65+	14079	9.6	68	4	4	7	10	18	24	50
GRAND TOTAL	**18307**	**9.0**	**60**	**4**	**4**	**7**	**10**	**16**	**23**	**47**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.6	43	<1	<1	3	8	17	17	17
20-34	2	6.5	61	<1	<1	6	12	12	12	12
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	113	11.1	19	6	7	10	13	17	21	26
65+	206	11.1	16	6	7	11	13	16	17	23
2. MULTIPLE DX										
0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	8.0	23	<1	<1	9	11	12	12	12
50-64	322	12.7	30	7	8	11	15	20	23	30
65+	1198	14.0	55	8	8	12	16	22	26	50
TOT. SINGLE DX	330	10.9	18	5	7	10	13	16	19	24
" MULTIPLE DX	1528	13.7	51	7	8	12	16	21	25	43
TOTAL 0-19 YRS	7	8.3	55	<1	<1	5	15	19	19	19
20-34	4	5.3	28	<1	<1	4	9	12	12	12
35-49	6	7.7	21	<1	<1	9	11	12	12	12
50-64	437	12.3	28	7	8	11	14	19	22	29
65+	1404	13.6	51	7	8	12	16	21	25	44
GRAND TOTAL	**1858**	**13.2**	**46**	**7**	**8**	**12**	**15**	**20**	**24**	**41**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	12	2.3	4	<1	<1	2	2	4	8	9
35-49	34	1.6		<1	<1	1	2	3	3	4
50-64	264	2.0	2	<1	<1	2	2	3	5	11
65+	439	2.2	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.9	34	<1	1	2	3	9	20	23
35-49	47	5.6	78	1	1	3	5	13	24	52
50-64	398	4.9	40	<1	1	3	6	11	15	33
65+	1164	7.2	87	1	1	4	9	17	22	48
TOT. SINGLE DX	751	2.1	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	1624	6.5	76	<1	1	3	8	15	21	45
TOTAL 0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	25	3.1	20	<1	1	2	2	6	12	23
35-49	81	3.9	50	<1	<1	2	3	7	16	44
50-64	662	3.8	28	<1	<1	2	4	9	12	25
65+	1603	5.8	69	<1	1	3	6	14	20	43
GRAND TOTAL	**2375**	**5.2**	**57**	**<1**	**1**	**2**	**5**	**12**	**18**	**38**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.0	3	<1	<1	1	2	4	5	10
20-34	68	2.6	3	<1	1	2	3	5	6	10
35-49	58	2.9	6	<1	<1	2	4	6	8	13
50-64	72	2.5	1	<1	1	2	3	4	4	8
65+	51	3.3	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	66	2.1	2	<1	<1	2	3	5	5	9
20-34	68	4.0	31	1	1	3	4	6	10	36
35-49	73	7.9	124	<1	1	4	8	26	32	58
50-64	116	6.4	77	1	2	4	7	12	18	57
65+	120	8.8	132	1	1	5	10	21	35	62
TOT. SINGLE DX	351	2.6	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	443	6.3	87	1	1	3	6	13	27	54
TOTAL 0-19 YRS	168	2.1	3	<1	<1	1	3	4	5	10
20-34	136	3.3	18	<1	1	2	4	5	8	31
35-49	131	5.7	78	<1	1	3	6	13	28	44
50-64	188	4.9	52	1	1	3	5	10	12	49
65+	171	7.2	100	1	1	4	8	14	27	51
GRAND TOTAL	**794**	**4.6**	**53**	**<1**	**1**	**3**	**4**	**9**	**14**	**40**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	135	2.2	2	<1	1	2	3	4	5	8
20-34	202	3.2	4	1	1	3	4	6	7	12
35-49	64	2.9	3	<1	1	3	4	5	6	11
50-64	69	3.8	9	1	1	3	4	7	10	18
65+	183	3.6	10	1	1	2	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	114	3.0	3	<1	1	2	4	6	6	10
20-34	117	6.8	84	1	2	4	8	12	20	52
35-49	77	6.2	64	1	1	4	7	13	17	53
50-64	201	8.6	133	1	2	4	10	18	26	72
65+	923	8.5	86	1	2	5	12	19	26	55
TOT. SINGLE DX	653	3.1	7	1	1	2	4	6	8	14
" MULTIPLE DX	1432	7.8	87	1	2	4	10	17	25	55
TOTAL 0-19 YRS	249	2.6	3	<1	1	2	3	5	6	9
20-34	319	4.5	37	1	1	3	5	9	11	33
35-49	141	4.7	39	1	1	3	5	9	14	30
50-64	270	7.3	106	1	2	4	8	16	22	67
65+	1106	7.7	77	1	2	4	10	17	24	53
GRAND TOTAL	**2085**	**6.3**	**67**	**1**	**1**	**3**	**7**	**15**	**20**	**44**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	782	1.8	1	<1	<1	2	2	3	4	5
20-34	103	2.3	3	<1	1	2	3	4	6	12
35-49	9	2.3	2	<1	<1	2	4	4	4	4
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	626	2.0	1	<1	<1	2	2	3	4	7
20-34	46	3.1	12	1	1	2	4	5	6	24
35-49	12	2.3	1	1	1	2	3	4	4	4
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	2	8.5	61	3	3	8	14	14	14	14
TOT. SINGLE DX	895	1.9	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	688	2.1	3	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	1408	1.9	1	<1	<1	2	2	3	4	6
20-34	149	2.5	6	1	1	2	3	5	6	14
35-49	21	2.3	2	<1	1	2	4	4	4	4
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	3	6.0	49	<1	<1	3	11	14	14	14
GRAND TOTAL	**1583**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	1.6		<1	1	1	2	3	3	5
20-34	100	2.2	2	<1	<1	2	3	4	5	9
35-49	40	1.8	1	<1	<1	2	2	3	4	6
50-64	15	2.5	5	1	1	2	3	4	8	10
65+	7	3.4	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	62	2.1	1	<1	1	2	3	4	5	6
20-34	57	2.9	7	<1	<1	2	3	5	8	17
35-49	29	3.1	5	1	1	2	4	7	8	9
50-64	13	5.2	70	<1	1	3	4	14	29	32
65+	10	6.1	11	2	2	5	8	11	12	12
TOT. SINGLE DX	313	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	171	3.0	11	<1	1	2	3	6	8	17
TOTAL 0-19 YRS	213	1.7	1	<1	1	1	2	3	4	6
20-34	157	2.4	4	<1	<1	2	3	4	6	10
35-49	69	2.4	3	<1	<1	2	3	5	6	9
50-64	28	3.8	36	1	1	2	3	8	12	32
65+	17	5.0	10	1	2	4	7	10	12	12
GRAND TOTAL	**484**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	81	1.0		<1	<1	<1	<1	1	1	2
35-49	92	1.0		<1	<1	<1	<1	1	1	3
50-64	7	1.6	2	<1	<1	<1	<1	4	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS										
20-34	26	2.6	16	<1	<1	1	2	6	13	19
35-49	32	2.3	7	<1	<1	1	2	4	8	15
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	8	10.1	23	5	5	9	14	17	18	18
TOT. SINGLE DX	187	1.1		<1	<1	<1	<1	1	1	5
" MULTIPLE DX	71	3.2	18	<1	<1	1	3	9	14	19
TOTAL 0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	107	1.4	4	<1	<1	<1	1	1	3	15
35-49	124	1.3	2	<1	<1	<1	<1	2	3	10
50-64	12	1.6	2	<1	<1	<1	2	4	5	5
65+	11	8.5	26	2	3	7	13	16	18	18
GRAND TOTAL	**258**	**1.7**	**6**	**<1**	**<1**	**<1**	**1**	**3**	**6**	**15**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	356	1.8	1	<1	<1	1	2	3	4	5
20-34	494	2.0	1	<1	1	2	3	3	4	5
35-49	338	2.1	2	<1	1	2	3	4	4	8
50-64	246	2.5	1	1	1	2	3	4	5	6
65+	119	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	247	1.7	1	<1	<1	1	2	3	4	7
20-34	328	2.4	3	<1	1	2	3	4	5	8
35-49	240	2.6	2	1	1	2	3	5	6	9
50-64	305	3.4	9	1	1	3	4	6	8	19
65+	218	4.5	16	1	1	3	5	9	13	24
TOT. SINGLE DX	1553	2.1	2	<1	1	2	3	3	4	6
" MULTIPLE DX	1338	2.9	7	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	603	1.7	1	<1	<1	1	2	3	4	6
20-34	822	2.2	2	<1	1	2	3	3	4	7
35-49	578	2.3	3	<1	1	2	3	4	5	9
50-64	551	3.0	6	1	1	3	3	5	6	14
65+	337	3.8	12	1	1	3	4	7	10	19
GRAND TOTAL	**2891**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	689	1.7	7	<1	<1	1	1	2	3	18
20-34	158	1.4		<1	<1	1	2	2	2	3
35-49	111	1.4		<1	<1	1	2	2	2	4
50-64	96	1.6		<1	<1	1	2	2	3	4
65+	48	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	230	6.5	121	<1	<1	2	8	17	22	62
20-34	80	2.0	2	<1	<1	2	2	3	5	10
35-49	135	2.6	14	<1	<1	2	2	4	9	22
50-64	188	3.2	11	<1	1	2	3	8	11	17
65+	198	4.7	48	<1	1	2	5	12	16	52
TOT. SINGLE DX	1102	1.6	5	<1	<1	1	2	2	3	15
" MULTIPLE DX	831	4.3	53	<1	<1	2	4	11	16	37
TOTAL 0-19 YRS	919	2.9	40	<1	<1	1	2	6	14	25
20-34	238	1.6	1	<1	<1	1	2	2	3	6
35-49	246	2.1	9	<1	<1	2	2	3	4	11
50-64	284	2.7	8	<1	<1	2	3	6	9	16
65+	246	4.1	41	<1	1	2	4	10	14	43
GRAND TOTAL	**1933**	**2.8**	**27**	**<1**	**<1**	**1**	**2**	**5**	**11**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.7	9	<1	<1	1	3	7	9	15
20-34	83	2.0	2	<1	<1	1	2	4	5	9
35-49	62	3.5	7	<1	<1	3	4	7	9	13
50-64	121	3.9	5	1	1	4	5	6	7	13
65+	59	3.9	6	1	1	4	5	7	10	[illegible]
2. MULTIPLE DX										
0-19 YRS	63	2.7	6	<1	<1	2	3	6	9	12
20-34	75	5.3	24	1	1	3	7	12	14	28
35-49	174	4.2	9	1	2	4	5	7	8	12
50-64	332	4.9	15	2	2	4	6	8	11	24
65+	207	6.8	59	2	2	4	7	16	24	71
TOT. SINGLE DX	412	3.2	7	<1	<1	3	4	6	8	12
" MULTIPLE DX	851	5.1	26	1	2	4	6	9	13	33
TOTAL 0-19 YRS	150	2.7	8	<1	<1	1	3	7	9	12
20-34	158	3.5	16	<1	<1	2	4	8	11	15
35-49	236	4.0	9	<1	1	3	5	7	8	13
50-64	453	4.7	13	1	2	4	5	8	10	23
65+	266	6.2	49	1	2	4	6	12	21	51
GRAND TOTAL	**1263**	**4.5**	**21**	**<1**	**1**	**3**	**5**	**8**	**11**	**27**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	5.1	2	3	3	5	6	7	8	10
20-34	771	5.0	2	2	3	5	6	7	7	10
35-49	118	5.4	3	2	4	5	6	7	8	11
50-64	17	5.4	9	<1	<1	6	7	9	10	11
65+	13	7.4	7	3	4	7	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	236	5.5	3	3	3	5	6	8	9	13
20-34	1623	5.5	5	2	3	5	6	7	9	14
35-49	425	6.2	15	2	3	6	7	10	11	21
50-64	61	10.0	53	2	4	8	13	17	27	41
65+	76	16.8	171	5	6	13	21	33	46	74
TOT. SINGLE DX	1096	5.1	3	2	3	5	6	7	8	10
" MULTIPLE DX	2421	6.1	18	2	3	6	7	9	11	23
TOTAL 0-19 YRS	413	5.3	3	3	3	5	6	7	8	12
20-34	2394	5.4	5	2	3	5	6	7	8	13
35-49	543	6.0	13	2	3	6	7	9	11	18
50-64	78	9.0	47	1	3	7	10	16	22	39
65+	89	15.4	158	5	6	11	20	29	37	70
GRAND TOTAL	**3517**	**5.8**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**20**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	5.8	8	3	4	5	6	8	10	21
20-34	538	5.3	3	3	3	5	6	7	8	11
35-49	287	5.8	3	4	4	6	6	8	9	13
50-64	44	6.3	5	3	4	6	7	9	12	15
65+	22	7.7	5	4	5	7	8	12	13	13
2. MULTIPLE DX										
0-19 YRS	122	6.1	7	3	4	6	7	8	11	19
20-34	1160	6.2	7	3	4	6	7	9	11	17
35-49	879	6.8	16	4	4	6	7	9	13	25
50-64	131	9.6	34	5	5	8	11	18	23	33
65+	150	13.0	60	6	6	11	17	24	28	55
TOT. SINGLE DX	987	5.6	4	3	4	5	6	8	9	13
" MULTIPLE DX	2442	7.0	18	4	4	6	7	10	15	26
TOTAL 0-19 YRS	218	6.0	8	3	4	5	7	8	10	19
20-34	1698	5.9	6	3	4	6	7	8	10	16
35-49	1166	6.6	13	4	4	6	7	9	12	22
50-64	175	8.8	29	4	5	7	10	16	20	30
65+	172	12.4	57	5	6	10	16	23	28	51
GRAND TOTAL	**3429**	**6.6**	**15**	**3**	**4**	**6**	**7**	**9**	**13**	**24**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.0		6	6	6	6	6	6	6
20-34	27	5.0	3	2	3	5	6	8	8	9
35-49	60	6.1	4	4	4	6	7	8	10	12
50-64	28	7.6	5	5	5	7	8	12	13	13
65+	31	7.5	3	5	5	7	8	11	11	12
2. MULTIPLE DX										
0-19 YRS	4	5.3	3	3	3	5	6	7	7	7
20-34	128	6.1	8	4	4	5	7	9	11	19
35-49	384	7.6	19	4	5	7	8	12	16	26
50-64	194	11.5	73	5	5	9	13	19	28	51
65+	178	15.0	125	6	7	11	19	28	37	63
TOT. SINGLE DX	149	6.5	5	4	4	6	8	9	11	13
" MULTIPLE DX	888	9.7	61	4	5	7	10	17	24	50
TOTAL 0-19 YRS	7	5.6	2	3	3	6	6	7	7	7
20-34	155	5.9	8	3	4	5	7	8	11	18
35-49	444	7.4	17	4	4	6	8	11	15	26
50-64	222	11.1	67	5	5	9	12	18	25	50
65+	209	13.9	115	6	6	10	17	27	33	60
GRAND TOTAL	**1037**	**9.2**	**54**	**4**	**5**	**7**	**10**	**16**	**22**	**45**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.3	5	<1	<1	3	4	6	9	11
20-34	197	3.0	6	<1	<1	2	5	7	8	11
35-49	36	2.9	4	<1	<1	2	4	6	7	7
50-64	4	2.8	12	<1	<1	<1	4	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	64	4.3	11	<1	1	4	5	7	8	23
20-34	719	4.3	9	<1	<1	5	6	7	8	14
35-49	186	4.5	13	<1	<1	4	6	8	12	18
50-64	11	4.6	12	<1	<1	4	8	9	11	11
65+	7	23.7	863	3	3	7	34	75	84	84
TOT. SINGLE DX	294	3.1	6	<1	<1	2	5	7	8	11
" MULTIPLE DX	987	4.5	18	<1	<1	5	6	7	9	17
TOTAL 0-19 YRS	121	3.8	9	<1	1	3	5	7	8	15
20-34	916	4.0	9	<1	<1	4	6	7	8	13
35-49	222	4.2	12	<1	<1	4	6	7	11	17
50-64	15	4.1	12	<1	<1	3	8	8	10	11
65+	7	23.7	863	3	3	7	34	75	84	84
GRAND TOTAL	**1281**	**4.1**	**16**	**<1**	**<1**	**4**	**6**	**7**	**8**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1170	1.3		<1	<1	1	2	2	2	3
35-49	567	1.4		<1	<1	1	2	2	3	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	7	2.0	1	<1	<1	1	3	4	4	4
20-34	1161	1.6	3	<1	<1	1	2	3	4	5
35-49	705	1.6	2	<1	<1	1	2	2	3	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
TOT. SINGLE DX	1739	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	1875	1.6	3	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	8	2.5	3	<1	<1	2	4	5	6	6
20-34	2331	1.4	2	<1	<1	1	2	2	3	5
35-49	1272	1.5	2	<1	<1	1	2	2	3	6
50-64	3	3.3	2	2	2	3	4	5	5	5
65+										
GRAND TOTAL	**3614**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.7	2	<1	<1	3	4	4	4	4
20-34	1382	2.1	1	<1	<1	2	3	4	4	5
35-49	626	2.1	1	<1	<1	2	3	4	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	15	3.7	2	1	2	4	5	6	7	7
20-34	3445	3.4	2	1	2	3	4	5	5	7
35-49	1132	3.4	3	1	1	3	4	5	6	9
50-64	5	6.0	3	3	3	7	7	7	7	7
65+										
TOT. SINGLE DX	2015	2.1	1	<1	<1	2	3	4	4	5
" MULTIPLE DX	4597	3.4	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	21	3.4	3	<1	1	4	4	6	7	7
20-34	4827	3.0	3	<1	1	3	4	5	5	7
35-49	1758	2.9	3	<1	1	3	4	5	5	8
50-64	6	5.3	5	2	2	6	7	7	7	7
65+										
GRAND TOTAL	**6612**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	4.7	3	1	2	5	5	6	7	12
20-34	1520	4.6	2	2	3	5	5	6	7	9
35-49	266	4.7	2	2	2	5	6	7	7	9
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	109	5.7	11	3	3	5	6	8	10	25
20-34	2068	5.1	7	2	3	5	6	7	8	12
35-49	451	5.1	4	1	3	5	6	7	9	10
50-64	6	7.3	3	5	5	7	8	10	10	10
65+	4	12.0	196	4	4	5	19	33	33	33
TOT. SINGLE DX	1876	4.6	3	2	3	5	6	6	7	9
" MULTIPLE DX	2638	5.1	7	2	3	5	6	7	8	12
TOTAL 0-19 YRS	195	5.3	8	2	3	5	6	7	9	20
20-34	3588	4.9	6	2	3	5	6	7	8	11
35-49	717	4.9	4	1	2	5	6	7	8	10
50-64	8	7.1	3	5	5	7	8	9	10	10
65+	6	10.3	128	4	4	5	10	31	33	33
GRAND TOTAL	**4514**	**4.9**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.3	2	<1	<1	2	3	4	6	6
20-34	541	1.8		<1	<1	2	2	3	3	4
35-49	271	1.9		<1	<1	2	2	3	3	5
50-64	80	1.8		<1	<1	2	2	3	4	4
65+	31	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	1.5		<1	<1	1	2	3	4	4
20-34	379	2.0	2	<1	<1	2	2	3	4	8
35-49	281	2.0	1	<1	<1	2	2	3	4	7
50-64	111	2.2	1	1	1	2	2	4	5	9
65+	56	3.9	26	1	1	2	4	9	13	33
TOT. SINGLE DX	935	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	838	2.1	4	<1	<1	2	2	3	4	12
TOTAL 0-19 YRS	23	2.0	2	<1	<1	2	3	3	5	6
20-34	920	1.8	1	<1	<1	2	2	3	3	5
35-49	552	1.9	1	<1	<1	2	2	3	4	6
50-64	191	2.1	2	<1	1	2	2	3	4	8
65+	87	3.4	18	1	1	2	4	6	12	26
GRAND TOTAL	**1773**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.3		<1	<1	<1	1	2	3	3
20-34	337	1.5		<1	<1	1	2	2	3	5
35-49	456	1.5		<1	<1	1	2	2	3	4
50-64	221	1.7	1	<1	<1	2	2	2	3	8
65+	84	3.2	8	<1	<1	2	4	7	10	13
2. MULTIPLE DX										
0-19 YRS	24	2.2	3	<1	<1	2	3	4	6	9
20-34	492	2.3	13	<1	<1	1	2	4	6	21
35-49	1295	2.0	9	<1	<1	1	2	3	5	13
50-64	636	2.9	20	<1	<1	2	2	5	10	21
65+	402	6.1	90	1	1	2	7	14	21	53
TOT. SINGLE DX	1125	1.7	2	<1	<1	1	2	3	3	8
" MULTIPLE DX	2849	2.8	26	<1	<1	2	2	5	9	23
TOTAL 0-19 YRS	51	1.7	2	<1	<1	1	2	3	3	9
20-34	829	2.0	8	<1	<1	1	2	3	5	18
35-49	1751	1.9	7	<1	<1	1	2	3	4	12
50-64	857	2.6	16	<1	<1	2	2	4	9	21
65+	486	5.6	77	<1	1	2	6	12	19	51
GRAND TOTAL	**3974**	**2.5**	**19**	**<1**	**<1**	**2**	**2**	**4**	**7**	**21**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.2		1	1	2	3	3	4	4
20-34	649	2.6	4	1	1	2	3	4	5	8
35-49	88	2.5	2	1	1	2	3	4	5	9
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	224	4.3	32	1	1	3	4	8	11	42
35-49	40	5.4	24	<1	1	4	6	14	18	19
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	762	2.5	4	1	1	2	3	4	5	8
" MULTIPLE DX	271	4.4	31	1	1	3	4	8	12	36
TOTAL 0-19 YRS	28	2.1	1	1	1	2	3	3	4	4
20-34	873	3.0	12	1	1	2	3	5	7	14
35-49	128	3.4	11	1	1	3	4	6	10	19
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1033**	**3.0**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.3	3	1	1	3	5	6	6	6
20-34	220	5.1	5	<1	1	5	6	8	9	10
35-49	127	4.9	6	1	1	5	7	8	8	11
50-64	29	2.3	1	<1	<1	2	3	4	6	6
65+	10	2.4	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	12	5.3	9	1	1	5	6	9	12	13
20-34	532	5.2	6	<1	1	5	7	8	9	12
35-49	359	5.3	16	<1	1	5	7	8	10	23
50-64	100	4.3	43	<1	<1	2	3	10	20	35
65+	72	7.2	96	1	1	3	9	16	21	60
TOT. SINGLE DX	394	4.7	6	<1	1	5	6	7	8	11
" MULTIPLE DX	1075	5.3	20	<1	1	5	7	8	10	22
TOTAL 0-19 YRS	20	4.5	8	1	1	4	6	7	10	13
20-34	752	5.1	6	<1	1	5	7	8	9	12
35-49	486	5.2	14	<1	1	5	7	8	9	19
50-64	129	3.8	35	<1	<1	2	3	8	17	32
65+	82	6.6	87	<1	1	3	8	16	21	58
GRAND TOTAL	**1469**	**5.1**	**16**	**<1**	**1**	**5**	**7**	**8**	**9**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.6	23	4	4	8	10	17	19	19
20-34	445	6.2	3	4	5	6	7	8	9	14
35-49	1441	6.6	2	4	5	6	7	8	9	13
50-64	435	7.0	4	5	5	7	8	9	10	15
65+	225	7.8	5	5	6	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	20	7.9	9	5	5	6	9	13	15	16
20-34	2484	6.7	7	4	5	6	7	9	10	17
35-49	11122	7.2	8	5	5	7	8	9	12	19
50-64	3182	8.2	23	5	5	7	8	12	16	28
65+	1495	10.7	46	6	6	8	12	17	23	44
TOT. SINGLE DX	2554	6.7	4	4	5	6	7	8	10	14
" MULTIPLE DX	18303	7.6	15	5	5	7	8	10	13	24
TOTAL 0-19 YRS	28	8.1	13	4	5	7	10	13	16	19
20-34	2929	6.6	7	4	5	6	7	9	10	16
35-49	12563	7.2	8	5	5	7	8	9	11	18
50-64	3617	8.1	21	5	5	7	8	11	15	27
65+	1720	10.3	42	6	6	8	11	17	22	42
GRAND TOTAL	**20857**	**7.5**	**14**	**5**	**5**	**7**	**8**	**10**	**13**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	185	4.9	2	3	3	5	6	7	8	10
35-49	290	5.7	3	3	4	6	7	8	9	12
50-64	292	6.7	3	4	5	6	7	9	10	14
65+	275	7.1	3	5	5	7	8	9	11	16
2. MULTIPLE DX										
0-19 YRS										
20-34	674	5.9	9	4	4	5	6	8	9	16
35-49	1776	6.3	5	4	4	6	7	9	10	15
50-64	960	7.3	5	5	5	7	8	10	11	15
65+	988	8.5	24	5	5	7	9	12	16	27
TOT. SINGLE DX	1043	6.2	4	4	4	6	7	8	9	13
" MULTIPLE DX	4398	6.9	11	4	4	6	8	10	12	18
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	859	5.7	8	3	4	5	6	8	9	15
35-49	2066	6.2	5	4	4	6	7	8	10	15
50-64	1252	7.2	5	4	5	7	8	10	11	15
65+	1263	8.2	21	5	5	7	9	11	15	26
GRAND TOTAL	**5441**	**6.8**	**10**	**4**	**4**	**6**	**8**	**9**	**11**	**18**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	13.0	4	9	10	14	15	15	15	15
35-49	9	11.2	7	8	8	11	12	15	17	17
50-64	4	10.3	3	9	9	10	11	13	13	13
65+	6	13.7	36	7	7	12	20	22	22	22
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	16.5	149	7	7	13	16	41	48	48
35-49	40	12.8	47	6	7	11	16	26	31	99+
50-64	42	19.7	212	7	8	14	24	39	57	64
65+	40	20.5	212	8	10	17	21	39	70	99+
TOT. SINGLE DX	31	12.3	12	8	9	12	14	16	20	22
" MULTIPLE DX	141	17.5	163	7	8	14	20	32	52	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	30	15.1	93	7	8	13	15	23	47	48
35-49	49	12.5	40	6	7	11	15	24	31	99+
50-64	46	18.8	201	8	8	13	23	39	56	64
65+	46	19.6	193	7	9	16	21	32	63	99+
GRAND TOTAL	**172**	**16.5**	**140**	**7**	**8**	**13**	**18**	**31**	**48**	**96**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	343	1.0		<1	<1	<1	<1	<1	1	1
20-34	1607	1.0		<1	<1	<1	<1	1	1	3
35-49	224	1.1		<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	28	2.1	2	<1	<1	1	3	5	6	8
20-34	230	3.0	23	<1	<1	1	3	6	8	32
35-49	96	2.0	2	<1	<1	1	2	4	6	8
50-64										
65+										
TOT. SINGLE DX	2174	1.0		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	354	2.6	17	<1	<1	1	3	6	7	28
TOTAL 0-19 YRS	371	1.1		<1	<1	<1	<1	1	1	5
20-34	1837	1.3	3	<1	<1	<1	<1	1	2	7
35-49	320	1.3	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**2528**	**1.3**	**3**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**6**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1273	1.4	1	<1	<1	1	2	2	3	6
20-34	10495	1.3		<1	<1	1	1	2	3	5
35-49	4343	1.3		<1	<1	1	1	2	2	5
50-64	998	1.5		<1	<1	1	2	2	2	6
65+	322	2.1	7	<1	<1	2	2	3	5	12
2. MULTIPLE DX										
0-19 YRS	395	2.6	6	<1	<1	2	3	5	7	15
20-34	4657	2.1	7	<1	<1	1	2	4	6	11
35-49	5695	1.9	6	<1	<1	1	2	3	6	13
50-64	1955	2.4	15	<1	<1	1	2	4	8	17
65+	1081	4.3	41	<1	1	2	4	11	16	53
TOT. SINGLE DX	17431	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	13783	2.3	11	<1	<1	1	2	4	7	16
TOTAL 0-19 YRS	1668	1.7	3	<1	<1	1	2	3	5	7
20-34	15152	1.6	3	<1	<1	1	2	3	4	8
35-49	10038	1.7	4	<1	<1	1	2	2	4	9
50-64	2953	2.1	11	<1	<1	1	2	3	6	14
65+	1403	3.8	34	<1	<1	2	3	9	14	40
GRAND TOTAL	**31214**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	760	1.0		<1	<1	<1	<1	1	1	2
20-34	3278	1.1		<1	<1	<1	<1	1	1	2
35-49	452	1.1	2	<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	747	1.3	3	<1	<1	<1	<1	<1	2	7
20-34	2272	1.5	5	<1	<1	<1	<1	2	3	10
35-49	443	1.8	3	<1	<1	1	2	3	5	8
50-64										
65+										
TOT. SINGLE DX	4490	1.1		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	3462	1.5	5	<1	<1	<1	<1	2	4	10
TOTAL 0-19 YRS	1507	1.2	2	<1	<1	<1	<1	1	1	5
20-34	5550	1.2	3	<1	<1	<1	<1	1	2	7
35-49	895	1.4	3	<1	<1	<1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**7952**	**1.2**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	262	1.4	1	<1	<1	1	1	2	3	6
20-34	2057	1.2		<1	<1	1	1	2	2	4
35-49	393	1.2		<1	<1	1	1	2	2	4
50-64	3	7.3	36	1	1	8	12	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	48	3.3	22	1	1	2	4	6	8	33
20-34	372	2.3	8	<1	<1	1	2	5	7	13
35-49	115	2.2	4	<1	<1	1	2	5	7	11
50-64	3	4.3	24	1	1	2	8	10	10	10
65+	3	12.0	103	1	1	14	19	21	21	21
TOT. SINGLE DX	2715	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	541	2.4	10	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS	310	1.7	5	<1	<1	1	2	3	4	9
20-34	2429	1.4	2	<1	<1	1	1	2	3	6
35-49	508	1.4	2	<1	<1	1	1	2	3	8
50-64	6	5.8	27	1	1	5	10	13	13	13
65+	3	12.0	103	1	1	14	19	21	21	21
GRAND TOTAL	**3256**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	3.1	2	<1	<1	3	5	5	6	6
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	4	6.0	3	4	4	6	7	8	8	9
2. MULTIPLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	52	5.1	5	1	2	5	6	7	7	18
35-49	8	6.3	2	4	4	6	7	8	9	9
50-64	9	6.6	4	2	3	7	8	9	9	9
65+	13	7.8	7	5	5	7	8	12	14	15
TOT. SINGLE DX	29	3.8	5	<1	<1	4	5	7	8	10
" MULTIPLE DX	84	5.8	6	2	3	6	7	8	9	17
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	71	4.5	6	1	1	5	6	6	7	16
35-49	12	5.2	5	<1	1	5	7	8	9	9
50-64	11	6.7	5	2	4	7	8	9	10	10
65+	17	7.4	7	4	5	7	8	11	14	15
GRAND TOTAL	**113**	**5.3**	**7**	**1**	**2**	**5**	**6**	**8**	**9**	**16**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.4	15	<1	<1	4	5	10	14	16
20-34	122	2.7	3	<1	<1	2	4	6	7	9
35-49	55	2.7	3	<1	<1	2	4	6	7	9
50-64	21	4.4	12	<1	<1	4	5	8	13	17
65+	10	3.4	9	<1	<1	3	4	8	11	11
2. MULTIPLE DX										
0-19 YRS	17	5.3	14	<1	1	5	6	9	14	17
20-34	260	3.7	7	<1	<1	3	5	7	8	12
35-49	141	3.3	8	<1	<1	2	5	7	8	15
50-64	59	5.0	25	1	2	4	5	9	14	34
65+	69	5.4	72	1	1	3	6	8	13	57
TOT. SINGLE DX	225	3.0	6	<1	<1	2	4	6	7	12
" MULTIPLE DX	546	4.0	19	<1	<1	3	5	7	8	22
TOTAL 0-19 YRS	34	4.8	15	<1	1	4	6	9	15	17
20-34	382	3.4	7	<1	<1	3	5	7	7	11
35-49	196	3.1	7	<1	<1	2	4	7	7	13
50-64	80	4.8	22	<1	1	4	5	8	13	30
65+	79	5.2	65	<1	1	3	5	8	12	54
GRAND TOTAL	**771**	**3.7**	**15**	**<1**	**<1**	**3**	**5**	**7**	**8**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	40	5.0	6	2	2	5	6	8	9	14
35-49	135	5.8	4	2	3	6	7	9	9	11
50-64	338	6.1	4	3	4	6	7	9	10	14
65+	285	6.5	4	3	4	6	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	119	6.1	6	3	3	6	7	9	11	14
35-49	468	6.8	7	3	4	6	8	10	12	14
50-64	708	7.2	7	4	4	7	8	10	12	17
65+	657	7.7	13	4	5	7	9	11	13	23
TOT. SINGLE DX	800	6.1	5	3	3	6	7	9	10	13
" MULTIPLE DX	1953	7.2	9	4	4	7	8	10	13	18
TOTAL 0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	159	5.8	6	2	3	6	7	9	10	14
35-49	603	6.6	7	3	4	6	8	10	11	14
50-64	1046	6.8	7	3	4	7	8	10	12	16
65+	942	7.3	11	4	4	7	8	10	12	21
GRAND TOTAL	**2753**	**6.9**	**8**	**3**	**4**	**7**	**8**	**10**	**12**	**17**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	4.0	20	<1	<1	2	5	11	14	18
20-34	96	3.2	6	<1	<1	3	4	6	8	13
35-49	41	4.0	7	<1	1	4	6	8	9	10
50-64	23	5.0	12	1	1	5	8	10	12	12
65+	13	7.5	12	4	4	7	8	11	17	18
2. MULTIPLE DX										
0-19 YRS	33	4.2	21	1	1	3	5	9	16	22
20-34	63	4.5	17	<1	1	3	6	8	12	24
35-49	53	5.1	18	1	1	4	7	10	12	22
50-64	61	8.4	121	1	2	7	9	12	20	78
65+	62	10.2	83	1	2	8	12	23	27	50
TOT. SINGLE DX	214	4.0	11	<1	1	3	6	8	10	17
" MULTIPLE DX	272	6.8	62	1	1	5	8	12	20	37
TOTAL 0-19 YRS	74	4.1	20	<1	1	2	5	10	16	21
20-34	159	3.7	11	<1	<1	3	5	7	10	16
35-49	94	4.6	14	<1	1	4	7	9	10	20
50-64	84	7.5	94	1	1	6	8	11	16	66
65+	75	9.7	72	1	2	7	11	20	25	48
GRAND TOTAL	**486**	**5.5**	**41**	**<1**	**1**	**4**	**7**	**10**	**15**	**28**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	3.3	14	<1	<1	2	4	9	11	21
20-34	269	2.8	8	<1	<1	2	3	7	8	15
35-49	92	2.8	9	<1	<1	2	3	5	6	19
50-64	60	3.6	9	<1	<1	2	6	8	9	15
65+	73	4.0	5	1	1	4	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	87	4.3	32	<1	<1	2	5	10	12	35
20-34	242	4.1	32	<1	1	3	5	8	11	30
35-49	133	6.1	39	1	1	4	8	13	19	29
50-64	168	6.8	83	<1	1	5	7	13	18	77
65+	313	7.4	68	1	2	6	8	14	19	53
TOT. SINGLE DX	579	3.1	9	<1	<1	2	4	7	9	15
" MULTIPLE DX	943	6.0	56	<1	1	4	7	12	17	43
TOTAL 0-19 YRS	172	3.8	24	<1	<1	2	4	9	12	21
20-34	511	3.4	20	<1	<1	2	4	8	10	17
35-49	225	4.8	30	<1	1	3	6	11	16	27
50-64	228	6.0	66	<1	1	4	7	12	16	67
65+	386	6.8	58	1	2	5	8	12	17	49
GRAND TOTAL	**1522**	**4.9**	**40**	**<1**	**<1**	**3**	**6**	**10**	**14**	**31**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	2.0	2	<1	<1	1	2	4	6	9
20-34	683	1.7	1	<1	<1	1	2	3	4	6
35-49	320	1.8	2	<1	<1	1	2	3	4	6
50-64	100	2.1	3	<1	<1	2	2	4	5	12
65+	51	2.2	5	<1	<1	1	2	4	8	15
2. MULTIPLE DX										
0-19 YRS	53	3.6	7	1	1	3	4	8	10	14
20-34	259	2.8	13	<1	<1	2	3	5	7	12
35-49	164	3.9	44	<1	1	2	3	8	12	45
50-64	117	5.0	35	<1	<1	3	6	13	20	28
65+	186	10.6	235	1	1	5	12	28	49	87
TOT. SINGLE DX	1286	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	779	5.3	85	<1	1	3	5	11	17	54
TOTAL 0-19 YRS	185	2.5	5	<1	<1	2	3	5	7	11
20-34	942	2.0	5	<1	<1	1	2	3	4	8
35-49	484	2.5	17	<1	<1	2	2	4	7	18
50-64	217	3.6	23	<1	<1	2	3	8	14	25
65+	237	8.8	198	<1	1	3	10	22	38	80
GRAND TOTAL	**2065**	**3.1**	**36**	**<1**	**<1**	**2**	**3**	**5**	**9**	**33**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	4	5.0	64	<1	<1	1	9	17	17	17
35-49	13	4.2	15	1	1	3	5	8	14	16
50-64	12	5.3	6	2	2	6	7	8	9	9
65+	29	8.2	34	2	2	7	9	18	20	25
2. MULTIPLE DX										
0-19 YRS										
20-34	12	6.8	18	2	2	5	10	14	15	15
35-49	20	9.9	67	2	2	8	13	21	30	33
50-64	25	11.9	69	<1	2	11	18	23	25	31
65+	95	17.8	244	3	4	13	23	37	43	79
TOT. SINGLE DX	61	6.3	27	1	1	5	8	14	18	24
" MULTIPLE DX	152	14.9	189	2	3	11	18	33	38	72
TOTAL 0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	16	6.3	27	<1	<1	4	10	15	16	17
35-49	33	7.6	54	1	2	5	10	15	25	33
50-64	37	9.7	58	1	2	8	15	21	23	31
65+	124	15.6	211	3	3	11	19	35	42	75
GRAND TOTAL	**213**	**12.5**	**157**	**2**	**2**	**9**	**16**	**26**	**36**	**69**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.4	1	<1	<1	1	1	3	4	6
20-34	28	2.5	3	<1	<1	2	3	5	7	8
35-49	10	4.2	20	<1	<1	3	5	11	16	16
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	15	1.9	4	<1	<1	1	2	4	8	9
20-34	31	4.9	156	1	1	3	3	5	7	72
35-49	20	5.2	39	1	2	3	6	10	21	29
50-64	7	2.9	3	1	1	3	4	6	6	6
65+	9	6.1	36	1	1	4	7	16	21	21
TOT. SINGLE DX	80	2.2	5	<1	<1	1	3	4	6	14
" MULTIPLE DX	82	4.4	74	<1	1	3	4	7	11	58
TOTAL 0-19 YRS	52	1.6	2	<1	<1	1	1	3	4	9
20-34	59	3.8	84	<1	<1	2	3	5	7	66
35-49	30	4.8	32	<1	1	3	5	10	16	29
50-64	12	2.3	2	<1	<1	2	3	5	6	6
65+	9	6.1	36	1	1	4	7	16	21	21
GRAND TOTAL	**162**	**3.3**	**41**	**<1**	**<1**	**2**	**3**	**6**	**8**	**28**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5	1	<1	<1	<1	1	3	4	4
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	19	9.7	277	<1	<1	3	7	32	52	66
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	7	6.6	41	1	1	3	11	16	17	17
TOT. SINGLE DX	18	1.4	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	35	6.9	166	<1	<1	2	6	17	33	66
TOTAL 0-19 YRS	13	1.4	1	<1	<1	<1	1	3	4	4
20-34	24	8.0	229	<1	<1	2	5	29	44	66
35-49	6	1.7	1	<1	<1	1	2	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	8	6.0	38	1	1	3	11	15	17	17
GRAND TOTAL	**53**	**5.1**	**116**	**<1**	**<1**	**1**	**3**	**13**	**27**	**65**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	3.1		2	2	3	3	4	4	5
20-34	4075	3.2		2	2	3	4	4	4	5
35-49	300	3.2		2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	607	3.4	1	2	2	3	4	5	5	8
20-34	4371	3.6	6	2	2	3	4	5	5	10
35-49	444	3.8	3	2	3	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	4900	3.1	1	2	2	3	4	4	4	5
" MULTIPLE DX	5422	3.6	6	2	2	3	4	5	5	10
TOTAL 0-19 YRS	1132	3.2	3	2	2	3	4	4	5	7
20-34	8446	3.4	4	2	2	3	4	4	5	7
35-49	744	3.5	2	2	3	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**10322**	**3.4**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.6		1	1	3	3	4	4	4
20-34	188	2.8		1	2	3	3	4	4	4
35-49	13	2.7		1	2	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	45	3.1	4	1	1	3	3	5	6	14
20-34	369	3.2	3	1	1	3	4	5	6	12
35-49	62	3.1	2	1	1	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	220	2.8	1	1	2	3	3	4	4	4
" MULTIPLE DX	476	3.2	3	1	1	3	4	5	6	12
TOTAL 0-19 YRS	64	3.0	3	1	1	3	3	4	5	13
20-34	557	3.1	3	1	1	3	3	4	5	11
35-49	75	3.0	2	1	1	3	3	4	6	9
50-64										
65+										
GRAND TOTAL	**696**	**3.1**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	206	3.0	1	2	2	3	3	4	4	7
20-34	1241	3.1		2	2	3	3	4	4	5
35-49	92	3.1		2	2	3	4	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	256	3.5	2	2	2	3	4	5	6	9
20-34	1939	3.5	2	2	2	3	4	5	5	9
35-49	176	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
TOT. SINGLE DX	1539	3.1	1	2	2	3	3	4	4	5
" MULTIPLE DX	2371	3.5	2	2	2	3	4	5	5	9
TOTAL 0-19 YRS	462	3.2	2	2	2	3	4	4	6	8
20-34	3180	3.3	2	2	2	3	4	4	5	8
35-49	268	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**3910**	**3.3**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7073	2.9	1	2	2	3	3	4	4	6
20-34	53751	2.9		2	2	3	3	4	4	5
35-49	4003	2.9		1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2025	3.4	5	1	2	3	4	5	6	11
20-34	17012	3.3	5	1	2	3	4	5	5	9
35-49	1818	3.5	3	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	64827	2.9	1	2	2	3	3	4	4	5
" MULTIPLE DX	20855	3.3	5	1	2	3	4	5	5	10
TOTAL 0-19 YRS	9098	3.0	3	2	2	3	3	4	5	7
20-34	70763	3.0	2	1	2	3	3	4	4	6
35-49	5821	3.1	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**85682**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	862	5.5	2	4	4	5	6	7	8	10
20-34	11514	5.5	2	4	4	5	6	7	7	9
35-49	962	5.9	3	4	4	6	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2164	6.2	6	4	4	6	7	8	10	18
20-34	24966	6.0	9	4	4	6	6	8	9	16
35-49	3355	6.4	10	4	5	6	7	8	10	20
50-64										
65+										
TOT. SINGLE DX	13338	5.5	2	4	4	5	6	7	7	9
" MULTIPLE DX	30485	6.1	9	4	4	6	6	8	9	17
TOTAL 0-19 YRS	3026	6.0	6	4	4	6	6	8	9	16
20-34	36480	5.9	7	4	4	6	6	7	8	14
35-49	4317	6.3	9	4	5	6	7	8	9	18
50-64										
65+										
GRAND TOTAL	**43823**	**5.9**	**7**	**4**	**4**	**6**	**6**	**7**	**8**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.2	2	4	4	6	7	8	8	8
20-34	236	5.7	14	4	4	5	6	7	7	9
35-49	25	5.7	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	61	6.2	3	4	4	6	7	9	10	14
20-34	609	6.7	23	4	4	6	7	8	11	37
35-49	110	7.5	24	4	4	6	7	12	21	28
50-64										
65+										
TOT. SINGLE DX	274	5.7	13	4	4	5	6	7	7	9
" MULTIPLE DX	780	6.8	22	4	4	6	7	9	11	36
TOTAL 0-19 YRS	74	6.2	4	4	4	6	7	8	9	14
20-34	845	6.4	21	4	4	6	7	8	10	36
35-49	135	7.2	21	4	4	6	7	10	16	28
50-64										
65+										
GRAND TOTAL	**1054**	**6.5**	**20**	**4**	**4**	**6**	**7**	**8**	**10**	**32**

693: Other abdominal operation to remcve embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.7	2	2	3	5	6	7	7	7
20-34	74	4.4	1	2	3	4	5	6	6	8
35-49	6	4.2	1	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	6.5	3	4	4	7	8	8	8	8
20-34	85	5.5	4	3	3	5	6	8	9	14
35-49	6	5.0	1	4	4	5	5	7	7	7
50-64										
65+										
TOT. SINGLE DX	90	4.4	2	2	3	4	5	6	6	8
" MULTIPLE DX	95	5.5	4	3	3	5	6	8	9	14
TOTAL 0-19 YRS	14	5.2	3	2	3	5	6	8	8	8
20-34	159	5.0	3	3	3	5	6	7	8	13
35-49	12	4.6	1	3	3	5	5	6	7	7
50-64										
65+										
GRAND TOTAL	**185**	**5.0**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	728	1.7		1	1	2	2	2	3	4
20-34	1049	1.8		1	1	2	2	2	3	4
35-49	94	1.8		<1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	43	2.5	2	1	1	2	3	4	5	9
20-34	110	3.0	8	1	1	2	3	5	8	18
35-49	32	4.6	43	1	1	2	5	10	15	36
50-64										
65+										
TOT. SINGLE DX	1871	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	185	3.2	13	1	1	2	3	5	8	19
TOTAL 0-19 YRS	771	1.7	1	1	1	2	2	2	3	4
20-34	1159	1.9	2	1	1	2	2	3	3	6
35-49	126	2.5	13	1	1	2	2	3	5	20
50-64										
65+										
GRAND TOTAL	**2056**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	4.1	12	<1	1	3	4	10	13	14
20-34	91	5.3	26	<1	1	4	7	12	17	26
35-49	16	4.0	24	<1	<1	2	5	12	16	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	6.1	43	1	1	4	8	13	22	29
20-34	281	2.9	28	<1	<1	<1	2	7	12	25
35-49	252	1.4	15	<1	<1	<1	<1	<1	<1	9
50-64										
65+										
TOT. SINGLE DX	124	5.0	25	<1	1	3	7	12	16	23
" MULTIPLE DX	552	2.3	24	<1	<1	<1	<1	4	9	24
TOTAL 0-19 YRS	36	5.1	29	1	1	3	6	12	14	29
20-34	372	3.5	29	<1	<1	<1	4	9	13	25
35-49	268	1.5	16	<1	<1	<1	<1	<1	2	12
50-64										
65+										
GRAND TOTAL	**676**	**2.8**	**25**	**<1**	**<1**	**<1**	**2**	**7**	**11**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	786	2.7	1	<1	1	3	3	4	4	7
20-34	5062	2.8	1	<1	1	3	3	4	4	6
35-49	389	2.7	1	<1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	281	3.4	3	1	2	3	4	5	7	11
20-34	2015	3.4	4	1	2	3	4	5	6	11
35-49	215	3.8	10	1	2	3	4	5	7	21
50-64										
65+										
TOT. SINGLE DX	6237	2.8	2	<1	1	3	3	4	4	6
" MULTIPLE DX	2511	3.4	5	1	2	3	4	5	6	12
TOTAL 0-19 YRS	1067	2.9	3	<1	1	3	3	4	5	9
20-34	7077	3.0	3	1	1	3	3	4	5	8
35-49	604	3.1	5	1	1	3	4	4	5	12
50-64										
65+										
GRAND TOTAL	**8748**	**3.0**	**3**	**<1**	**1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1330	2.8		2	2	3	3	4	4	5
20-34	10785	2.8		1	2	3	3	4	4	5
35-49	910	2.8		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1064	3.3	6	2	2	3	4	4	5	10
20-34	9646	3.1	2	2	2	3	4	4	5	7
35-49	1055	3.3	3	2	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	13025	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	11765	3.2	3	2	2	3	4	4	5	8
TOTAL 0-19 YRS	2394	3.0	3	2	2	3	3	4	4	7
20-34	20431	2.9	2	1	2	3	3	4	4	6
35-49	1965	3.0	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**24790**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.9	2	<1	<1	3	4	5	6	6
20-34	36	3.3	7	<1	<1	3	4	5	9	15
35-49	14	2.8	3	<1	<1	2	4	6	6	6
50-64	23	4.9	44	<1	1	3	5	15	21	29
65+	22	3.0	4	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	29	3.9	2	1	2	4	4	5	8	9
20-34	47	4.1	12	<1	1	4	5	7	12	19
35-49	37	8.1	100	1	1	4	10	25	30	44
50-64	50	10.5	164	1	1	4	16	27	35	64
65+	56	11.1	255	1	1	5	15	28	61	99
TOT. SINGLE DX	116	3.4	13	<1	<1	2	4	6	8	21
" MULTIPLE DX	219	8.0	131	1	1	4	9	20	30	71
TOTAL 0-19 YRS	50	3.5	3	<1	1	4	4	5	6	9
20-34	83	3.7	10	<1	1	3	4	6	10	18
35-49	51	6.6	79	1	1	3	6	19	30	44
50-64	73	8.7	133	1	1	4	14	23	32	59
65+	78	8.8	197	<1	1	4	10	21	45	96
GRAND TOTAL	**335**	**6.4**	**94**	**<1**	**1**	**4**	**5**	**16**	**24**	**64**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	3.4	2	1	2	3	4	5	6	9
20-34	412	3.1	2	1	1	3	4	5	5	9
35-49	155	3.1	3	1	1	3	4	5	6	11
50-64	73	2.5	1	1	1	2	3	4	4	6
65+	14	3.0	4	1	1	3	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	242	4.5	8	2	2	4	5	7	9	25
20-34	389	4.2	14	2	2	4	4	6	7	29
35-49	162	3.5	4	1	1	3	4	5	7	11
50-64	77	4.8	56	1	1	3	4	8	16	50
65+	43	6.0	42	1	1	3	6	17	22	29
TOT. SINGLE DX	864	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	913	4.3	16	1	2	4	5	6	8	26
TOTAL 0-19 YRS	452	4.0	6	2	2	4	5	6	7	15
20-34	801	3.6	9	1	2	3	4	5	6	12
35-49	317	3.3	4	1	1	3	4	5	6	11
50-64	150	3.7	31	1	1	3	4	5	8	27
65+	57	5.2	35	1	1	3	5	15	20	29
GRAND TOTAL	**1777**	**3.7**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.5	2	1	1	2	3	4	5	10
20-34	201	2.9	3	1	1	3	3	5	6	11
35-49	43	3.3	4	<1	1	3	5	6	7	10
50-64	13	3.3	4	1	1	3	4	7	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	180	4.0	12	1	1	3	5	8	12	18
20-34	270	5.4	46	1	1	4	6	11	14	63
35-49	74	6.1	44	1	2	4	7	13	18	42
50-64	29	6.9	61	1	1	4	8	12	20	42
65+	20	9.3	61	1	2	6	12	23	26	27
TOT. SINGLE DX	373	2.8	4	1	1	2	3	5	6	10
" MULTIPLE DX	573	5.2	38	1	1	4	6	11	14	44
TOTAL 0-19 YRS	294	3.4	9	1	1	3	4	7	9	16
20-34	471	4.3	30	1	1	3	5	8	12	44
35-49	117	5.1	31	1	1	4	6	10	14	29
50-64	42	5.8	47	1	1	4	7	10	15	42
65+	22	8.6	60	1	2	6	12	22	26	27
GRAND TOTAL	**946**	**4.3**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**27**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	2.7	11	<1	1	2	3	5	6	21
20-34	301	3.0	5	1	1	2	4	6	8	12
35-49	89	3.2	13	1	1	2	3	6	8	23
50-64	28	4.0	23	1	1	3	4	7	17	23
65+	11	2.5	2	1	1	2	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	152	6.8	78	1	2	5	8	13	20	43
20-34	449	7.1	71	1	2	5	9	14	18	49
35-49	183	8.2	88	1	2	6	10	16	23	52
50-64	85	8.2	88	1	2	6	9	15	29	52
65+	42	10.6	121	1	2	7	14	27	30	55
TOT. SINGLE DX	530	3.0	9	1	1	2	3	6	8	16
" MULTIPLE DX	911	7.6	80	1	2	5	9	14	21	51
TOTAL 0-19 YRS	253	5.2	55	1	1	3	6	10	14	32
20-34	750	5.5	49	1	1	4	7	11	15	31
35-49	272	6.6	70	1	1	4	8	13	20	45
50-64	113	7.2	75	1	1	4	9	14	27	48
65+	53	8.9	107	1	2	5	11	25	30	54
GRAND TOTAL	**1441**	**5.9**	**59**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	5.6	22	2	3	4	7	8	16	24
20-34	20	3.9	13	<1	1	3	5	8	12	16
35-49	22	3.5	11	1	1	2	3	7	12	16
50-64	21	2.3	1	1	1	2	3	4	5	7
65+	7	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	28	8.1	36	2	2	7	9	18	20	25
20-34	20	5.2	12	1	1	4	8	10	11	11
35-49	26	5.4	23	1	1	3	8	13	15	19
50-64	31	4.5	63	1	1	3	4	7	8	46
65+	21	4.1	13	1	1	3	5	10	13	15
TOT. SINGLE DX	90	3.6	12	1	1	3	4	7	9	21
" MULTIPLE DX	126	5.5	34	1	1	3	8	11	17	30
TOTAL 0-19 YRS	48	7.0	31	2	3	5	8	17	19	25
20-34	40	4.5	13	1	1	3	7	10	11	16
35-49	48	4.5	18	1	1	3	5	12	14	19
50-64	52	3.7	39	1	1	2	3	7	8	45
65+	28	3.5	12	1	1	2	4	9	11	15
GRAND TOTAL	**216**	**4.7**	**26**	**1**	**1**	**3**	**6**	**10**	**15**	**24**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	327	5.6	59	<1	1	4	6	10	16	46
20-34	255	5.0	74	<1	1	3	5	9	15	45
35-49	179	4.9	18	<1	1	4	7	9	12	26
50-64	194	5.3	13	1	1	5	7	10	12	18
65+	60	9.2	59	1	2	7	11	18	23	41
2. MULTIPLE DX										
0-19 YRS	387	7.3	47	1	2	5	8	16	23	37
20-34	252	6.6	93	1	2	4	6	12	27	64
35-49	222	6.8	90	1	1	3	6	17	26	53
50-64	329	7.4	65	1	2	5	8	13	25	47
65+	194	14.0	221	2	2	8	17	39	48	74
TOT. SINGLE DX	1015	5.5	48	<1	1	4	6	10	15	42
" MULTIPLE DX	1384	8.1	97	1	2	5	9	18	29	53
TOTAL 0-19 YRS	714	6.5	53	1	2	5	7	13	20	42
20-34	507	5.8	84	1	1	3	5	11	20	58
35-49	401	6.0	59	1	1	4	6	12	22	47
50-64	523	6.6	47	1	2	5	8	12	16	41
65+	254	12.9	187	2	2	8	15	35	46	69
GRAND TOTAL	**2399**	**7.0**	**78**	**1**	**1**	**4**	**7**	**14**	**24**	**49**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	2.8	2	<1	1	2	4	5	6	7
20-34	372	2.8	2	<1	1	3	4	5	5	8
35-49	412	2.9	2	<1	1	3	4	5	6	7
50-64	354	3.3	2	1	1	3	4	5	6	8
65+	131	3.4	10	<1	1	3	4	6	7	17
2. MULTIPLE DX										
0-19 YRS	259	3.1	2	1	1	3	4	5	6	7
20-34	698	3.1	3	1	1	3	4	5	6	8
35-49	886	3.3	5	1	1	3	4	5	6	11
50-64	1395	3.6	7	1	1	3	4	6	7	11
65+	881	4.2	15	1	1	4	5	7	9	23
TOT. SINGLE DX	1449	3.0	3	<1	1	3	4	5	6	8
" MULTIPLE DX	4119	3.5	8	1	1	3	4	6	7	13
TOTAL 0-19 YRS	439	3.0	2	1	1	3	4	5	6	7
20-34	1070	3.0	3	1	1	3	4	5	6	8
35-49	1298	3.2	4	1	1	3	4	5	6	10
50-64	1749	3.5	6	1	1	3	4	6	7	11
65+	1012	4.1	15	1	1	3	5	7	8	23
GRAND TOTAL	**5568**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	943	3.4	22	<1	1	2	4	6	9	25
20-34	1100	3.4	17	<1	<1	2	4	6	9	23
35-49	784	3.5	22	<1	<1	3	4	6	9	25
50-64	544	4.2	26	<1	1	3	5	8	11	25
65+	241	5.7	46	<1	1	4	7	14	18	41
2. MULTIPLE DX										
0-19 YRS	473	8.6	131	1	1	4	10	24	33	71
20-34	925	7.1	134	<1	1	3	7	17	30	68
35-49	915	7.7	122	1	1	4	8	21	36	59
50-64	1047	9.4	147	1	1	4	11	25	40	71
65+	1067	15.3	264	1	2	10	21	38	57	99+
TOT. SINGLE DX	3612	3.7	24	<1	1	3	4	7	10	27
" MULTIPLE DX	4427	9.9	176	1	1	4	12	28	41	82
TOTAL 0-19 YRS	1416	5.2	65	<1	1	3	5	11	21	43
20-34	2025	5.1	74	<1	1	3	5	10	18	53
35-49	1699	5.8	81	<1	1	3	5	12	24	51
50-64	1591	7.6	112	<1	1	4	8	19	31	62
65+	1308	13.5	238	1	2	8	19	36	50	99+
GRAND TOTAL	**8039**	**7.1**	**117**	**<1**	**1**	**3**	**7**	**18**	**30**	**65**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	345	6.1	51	1	2	4	7	11	16	33
20-34	231	4.6	25	1	1	3	5	8	10	19
35-49	106	5.6	45	1	1	4	7	10	18	38
50-64	89	6.0	24	1	2	5	8	12	14	28
65+	103	13.5	110	3	5	11	16	24	33	58
2. MULTIPLE DX										
0-19 YRS	239	8.1	69	1	2	6	10	16	24	44
20-34	185	9.7	169	1	2	5	11	20	41	76
35-49	99	9.9	170	1	2	6	11	26	33	99+
50-64	142	13.0	171	2	2	9	17	26	34	81
65+	515	18.9	205	5	7	15	23	39	57	99+
TOT. SINGLE DX	874	6.5	55	1	2	4	8	13	18	41
" MULTIPLE DX	1180	13.8	187	2	3	10	18	30	44	99+
TOTAL 0-19 YRS	584	6.9	60	1	2	5	8	13	20	42
20-34	416	6.9	95	1	2	4	7	13	20	58
35-49	205	7.7	110	1	1	5	8	18	31	96
50-64	231	10.3	126	1	2	7	13	21	31	79
65+	618	18.0	194	4	6	15	22	37	53	99+
GRAND TOTAL	**2054**	**10.7**	**144**	**1**	**2**	**7**	**14**	**24**	**35**	**80**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	588	2.4	10	<1	<1	2	3	4	5	13
20-34	895	2.5	4	<1	<1	2	3	4	6	10
35-49	421	2.8	9	<1	<1	2	3	5	7	21
50-64	383	2.8	7	<1	<1	2	3	5	7	16
65+	273	5.8	75	<1	1	3	6	11	15	61
2. MULTIPLE DX										
0-19 YRS	385	4.3	63	<1	<1	2	4	7	12	55
20-34	408	5.4	80	<1	1	3	5	11	19	62
35-49	261	5.4	42	1	1	3	6	11	20	40
50-64	293	6.9	84	1	1	3	7	16	28	46
65+	500	12.9	237	2	2	7	17	35	56	99+
TOT. SINGLE DX	2560	2.9	16	<1	<1	2	3	5	7	19
" MULTIPLE DX	1847	7.4	126	<1	1	3	7	19	30	73
TOTAL 0-19 YRS	973	3.2	32	<1	<1	2	3	5	7	30
20-34	1303	3.4	30	<1	<1	2	3	6	9	28
35-49	682	3.8	24	<1	<1	2	4	8	13	30
50-64	676	4.6	45	<1	<1	3	4	9	16	41
65+	773	10.4	192	1	2	5	12	27	45	99+
GRAND TOTAL	**4407**	**4.8**	**67**	**<1**	**<1**	**2**	**4**	**10**	**18**	**51**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	17.1	257	2	3	12	24	36	45	80
20-34	28	13.5	269	4	5	10	12	19	41	91
35-49	11	10.2	57	3	3	6	14	21	27	28
50-64	36	9.5	40	3	4	8	12	14	21	37
65+	133	14.7	60	6	6	13	18	24	31	65
2. MULTIPLE DX										
0-19 YRS	88	20.9	251	4	8	16	26	47	61	91
20-34	86	19.1	242	6	7	15	22	43	61	99+
35-49	32	17.9	197	5	7	14	23	41	65	99+
50-64	92	19.2	252	7	8	14	21	40	68	96
65+	682	21.8	262	8	9	17	27	46	66	99+
TOT. SINGLE DX	287	14.4	136	3	4	12	18	28	36	80
" MULTIPLE DX	980	21.1	257	7	8	16	26	44	65	99+
TOTAL 0-19 YRS	167	19.1	256	3	4	15	26	42	49	80
20-34	114	17.7	253	5	6	14	19	36	56	99+
35-49	43	15.9	171	4	5	13	21	38	50	99+
50-64	128	16.5	211	5	6	12	19	36	42	93
65+	815	20.6	237	7	8	16	25	42	60	99+
GRAND TOTAL	**1267**	**19.6**	**238**	**6**	**7**	**15**	**23**	**41**	**58**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	10.3	69	3	4	8	12	19	24	46
20-34	92	11.5	81	3	4	10	14	19	26	54
35-49	99	11.1	38	4	5	10	13	19	24	69
50-64	243	11.4	24	5	6	11	13	17	22	28
65+	1046	17.0	105	7	9	15	19	28	34	72
2. MULTIPLE DX										
0-19 YRS	207	20.0	194	5	7	16	27	38	52	99+
20-34	336	21.9	296	7	8	17	26	46	70	99+
35-49	183	20.0	243	6	7	15	24	44	57	97
50-64	734	19.8	217	6	8	15	23	40	59	99+
65+	6015	22.9	239	8	10	19	29	48	71	99+
TOT. SINGLE DX	1627	14.9	92	5	6	13	17	25	32	61
" MULTIPLE DX	7475	22.4	240	8	9	18	28	47	69	99+
TOTAL 0-19 YRS	354	16.0	165	4	5	12	21	33	46	78
20-34	428	19.7	269	5	7	15	24	41	59	98
35-49	282	16.8	190	5	6	12	19	39	51	97
50-64	977	17.7	182	6	7	14	21	34	50	99+
65+	7061	22.0	224	8	10	18	27	46	66	99+
GRAND TOTAL	**9102**	**21.0**	**222**	**7**	**9**	**17**	**26**	**44**	**62**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	13.3	197	1	1	7	21	33	42	61
20-34	16	19.5	416	2	3	10	29	53	67	72
35-49	9	24.8	697	1	1	14	47	67	71	71
50-64	11	16.3	309	2	3	11	20	41	63	65
65+	41	13.0	161	1	2	9	21	28	38	59
2. MULTIPLE DX										
0-19 YRS	124	17.6	289	1	2	14	26	41	50	79
20-34	57	26.6	559	4	5	19	44	75	89	99+
35-49	27	20.0	295	3	4	16	30	44	83	99+
50-64	31	23.3	491	4	5	17	26	68	77	99+
65+	175	19.3	234	3	5	15	28	47	77	99+
TOT. SINGLE DX	312	14.0	223	1	2	8	21	33	45	67
" MULTIPLE DX	414	20.1	324	2	3	16	29	50	74	99+
TOTAL 0-19 YRS	359	14.8	233	1	2	8	23	35	45	65
20-34	73	25.0	530	3	5	16	41	72	87	99+
35-49	36	21.2	384	2	3	16	31	57	77	99+
50-64	42	21.5	445	3	4	16	22	68	72	99+
65+	216	18.1	226	2	3	15	26	46	68	99+
GRAND TOTAL	**726**	**17.5**	**289**	**1**	**2**	**13**	**25**	**43**	**60**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	319	3.7	23	<1	1	2	4	9	15	22
20-34	250	3.0	10	<1	<1	2	4	6	10	17
35-49	156	3.2	8	<1	1	2	4	7	9	15
50-64	201	4.1	28	<1	1	3	4	7	14	29
65+	134	3.8	23	1	1	2	4	7	10	33
2. MULTIPLE DX										
0-19 YRS	79	9.0	103	1	1	5	14	22	28	51
20-34	168	9.7	154	1	1	5	12	24	34	64
35-49	118	7.8	96	1	1	4	9	18	27	83
50-64	146	8.7	118	1	2	4	12	21	28	63
65+	213	11.6	187	1	2	7	15	29	46	99+
TOT. SINGLE DX	1060	3.6	19	<1	1	2	4	7	12	23
" MULTIPLE DX	724	9.7	143	1	1	5	12	24	34	72
TOTAL 0-19 YRS	398	4.8	44	<1	1	2	5	14	19	32
20-34	418	5.7	79	<1	1	3	5	14	22	50
35-49	274	5.2	51	1	1	3	6	11	18	43
50-64	347	6.1	71	1	1	3	6	15	23	41
65+	347	8.6	138	1	1	4	10	24	34	83
GRAND TOTAL	**1784**	**6.0**	**78**	**1**	**1**	**3**	**6**	**15**	**23**	**54**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1396	3.3	5	1	1	3	4	6	8	13
20-34	1751	4.0	8	1	1	3	5	8	10	14
35-49	1113	5.1	17	1	2	4	6	9	12	19
50-64	882	5.8	22	1	2	5	7	10	13	25
65+	559	7.1	27	2	3	6	9	13	16	30
2. MULTIPLE DX										
0-19 YRS	635	7.3	103	1	1	4	8	15	22	57
20-34	1369	8.3	104	1	2	5	9	18	28	63
35-49	874	9.9	144	2	2	6	11	20	33	74
50-64	1029	10.1	130	2	3	7	12	21	31	70
65+	1290	14.1	193	3	4	10	17	31	47	97
TOT. SINGLE DX	5701	4.6	15	1	1	4	6	9	11	19
" MULTIPLE DX	5197	10.3	144	1	2	6	12	23	34	77
TOTAL 0-19 YRS	2031	4.5	40	1	1	3	5	8	12	30
20-34	3120	5.9	55	1	1	4	7	11	17	44
35-49	1987	7.2	79	1	2	5	8	13	19	61
50-64	1911	8.1	85	2	2	6	9	15	24	53
65+	1849	12.0	153	2	3	8	14	27	37	85
GRAND TOTAL	**10898**	**7.3**	**84**	**1**	**2**	**5**	**8**	**15**	**23**	**56**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2707	2.4	8	<1	1	1	3	5	7	17
20-34	729	3.5	11	<1	1	2	4	7	9	19
35-49	520	3.8	13	1	1	3	5	8	11	17
50-64	517	3.3	8	1	1	2	4	7	9	14
65+	508	4.9	53	1	1	3	6	11	15	29
2. MULTIPLE DX										
0-19 YRS	805	5.4	56	1	1	3	6	11	19	42
20-34	702	7.9	125	1	1	4	9	16	28	57
35-49	508	8.1	116	1	1	5	9	17	29	58
50-64	584	8.8	155	1	1	5	10	19	34	85
65+	1361	10.7	159	1	2	7	13	24	37	88
TOT. SINGLE DX	4981	3.1	15	<1	1	2	3	6	9	19
" MULTIPLE DX	3960	8.5	130	1	1	5	10	19	30	68
TOTAL 0-19 YRS	3512	3.1	21	<1	1	2	3	6	10	25
20-34	1431	5.6	72	1	1	3	6	11	18	47
35-49	1028	6.0	69	1	1	4	7	12	18	45
50-64	1101	6.3	94	1	1	4	7	13	21	68
65+	1869	9.1	138	1	1	5	11	21	31	72
GRAND TOTAL	**8941**	**5.5**	**73**	**1**	**1**	**3**	**6**	**12**	**19**	**50**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	3.6	23	<1	<1	2	4	8	13	23
20-34	176	2.3	10	<1	<1	1	2	4	7	23
35-49	94	3.1	21	<1	<1	2	3	7	8	30
50-64	85	3.7	23	<1	<1	2	4	8	12	28
65+	116	5.1	37	<1	1	3	6	14	19	26
2. MULTIPLE DX										
0-19 YRS	90	8.9	163	<1	1	4	12	20	37	66
20-34	147	9.2	139	1	1	5	11	22	37	57
35-49	73	6.8	77	1	1	4	8	16	28	45
50-64	97	7.9	72	1	1	5	9	23	28	75
65+	288	13.3	251	1	1	7	19	37	54	99+
TOT. SINGLE DX	649	3.5	23	<1	<1	2	4	8	13	25
" MULTIPLE DX	695	10.4	179	1	1	5	13	29	44	98
TOTAL 0-19 YRS	268	5.4	76	<1	<1	2	6	14	20	54
20-34	323	5.4	81	<1	<1	2	6	12	23	49
35-49	167	4.7	49	<1	1	2	5	10	18	43
50-64	182	6.0	54	<1	1	4	7	14	26	44
65+	404	11.0	203	1	1	5	15	30	49	99+
GRAND TOTAL	**1344**	**7.1**	**116**	**<1**	**1**	**3**	**8**	**19**	**30**	**63**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	3.3	19	1	1	2	3	5	10	29
20-34	193	2.8	2	1	1	3	3	4	5	7
35-49	75	4.7	57	1	1	3	5	8	11	52
50-64	41	4.7	25	1	1	4	5	8	16	28
65+	33	8.1	88	1	1	5	10	16	32	45
2. MULTIPLE DX										
0-19 YRS	43	6.5	36	1	1	5	9	15	20	27
20-34	89	5.9	30	1	1	4	8	12	16	31
35-49	40	5.1	17	1	1	4	6	10	14	22
50-64	44	7.1	61	1	1	5	8	14	28	99+
65+	51	17.6	425	2	2	10	20	46	70	91
TOT. SINGLE DX	452	3.8	26	1	1	3	4	6	10	28
" MULTIPLE DX	267	8.3	129	1	1	5	10	17	27	87
TOTAL 0-19 YRS	153	4.2	26	1	1	3	4	10	14	27
20-34	282	3.7	13	1	1	3	4	7	11	18
35-49	115	4.8	43	1	1	3	5	8	12	37
50-64	85	6.0	45	1	1	4	6	13	20	81
65+	84	13.9	312	1	2	9	14	36	48	91
GRAND TOTAL	**719**	**5.5**	**69**	**1**	**1**	**3**	**5**	**12**	**17**	**47**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	487	3.6	22	<1	<1	2	4	6	11	26
20-34	454	3.0	11	<1	1	2	3	5	8	19
35-49	254	3.6	23	<1	1	2	4	6	10	31
50-64	99	4.6	25	1	1	3	5	10	14	31
65+	50	7.9	56	1	1	5	10	22	25	28
2. MULTIPLE DX										
0-19 YRS	319	5.8	83	1	1	3	5	15	21	51
20-34	396	5.5	66	<1	1	3	5	12	22	43
35-49	249	7.2	108	1	1	3	7	19	31	59
50-64	226	12.3	324	1	1	5	13	36	51	95
65+	303	20.0	351	1	2	14	30	50	63	96
TOT. SINGLE DX	1344	3.6	21	<1	1	2	4	7	11	28
" MULTIPLE DX	1493	9.8	205	1	1	4	11	29	43	76
TOTAL 0-19 YRS	806	4.4	48	<1	1	2	4	8	16	38
20-34	850	4.2	38	<1	1	2	4	8	14	37
35-49	503	5.4	69	<1	1	3	5	12	22	46
50-64	325	10.0	246	1	1	4	10	30	45	93
65+	353	18.3	327	1	2	12	27	47	60	94
GRAND TOTAL	**2837**	**6.9**	**127**	**<1**	**1**	**3**	**6**	**17**	**31**	**62**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	96	5.9	10	3	3	5	6	9	13	21
20-34	1853	7.5	23	3	4	6	9	13	17	25
35-49	2702	7.9	25	3	4	7	9	14	17	28
50-64	1053	8.5	26	3	4	7	10	14	19	28
65+	183	10.7	33	4	5	9	13	18	22	29
2. MULTIPLE DX										
0-19 YRS	45	11.3	84	3	3	8	16	30	49	99+
20-34	677	10.6	68	4	4	8	12	19	25	40
35-49	1422	10.7	62	4	5	8	13	19	26	43
50-64	1287	11.8	69	4	5	9	14	22	28	45
65+	814	16.1	150	5	6	12	20	31	40	77
TOT. SINGLE DX	5887	7.9	25	3	4	7	9	14	18	27
" MULTIPLE DX	4245	12.0	87	4	5	9	14	23	30	55
TOTAL 0-19 YRS	141	7.6	40	3	3	6	8	15	26	99+
20-34	2530	8.3	37	3	4	7	9	15	19	30
35-49	4124	8.8	40	3	4	7	10	16	21	34
50-64	2340	10.3	53	4	4	8	12	19	24	37
65+	997	15.1	133	5	6	12	18	29	37	75
GRAND TOTAL	**10132**	**9.6**	**55**	**3**	**4**	**8**	**11**	**18**	**23**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	411	2.0	1	<1	<1	2	2	4	4	6
20-34	1228	2.1	2	<1	<1	2	2	4	4	8
35-49	767	2.2	3	<1	<1	2	3	4	5	9
50-64	377	2.2	2	<1	<1	2	3	4	5	8
65+	85	2.5	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	357	2.5	4	<1	1	2	3	5	6	10
20-34	1139	2.3	3	<1	<1	2	3	4	6	10
35-49	809	2.3	3	<1	<1	2	3	4	6	10
50-64	976	2.7	9	<1	1	2	3	4	6	14
65+	417	3.3	18	<1	1	2	3	6	8	24
TOT. SINGLE DX	2868	2.2	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	3698	2.5	7	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	768	2.2	3	<1	1	2	3	4	5	8
20-34	2367	2.2	3	<1	<1	2	3	4	5	9
35-49	1576	2.3	4	<1	<1	2	3	4	6	10
50-64	1353	2.5	8	<1	1	2	3	4	6	13
65+	502	3.1	16	<1	1	2	3	5	8	20
GRAND TOTAL	**6566**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	817	2.0	4	<1	<1	2	2	3	5	13
20-34	1276	2.0	3	<1	<1	2	2	3	5	10
35-49	711	2.1	2	<1	<1	2	2	4	4	10
50-64	378	2.8	10	<1	<1	2	3	5	7	18
65+	157	4.4	43	<1	<1	2	4	10	18	32
2. MULTIPLE DX										
0-19 YRS	443	3.1	29	<1	<1	2	3	6	10	28
20-34	976	2.7	15	<1	<1	2	3	5	8	17
35-49	759	3.6	35	<1	<1	2	3	6	11	28
50-64	659	5.1	74	<1	1	2	4	10	22	42
65+	453	9.3	188	1	1	4	9	29	42	59
TOT. SINGLE DX	3339	2.2	6	<1	<1	2	2	4	5	13
" MULTIPLE DX	3290	4.3	62	<1	<1	2	4	8	16	43
TOTAL 0-19 YRS	1260	2.4	13	<1	<1	2	2	4	6	19
20-34	2252	2.3	9	<1	<1	2	2	4	6	14
35-49	1470	2.8	20	<1	<1	2	3	5	8	23
50-64	1037	4.2	53	<1	1	2	3	8	16	39
65+	610	8.1	156	<1	1	3	8	26	35	57
GRAND TOTAL	**6629**	**3.3**	**35**	**<1**	**<1**	**2**	**3**	**5**	**10**	**32**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	10.6	26	6	7	10	12	15	21	30
20-34	127	10.8	29	5	6	10	12	17	21	34
35-49	113	9.5	24	4	5	8	11	15	19	30
50-64	35	11.8	136	5	6	9	11	15	20	76
65+	4	12.8	5	10	10	13	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	250	15.5	159	5	7	12	18	28	37	87
20-34	181	17.5	243	6	6	12	21	38	69	99+
35-49	174	13.4	100	5	6	10	16	25	33	53
50-64	97	15.5	139	5	5	11	21	34	45	99+
65+	49	25.7	291	9	10	20	35	49	76	99+
TOT. SINGLE DX	453	10.5	35	5	6	9	12	15	20	33
" MULTIPLE DX	751	16.2	179	5	6	12	20	32	47	99+
TOTAL 0-19 YRS	424	13.5	110	6	7	11	14	24	30	72
20-34	308	14.7	166	6	6	11	16	31	47	99+
35-49	287	11.9	74	4	5	9	13	21	27	49
50-64	132	14.5	140	5	5	10	18	28	43	99+
65+	53	24.7	281	9	10	20	33	45	73	99+
GRAND TOTAL	**1204**	**14.0**	**133**	**5**	**6**	**11**	**16**	**27**	**36**	**88**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	3.6	5	<1	1	3	5	7	8	10
20-34	180	3.8	8	<1	1	3	5	7	8	15
35-49	150	3.6	6	<1	<1	3	5	8	9	11
50-64	181	3.6	7	<1	1	3	5	8	9	13
65+	84	4.5	33	<1	<1	3	5	10	13	37
2. MULTIPLE DX										
0-19 YRS	102	6.5	54	1	2	5	7	12	16	45
20-34	160	5.3	34	1	2	4	6	10	15	37
35-49	201	5.3	25	1	1	4	7	9	11	31
50-64	244	6.3	41	1	2	4	7	15	20	32
65+	172	8.5	212	1	1	4	7	16	31	87
TOT. SINGLE DX	662	3.8	10	<1	1	3	5	7	9	14
" MULTIPLE DX	879	6.4	72	1	2	4	7	12	19	46
TOTAL 0-19 YRS	169	5.4	37	<1	1	4	6	9	14	42
20-34	340	4.5	21	1	1	3	5	8	11	23
35-49	351	4.6	18	<1	1	4	6	8	10	24
50-64	425	5.2	28	1	1	4	6	10	16	26
65+	256	7.2	157	<1	1	4	7	13	24	83
GRAND TOTAL	**1541**	**5.2**	**47**	**<1**	**1**	**4**	**6**	**9**	**14**	**39**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	39	12.9	43	6	7	11	15	20	29	36
35-49	79	13.0	52	7	8	12	15	17	27	50
50-64	413	13.2	25	8	9	12	16	17	20	39
65+	769	14.4	31	8	9	13	16	20	24	36
2. MULTIPLE DX										
0-19 YRS	4	16.8	224	7	7	10	25	39	39	39
20-34	67	15.0	68	8	9	12	16	27	32	50
35-49	162	15.2	95	7	8	12	17	25	40	74
50-64	897	15.2	57	8	9	13	17	23	29	57
65+	2779	18.9	134	9	10	16	21	31	44	90
TOT. SINGLE DX	1301	13.9	31	8	9	13	16	19	23	36
" MULTIPLE DX	3909	17.8	117	9	10	15	20	30	40	86
TOTAL 0-19 YRS	5	16.6	168	7	7	12	22	39	39	39
20-34	106	14.2	60	7	8	11	15	26	31	45
35-49	241	14.5	82	7	8	12	16	24	33	58
50-64	1310	14.5	48	8	9	13	16	22	26	51
65+	3548	17.9	116	9	10	15	20	29	39	85
GRAND TOTAL	**5210**	**16.8**	**99**	**8**	**9**	**15**	**19**	**27**	**36**	**78**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	11.2	101	2	2	7	22	27	27	27
20-34	11	9.4	14	3	4	9	11	15	15	15
35-49	17	11.1	60	2	3	9	12	22	29	33
50-64	107	13.4	39	7	8	12	15	20	25	41
65+	605	16.0	66	7	9	15	19	24	29	51
2. MULTIPLE DX										
0-19 YRS	12	12.5	109	2	4	10	15	25	39	42
20-34	16	16.9	182	3	4	12	22	31	49	57
35-49	47	18.7	170	6	8	14	26	41	53	99+
50-64	302	19.9	173	8	10	15	24	43	53	99+
65+	3159	22.2	224	9	10	18	27	46	69	99+
TOT. SINGLE DX	750	15.4	64	7	8	14	18	24	29	50
" MULTIPLE DX	3536	21.9	219	8	10	17	26	45	66	99+
TOTAL 0-19 YRS	22	11.9	101	2	3	8	17	27	33	42
20-34	27	13.9	125	3	3	10	15	26	36	57
35-49	64	16.7	151	4	7	12	22	37	45	94
50-64	409	18.2	146	8	9	14	21	36	47	91
65+	3764	21.2	204	8	10	17	25	42	63	99+
GRAND TOTAL	**4286**	**20.8**	**198**	**8**	**10**	**17**	**25**	**41**	**61**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	341	4.2	3	2	2	4	5	6	7	9
20-34	546	4.5	5	1	1	4	6	7	8	11
35-49	170	6.1	24	1	1	4	8	13	16	23
50-64	356	11.5	53	2	3	11	15	17	24	50
65+	625	14.2	32	6	8	14	16	20	23	35
2. MULTIPLE DX										
0-19 YRS	339	4.9	9	1	2	5	6	7	10	19
20-34	621	5.6	28	1	2	5	6	9	12	28
35-49	280	6.7	41	1	2	5	8	14	16	33
50-64	653	13.8	68	2	4	13	16	21	27	49
65+	1878	16.4	77	8	10	15	18	25	33	71
TOT. SINGLE DX	2038	8.8	43	1	2	7	13	17	19	30
" MULTIPLE DX	3771	12.4	83	2	3	12	16	21	28	49
TOTAL 0-19 YRS	680	4.6	6	1	2	4	6	7	9	13
20-34	1167	5.1	18	1	2	5	6	8	10	19
35-49	450	6.5	35	1	2	5	8	14	16	26
50-64	1009	13.0	65	2	4	12	15	20	26	49
65+	2503	15.9	67	7	9	15	18	23	31	58
GRAND TOTAL	**5809**	**11.2**	**72**	**2**	**3**	**10**	**15**	**20**	**25**	**44**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	462	2.8	1	1	1	3	3	4	5	7
20-34	1002	3.0	2	1	1	3	4	5	6	8
35-49	468	2.9	3	<1	1	3	4	5	6	11
50-64	421	3.6	5	1	1	3	4	6	9	13
65+	161	4.7	17	1	1	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	160	3.2	4	1	1	3	4	5	7	11
20-34	411	3.4	9	1	1	3	4	5	7	20
35-49	348	3.8	9	1	1	3	5	7	8	15
50-64	558	4.4	19	1	1	3	5	7	11	26
65+	379	6.7	37	1	2	5	8	14	21	42
TOT. SINGLE DX	2514	3.2	4	1	1	3	4	5	6	11
" MULTIPLE DX	1856	4.4	19	1	1	3	5	8	12	26
TOTAL 0-19 YRS	622	2.9	2	1	1	3	4	5	5	8
20-34	1413	3.1	5	1	1	3	4	5	6	9
35-49	816	3.3	6	1	1	3	4	5	7	12
50-64	979	4.0	14	1	1	3	5	7	10	20
65+	540	6.1	32	1	2	4	7	13	17	37
GRAND TOTAL	**4370**	**3.7**	**11**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	3.2	11	<1	<1	2	4	7	9	16
20-34	244	2.8	7	<1	<1	2	3	6	8	13
35-49	235	3.0	21	<1	<1	2	3	6	8	27
50-64	252	2.2	7	<1	<1	1	2	5	7	15
65+	71	3.7	52	<1	<1	1	4	8	10	48
2. MULTIPLE DX										
0-19 YRS	279	7.1	60	1	2	5	9	16	20	46
20-34	207	7.7	151	1	1	4	8	17	28	70
35-49	196	7.4	86	<1	1	4	10	18	23	45
50-64	228	7.0	129	<1	<1	3	8	16	26	87
65+	156	10.5	134	<1	1	7	12	26	35	54
TOT. SINGLE DX	1027	2.8	15	<1	<1	2	3	6	8	17
" MULTIPLE DX	1066	7.8	109	<1	1	4	9	18	26	56
TOTAL 0-19 YRS	504	5.4	42	<1	1	3	6	12	17	39
20-34	451	5.1	79	<1	<1	3	5	10	17	52
35-49	431	5.0	56	<1	<1	2	5	12	18	38
50-64	480	4.5	71	<1	<1	2	4	10	16	49
65+	227	8.4	119	<1	<1	5	10	23	32	53
GRAND TOTAL	**2093**	**5.3**	**69**	**<1**	**<1**	**3**	**6**	**12**	**19**	**46**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	355	1.7	2	<1	<1	1	2	3	4	8
20-34	612	1.7	3	<1	<1	1	2	3	4	9
35-49	470	1.8	2	<1	<1	1	2	3	5	8
50-64	305	2.5	18	<1	<1	2	3	4	6	16
65+	136	4.0	28	<1	<1	2	4	9	13	22
2. MULTIPLE DX										
0-19 YRS	92	4.3	31	<1	1	2	4	11	18	27
20-34	194	4.1	68	<1	<1	2	4	9	14	36
35-49	213	5.8	82	<1	<1	2	7	15	21	62
50-64	328	7.0	99	<1	<1	3	8	18	27	54
65+	305	11.5	175	1	1	7	15	27	41	71
TOT. SINGLE DX	1878	2.0	8	<1	<1	1	2	3	5	11
" MULTIPLE DX	1132	7.3	113	<1	<1	3	9	19	27	64
TOTAL 0-19 YRS	447	2.2	9	<1	<1	1	2	4	6	20
20-34	806	2.3	21	<1	<1	1	2	4	7	16
35-49	683	3.0	31	<1	<1	1	3	6	10	32
50-64	633	4.8	65	<1	<1	2	4	12	21	48
65+	441	9.2	142	<1	1	4	12	21	32	66
GRAND TOTAL	**3010**	**4.0**	**54**	**<1**	**<1**	**2**	**3**	**9**	**16**	**42**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.6	6	<1	<1	1	3	6	9	10
20-34	33	2.0	2	<1	<1	2	2	4	4	8
35-49	62	1.9	1	<1	<1	2	2	3	4	9
50-64	266	2.0	2	<1	<1	2	2	3	4	6
65+	167	1.8		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	20	2.1	1	<1	<1	2	3	4	5	5
20-34	48	3.3	7	<1	1	2	4	7	8	14
35-49	57	3.1	5	<1	<1	2	4	6	8	11
50-64	164	2.8	11	1	1	2	3	4	6	22
65+	171	3.3	23	<1	1	2	3	6	15	37
TOT. SINGLE DX	552	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	460	3.0	14	<1	1	2	3	5	8	23
TOTAL 0-19 YRS	44	2.4	4	<1	<1	2	3	5	7	10
20-34	81	2.8	6	<1	<1	2	3	6	8	14
35-49	119	2.4	4	<1	<1	2	3	5	6	11
50-64	430	2.3	6	<1	<1	2	3	4	5	13
65+	338	2.6	13	<1	1	2	2	4	6	23
GRAND TOTAL	**1012**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	349	1.9	1	<1	<1	2	2	3	4	7
20-34	444	2.0	2	<1	<1	2	2	3	5	8
35-49	222	1.8	1	<1	<1	2	2	3	4	6
50-64	112	1.8	1	<1	<1	1	2	4	5	6
65+	32	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	256	2.6	5	<1	1	2	3	5	8	12
20-34	454	2.7	10	<1	1	2	3	5	7	16
35-49	206	2.7	6	<1	1	2	3	5	7	16
50-64	115	3.1	16	<1	1	2	3	5	6	29
65+	69	4.6	114	1	1	2	3	7	13	67
TOT. SINGLE DX	1159	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1100	2.8	16	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	605	2.2	4	<1	<1	2	2	4	6	11
20-34	898	2.4	6	<1	1	2	3	4	6	12
35-49	428	2.3	4	<1	1	2	3	4	5	13
50-64	227	2.4	9	<1	<1	2	3	4	5	15
65+	101	3.9	80	<1	1	2	3	5	9	57
GRAND TOTAL	**2259**	**2.4**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	2.3	2	<1	1	2	3	4	6	9
20-34	360	2.8	4	<1	1	2	4	5	6	11
35-49	332	3.0	4	<1	<1	3	4	5	7	11
50-64	330	3.8	31	<1	1	3	4	6	8	17
65+	122	3.7	5	1	1	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	122	4.2	55	1	1	3	4	7	13	43
20-34	259	4.6	44	1	1	3	5	8	13	39
35-49	238	5.4	56	1	2	4	5	9	16	27
50-64	360	5.8	42	1	1	4	6	12	16	39
65+	232	9.0	112	1	2	6	10	20	31	63
TOT. SINGLE DX	1283	3.1	12	<1	1	3	4	6	7	11
" MULTIPLE DX	1211	5.9	63	1	1	4	6	12	18	41
TOTAL 0-19 YRS	261	3.2	28	1	1	2	3	6	7	15
20-34	619	3.5	22	<1	1	2	4	7	9	20
35-49	570	4.0	27	<1	1	3	4	7	9	21
50-64	690	4.9	38	1	1	3	5	9	13	32
65+	354	7.2	82	1	2	5	8	14	24	48
GRAND TOTAL	**2494**	**4.5**	**38**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	3.5	8	1	1	3	4	6	8	14
20-34	324	3.4	6	<1	1	3	4	6	8	12
35-49	229	3.1	3	1	1	3	4	5	7	9
50-64	139	4.0	19	1	1	3	5	7	10	24
65+	61	5.0	11	1	2	4	6	9	10	19
2. MULTIPLE DX										
0-19 YRS	392	4.8	17	1	2	4	5	8	15	26
20-34	215	6.6	142	1	1	4	6	12	31	98
35-49	133	5.3	31	1	1	4	6	9	15	32
50-64	120	9.6	185	1	2	4	10	24	34	76
65+	120	11.8	190	2	3	7	12	32	40	69
TOT. SINGLE DX	1062	3.6	9	1	1	3	4	6	8	13
" MULTIPLE DX	980	6.7	94	1	2	4	7	13	23	74
TOTAL 0-19 YRS	701	4.3	14	1	1	3	5	8	11	23
20-34	539	4.7	63	1	1	3	5	8	11	55
35-49	362	3.9	15	1	1	3	5	7	9	18
50-64	259	6.6	104	1	1	4	6	13	25	71
65+	181	9.5	140	2	2	5	9	21	35	59
GRAND TOTAL	**2042**	**5.1**	**52**	**1**	**1**	**4**	**5**	**8**	**14**	**42**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	1.8	1	<1	1	1	2	4	5	8
20-34	93	2.0	2	<1	<1	1	2	4	5	10
35-49	81	2.1	3	<1	<1	1	2	4	6	11
50-64	56	2.0	3	<1	<1	1	3	4	5	11
65+	40	2.6	6	<1	1	1	3	7	8	12
2. MULTIPLE DX										
0-19 YRS	31	4.1	42	<1	1	2	3	7	20	33
20-34	113	4.4	35	1	1	3	5	11	13	71
35-49	80	6.0	59	1	1	3	7	21	30	99+
50-64	64	4.9	33	1	1	2	7	9	16	33
65+	98	10.2	239	1	1	5	12	28	47	95
TOT. SINGLE DX	334	2.0	3	<1	<1	1	2	4	6	11
" MULTIPLE DX	386	6.3	97	1	1	3	7	15	29	95
TOTAL 0-19 YRS	95	2.5	16	<1	1	2	3	4	6	28
20-34	206	3.3	22	<1	1	2	4	7	12	32
35-49	161	4.0	35	<1	1	2	4	10	21	91
50-64	120	3.6	21	<1	1	2	4	8	10	27
65+	138	8.0	184	1	1	3	9	17	42	90
GRAND TOTAL	**720**	**4.3**	**58**	**<1**	**1**	**2**	**4**	**10**	**15**	**50**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	8	2.1	3	<1	<1	1	3	5	6	6
35-49	8	3.3	10	<1	<1	2	4	9	10	10
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	10	15.7	703	1	1	7	15	55	89	89
35-49	10	18.5	986	1	1	3	15	73	97	97
50-64	5	6.8	28	1	1	8	10	14	14	14
65+	18	31.2	537	7	11	31	49	80	92	99+
TOT. SINGLE DX	24	2.3	5	<1	<1	2	3	6	7	10
" MULTIPLE DX	46	20.7	633	1	1	11	32	74	90	99+
TOTAL 0-19 YRS	7	3.1	7	1	1	2	6	7	7	7
20-34	18	9.7	422	<1	<1	3	9	19	62	89
35-49	18	11.7	587	<1	<1	2	10	39	78	97
50-64	8	4.9	24	1	1	2	8	12	14	14
65+	19	29.6	556	2	7	26	47	80	91	99+
GRAND TOTAL	**70**	**14.4**	**492**	**<1**	**1**	**5**	**15**	**50**	**82**	**99**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.4	3	<1	<1	2	3	6	7	7
20-34	17	8.2	465	1	1	2	4	13	64	91
35-49	19	7.8	82	1	1	4	13	24	30	31
50-64	30	8.4	76	<1	2	5	9	25	30	32
65+	27	6.7	30	2	2	5	8	16	19	22
2. MULTIPLE DX										
0-19 YRS	30	6.5	36	1	2	4	8	18	19	20
20-34	46	14.0	227	1	2	9	18	42	58	99+
35-49	173	18.4	313	2	4	12	24	39	53	93
50-64	511	20.5	280	4	5	15	27	46	58	87
65+	924	21.0	257	3	5	17	29	44	60	99+
TOT. SINGLE DX	108	7.0	116	<1	1	3	7	16	27	57
" MULTIPLE DX	1684	20.1	270	3	4	16	28	44	58	99+
TOTAL 0-19 YRS	45	5.1	29	<1	1	3	6	15	18	20
20-34	63	12.5	292	1	1	6	15	38	58	99
35-49	192	17.3	301	2	3	11	23	38	52	92
50-64	541	19.8	277	3	5	15	26	45	58	87
65+	951	20.6	256	3	5	17	28	43	59	99+
GRAND TOTAL	**1792**	**19.3**	**270**	**2**	**4**	**15**	**27**	**43**	**58**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	5	11.6	41	4	4	11	16	21	21	21
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	22.3	41	16	16	21	27	30	30	30
65+	12	18.2	97	3	6	16	24	34	36	36
2. MULTIPLE DX										
0-19 YRS	3	27.0	277	8	8	34	38	39	39	39
20-34	22	32.2	561	6	8	28	40	77	84	86
35-49	71	33.3	471	7	9	29	51	79	99+	99+
50-64	298	31.7	371	10	13	28	47	74	99+	99+
65+	800	31.1	435	9	11	25	46	74	99	99+
TOT. SINGLE DX	23	17.2	75	3	7	16	22	31	34	36
" MULTIPLE DX	1194	31.4	423	9	11	26	46	74	99+	99+
TOTAL 0-19 YRS	4	24.8	205	8	8	26	36	39	39	39
20-34	27	28.4	526	4	7	21	38	69	83	86
35-49	72	33.0	471	7	9	28	50	79	99+	99+
50-64	302	31.6	369	10	13	27	46	74	99+	99+
65+	812	30.9	433	9	11	25	46	74	99	99+
GRAND TOTAL	**1217**	**31.1**	**420**	**8**	**11**	**26**	**46**	**74**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	20.8	255	5	5	18	32	42	42	42
35-49										
50-64	3	14.3	37	9	9	13	19	21	21	21
65+	16	13.0	41	4	5	13	16	23	26	27
2. MULTIPLE DX										
0-19 YRS	4	14.5	60	3	3	17	19	20	20	20
20-34	7	48.0	694	13	14	53	76	97	99+	99+
35-49	15	26.2	249	9	14	22	52	99+	99+	99+
50-64	145	31.0	476	7	10	26	50	78	99+	99+
65+	959	25.2	426	5	7	19	36	69	95	99+
TOT. SINGLE DX	24	14.6	72	4	5	14	18	24	31	42
" MULTIPLE DX	1130	26.1	437	6	7	20	38	73	99	99+
TOTAL 0-19 YRS	5	15.0	47	3	3	17	18	20	20	20
20-34	11	38.1	682	6	10	44	59	93	99	99+
35-49	15	26.2	250	9	14	22	52	99+	99+	99+
50-64	148	30.7	473	7	9	23	48	77	99+	99+
65+	975	25.0	423	5	7	19	36	68	95	99+
GRAND TOTAL	**1154**	**25.8**	**432**	**6**	**7**	**20**	**37**	**71**	**97**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.5	2	2	2	3	5	6	6	6
20-34	3	9.0	49	4	4	6	14	17	17	17
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	19.3	352	8	8	9	33	41	41	41
65+	3	11.3	52	3	3	15	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	14	15.1	269	1	3	8	21	45	54	56
20-34	18	29.2	662	4	6	15	48	72	78	80
35-49	63	28.3	257	7	12	25	36	56	65	96
50-64	179	28.9	451	7	10	23	36	70	87	99+
65+	307	27.2	341	7	9	23	38	61	92	99+
TOT. SINGLE DX	16	9.2	96	2	2	6	12	17	34	41
" MULTIPLE DX	581	27.6	376	6	8	23	37	62	85	99+
TOTAL 0-19 YRS	20	11.7	215	1	[illegible]	5	15	33	50	56
20-34	21	26.3	621	4	5	13	43	69	77	80
35-49	64	28.0	261	7	11	25	36	56	65	96
50-64	182	28.7	449	7	9	23	36	68	87	99+
65+	310	27.0	341	7	8	23	38	61	91	99+
GRAND TOTAL	**597**	**27.1**	**377**	**6**	**7**	**22**	**36**	**61**	**85**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.9	30	1	1	4	5	6	19	24
20-34	24	4.3	6	1	1	4	6	8	9	10
35-49	9	8.0	39	2	2	6	11	18	22	22
50-64	6	4.3	9	1	1	3	7	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	8.9	86	1	1	7	10	24	30	30
20-34	15	9.6	189	1	1	5	11	16	47	57
35-49	7	7.7	50	2	2	6	10	20	22	22
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	3	4.7	10	1	1	6	7	7	7	7
TOT. SINGLE DX	55	5.0	19	1	1	4	6	9	11	24
" MULTIPLE DX	35	8.5	108	1	1	6	10	16	28	57
TOTAL 0-19 YRS	23	6.3	51	1	1	4	6	14	26	30
20-34	39	6.3	81	1	1	5	7	11	14	57
35-49	16	7.9	41	2	2	6	10	21	22	22
50-64	8	5.3	12	1	1	4	8	10	11	11
65+	4	4.3	8	1	1	4	6	7	7	7
GRAND TOTAL	**90**	**6.4**	**56**	**1**	**1**	**5**	**7**	**11**	**22**	**46**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.4	10	<1	1	2	4	10	10	10
20-34	32	2.5	4	<1	1	2	3	4	5	13
35-49	22	2.3	1	<1	<1	2	3	4	5	5
50-64	14	6.9	62	<1	<1	5	7	20	27	29
65+	19	9.2	41	2	2	8	13	18	22	25
2. MULTIPLE DX										
0-19 YRS	10	4.0	19	<1	1	3	4	10	16	16
20-34	25	6.5	53	1	1	4	9	21	23	27
35-49	35	11.7	169	1	2	7	18	23	43	56
50-64	78	14.4	155	<1	3	11	21	30	38	93
65+	130	15.9	256	2	3	12	21	40	71	99+
TOT. SINGLE DX	99	4.4	26	<1	1	2	5	11	16	27
" MULTIPLE DX	278	13.7	200	1	2	10	19	31	45	99+
TOTAL 0-19 YRS	22	3.7	14	<1	1	2	4	10	13	16
20-34	57	4.2	30	<1	1	2	4	9	20	27
35-49	57	8.1	125	1	1	3	11	19	33	55
50-64	92	13.3	148	<1	1	9	20	29	35	90
65+	149	15.0	234	2	3	11	19	36	56	99+
GRAND TOTAL	**377**	**11.3**	**170**	**1**	**1**	**7**	**16**	**28**	**40**	**99+**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.2		2	2	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	5.5	12	2	2	5	8	9	9	9
65+	2	18.0	338	5	5	18	31	31	31	31
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64	4	6.5	16	3	3	6	10	10	10	10
65+	5	14.8	61	7	7	13	22	24	24	24
TOT. SINGLE DX	13	5.7	64	<1	1	3	6	13	28	31
" MULTIPLE DX	14	8.5	48	3	3	6	10	22	24	24
TOTAL 0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	6	2.5	1	2	2	2	3	4	4	4
35-49	4	3.5		3	3	3	4	4	4	4
50-64	8	6.0	13	2	2	6	9	10	10	10
65+	7	15.7	100	5	5	13	23	30	31	31
GRAND TOTAL	**27**	**7.1**	**55**	**1**	**2**	**4**	**9**	**20**	**25**	**31**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	259	1.6		<1	<1	2	2	2	3	4
20-34	976	1.7	1	<1	<1	1	2	3	3	5
35-49	1863	2.0	4	<1	<1	2	2	3	4	8
50-64	1409	2.2	2	<1	<1	2	2	4	5	8
65+	826	2.8	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
0-19 YRS	47	1.9	1	<1	<1	2	2	3	5	7
20-34	441	3.1	26	<1	<1	2	3	6	8	25
35-49	1348	3.2	27	<1	<1	2	3	6	9	26
50-64	1586	4.2	30	<1	1	2	5	9	14	28
65+	1818	7.1	89	1	1	4	9	16	23	57
TOT. SINGLE DX	5333	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	5240	4.9	52	<1	1	2	5	11	17	42
TOTAL 0-19 YRS	306	1.7	1	<1	<1	2	2	2	3	5
20-34	1417	2.1	10	<1	<1	2	2	3	5	13
35-49	3211	2.5	14	<1	<1	2	2	4	7	15
50-64	2995	3.3	18	<1	<1	2	3	7	10	22
65+	2644	5.8	67	<1	1	3	7	13	19	49
GRAND TOTAL	**10573**	**3.5**	**29**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.7	1	<1	<1	3	3	5	5	6
20-34	37	2.7	1	<1	<1	3	3	4	5	6
35-49	46	4.2	4	1	2	4	5	6	8	10
50-64	51	4.4	4	1	2	4	6	7	8	9
65+	87	6.2	17	2	2	6	7	10	12	26
2. MULTIPLE DX										
0-19 YRS	8	3.3	6	1	1	2	5	7	8	8
20-34	9	4.9	9	<1	1	4	7	10	10	10
35-49	54	5.3	16	2	3	4	6	8	11	29
50-64	109	6.5	22	2	2	6	7	17	20	99+
65+	342	10.0	117	2	3	7	11	20	31	95
TOT. SINGLE DX	247	4.6	10	1	2	4	6	8	9	17
" MULTIPLE DX	522	8.6	88	2	3	6	9	19	25	96
TOTAL 0-19 YRS	34	2.9	3	<1	1	3	3	5	6	8
20-34	46	3.1	4	<1	<1	3	4	6	7	10
35-49	100	4.8	11	2	2	4	6	8	9	21
50-64	160	5.9	18	1	2	5	7	10	19	90
65+	429	9.3	100	2	3	7	10	19	28	94
GRAND TOTAL	**769**	**7.3**	**66**	**1**	**2**	**6**	**8**	**15**	**21**	**64**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	57	6.1	5	2	3	6	8	8	10	13
35-49	382	6.2	5	3	4	6	7	9	10	13
50-64	652	6.6	5	3	4	6	8	9	11	15
65+	737	6.8	5	4	4	6	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	80	6.8	15	3	4	6	7	9	12	29
35-49	671	7.3	16	3	4	7	8	10	12	25
50-64	1488	7.8	19	4	5	7	9	12	14	23
65+	2225	9.1	39	4	5	8	10	14	19	36
TOT. SINGLE DX	1828	6.6	6	3	4	6	8	9	11	15
" MULTIPLE DX	4467	8.3	30	4	5	7	9	12	16	31
TOTAL 0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	137	6.5	12	3	4	6	7	9	10	23
35-49	1053	6.9	13	3	4	6	8	10	12	19
50-64	2140	7.4	16	4	4	7	8	11	13	20
65+	2962	8.5	32	4	5	7	9	13	16	32
GRAND TOTAL	**6295**	**7.8**	**23**	**4**	**4**	**7**	**9**	**11**	**14**	**27**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	295	2.8	2	1	1	3	3	4	5	11
20-34	661	2.7	3	<1	1	3	3	5	5	8
35-49	349	2.8	3	<1	1	2	4	5	6	11
50-64	165	3.0	2	1	1	3	4	5	6	9
65+	38	3.4	9	1	1	3	4	6	9	18
2. MULTIPLE DX										
0-19 YRS	109	2.9	2	1	1	3	3	5	6	8
20-34	400	3.1	6	<1	1	3	4	5	7	12
35-49	628	3.6	9	1	1	3	4	6	8	16
50-64	432	4.1	14	1	2	3	5	7	9	18
65+	141	4.5	22	1	1	3	5	9	13	27
TOT. SINGLE DX	1508	2.8	3	<1	1	3	3	5	6	10
" MULTIPLE DX	1710	3.6	11	1	1	3	4	6	8	17
TOTAL 0-19 YRS	404	2.8	2	1	1	3	3	4	5	10
20-34	1061	2.8	5	<1	1	3	3	5	6	11
35-49	977	3.3	7	1	1	3	4	5	7	15
50-64	597	3.8	~~11~~	1	1	3	4	6	9	17
65+	179	4.3	20	1	1	3	4	8	13	24
GRAND TOTAL	**3218**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	915	2.9	3	1	1	3	4	5	6	9
20-34	1704	2.9	3	1	1	3	4	5	5	8
35-49	229	3.1	3	1	1	3	4	5	7	9
50-64	55	3.9	63	<1	<1	2	4	5	7	58
65+	12	2.7	3	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	99	4.4	17	1	2	3	5	8	11	26
20-34	271	4.5	36	1	1	3	5	7	10	28
35-49	91	4.4	12	1	1	3	5	9	13	17
50-64	40	4.8	19	<1	1	3	5	11	12	23
65+	20	13.5	437	1	2	7	12	36	69	89
TOT. SINGLE DX	2915	2.9	4	1	1	3	4	5	6	8
" MULTIPLE DX	521	4.8	45	1	1	3	5	9	12	30
TOTAL 0-19 YRS	1014	3.1	5	1	1	3	4	5	6	11
20-34	1975	3.1	8	1	1	3	4	5	6	10
35-49	320	3.5	6	1	1	3	4	6	8	14
50-64	95	4.3	45	<1	<1	3	5	8	12	43
65+	32	9.4	298	<1	1	4	8	18	47	89
GRAND TOTAL	**3436**	**3.2**	**11**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	765	1.9	4	<1	<1	1	2	3	5	13
20-34	902	2.0	7	<1	<1	1	2	4	6	11
35-49	917	2.1	5	<1	<1	1	2	4	6	12
50-64	706	2.2	6	<1	<1	1	2	4	6	13
65+	454	3.1	19	<1	<1	2	3	7	10	27
2. MULTIPLE DX										
0-19 YRS	297	5.4	72	<1	<1	3	5	19	30	99+
20-34	588	7.1	128	<1	<1	3	8	19	28	66
35-49	714	7.9	151	<1	<1	3	9	19	34	79
50-64	1099	8.0	109	<1	1	5	10	18	28	66
65+	1874	11.5	174	<1	1	8	14	27	41	93
TOT. SINGLE DX	3744	2.2	8	<1	<1	1	2	4	6	14
" MULTIPLE DX	4572	9.2	147	<1	1	5	11	22	35	82
TOTAL 0-19 YRS	1062	2.9	26	<1	<1	1	3	5	10	38
20-34	1490	4.0	61	<1	<1	2	3	9	16	43
35-49	1631	4.7	78	<1	<1	2	4	10	18	49
50-64	1805	5.7	77	<1	<1	2	7	14	20	50
65+	2328	9.9	155	<1	<1	6	13	24	37	86
GRAND TOTAL	**8316**	**6.0**	**96**	**<1**	**<1**	**2**	**7**	**15**	**24**	**60**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1201	3.6	15	<1	<1	2	5	8	10	22
20-34	1342	4.4	23	<1	1	3	5	10	13	26
35-49	861	4.9	37	<1	1	3	6	10	14	27
50-64	547	5.6	44	<1	1	3	7	11	19	34
65+	490	6.5	57	<1	1	4	9	14	21	34
2. MULTIPLE DX										
0-19 YRS	2107	5.7	67	1	1	3	6	13	20	47
20-34	3286	7.3	108	1	1	4	8	17	28	59
35-49	2260	9.8	143	1	1	6	12	23	35	69
50-64	2748	12.9	177	1	2	9	17	30	41	90
65+	5066	16.3	259	2	3	12	21	42	65	99+
TOT. SINGLE DX	4441	4.7	31	<1	1	3	6	10	14	29
" MULTIPLE DX	15467	11.4	186	1	1	7	15	29	43	99+
TOTAL 0-19 YRS	3308	4.9	50	<1	1	3	6	11	17	41
20-34	4628	6.5	85	1	1	4	7	14	23	53
35-49	3121	8.5	119	1	1	5	10	20	29	64
50-64	3295	11.7	163	1	2	8	15	28	39	84
65+	5556	15.4	249	1	2	11	20	39	62	99+
GRAND TOTAL	**19908**	**9.9**	**159**	**1**	**1**	**6**	**12**	**25**	**38**	**92**

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.2	94	<1	<1	2	14	23	24	24
20-34	15	4.9	33	<1	1	3	8	12	19	21
35-49	11	6.9	245	1	1	2	4	68	95	99+
50-64	12	3.5	5	1	1	3	4	7	10	10
65+	9	5.3	28	1	1	3	7	15	15	15
2. MULTIPLE DX										
0-19 YRS	18	6.5	153	<1	1	3	6	13	39	54
20-34	21	6.5	50	1	1	4	8	13	22	32
35-49	27	6.6	35	2	2	5	7	12	17	31
50-64	36	9.3	81	1	2	7	13	15	32	43
65+	113	15.6	259	3	4	9	18	40	57	92
TOT. SINGLE DX	53	5.3	73	1	1	3	4	14	23	98
" MULTIPLE DX	215	11.7	187	1	2	7	13	28	41	81
TOTAL 0-19 YRS	24	6.7	134	<1	1	3	6	17	33	54
20-34	36	5.9	43	1	1	3	9	13	19	32
35-49	38	6.7	92	1	1	4	7	14	44	99+
50-64	48	7.8	68	1	1	5	11	15	21	43
65+	122	14.8	249	3	4	9	17	38	55	91
GRAND TOTAL	**268**	**10.5**	**171**	**1**	**1**	**6**	**12**	**25**	**40**	**86**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	3.4	15	1	1	2	3	8	10	22
20-34	2112	3.5	19	1	1	2	3	9	12	20
35-49	2764	3.4	15	1	1	2	3	8	12	20
50-64	1344	3.4	15	1	1	2	3	8	11	21
65+	351	4.1	42	1	1	2	4	9	13	32
2. MULTIPLE DX										
0-19 YRS	145	4.8	37	1	1	2	5	11	16	35
20-34	1254	5.6	38	1	1	3	8	12	18	30
35-49	1987	5.7	40	1	1	3	8	13	18	33
50-64	1834	6.5	53	1	1	3	9	16	21	37
65+	1362	9.5	101	1	1	6	13	21	30	59
TOT. SINGLE DX	6755	3.5	18	1	1	2	3	9	12	20
" MULTIPLE DX	6582	6.7	59	1	1	4	9	16	21	39
TOTAL 0-19 YRS	329	4.0	26	1	1	2	4	9	12	24
20-34	3366	4.3	28	1	1	2	5	10	14	25
35-49	4751	4.4	27	1	1	2	5	11	15	25
50-64	3178	5.2	40	1	1	3	6	13	18	31
65+	1713	8.4	95	1	1	5	12	20	28	53
GRAND TOTAL	**13337**	**5.1**	**41**	**1**	**1**	**2**	**6**	**12**	**17**	**32**

755: Cerebral arteriography (88.41)

PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	3.3	7	1	2	2	3	6	9	17
20-34	134	3.9	17	1	1	2	4	9	12	28
35-49	216	4.0	15	1	1	3	5	9	13	18
50-64	343	3.9	16	1	1	2	4	9	11	19
65+	338	4.2	32	1	1	2	5	9	13	27
2. MULTIPLE DX										
0-19 YRS	56	4.4	12	1	1	3	6	9	12	16
20-34	159	7.1	55	1	2	4	10	16	20	39
35-49	375	8.0	108	1	2	5	9	18	27	70
50-64	1327	7.6	77	1	2	5	9	15	23	53
65+	2188	8.4	81	2	2	6	10	16	23	54
TOT. SINGLE DX	1085	4.0	21	1	1	2	4	9	12	20
" MULTIPLE DX	4105	8.0	81	1	2	6	10	16	23	53
TOTAL 0-19 YRS	110	3.9	10	1	1	3	5	8	11	17
20-34	293	5.6	41	1	1	3	7	12	17	37
35-49	591	6.5	78	1	1	4	8	14	21	53
50-64	1670	6.8	67	1	2	4	9	14	20	48
65+	2526	7.8	77	1	2	5	10	16	21	51
GRAND TOTAL	**5190**	**7.1**	**71**	**1**	**2**	**5**	**9**	**15**	**20**	**46**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	5.6	31	1	1	2	8	15	18	18
50-64	8	2.9	1	2	2	3	3	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.9	15	2	2	2	9	11	11	11
35-49	117	4.6	22	2	2	2	6	11	13	23
50-64	273	5.3	32	2	2	3	7	11	15	27
65+	138	6.3	46	2	2	3	8	15	18	37
TOT. SINGLE DX	19	4.3	17	1	2	2	6	9	14	18
" MULTIPLE DX	538	5.4	34	2	2	3	7	12	15	30
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.1	15	2	2	3	8	11	11	11
35-49	126	4.6	23	2	2	2	6	11	14	22
50-64	281	5.2	32	2	2	3	7	11	15	27
65+	139	6.3	46	2	2	3	8	15	18	37
GRAND TOTAL	**557**	**5.4**	**33**	**2**	**2**	**3**	**7**	**12**	**15**	**29**

342 Hospitals, Northeastern Region, January-December 1985, by Operation

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	4.4	29	1	1	2	5	10	14	33
20-34	444	5.6	27	1	1	4	8	12	16	24
35-49	540	5.2	27	1	1	3	8	12	14	22
50-64	698	4.7	19	1	1	2	7	11	14	18
65+	643	4.8	22	1	1	2	7	11	14	20
2. MULTIPLE DX										
0-19 YRS	110	5.8	36	1	1	3	8	13	20	28
20-34	618	8.5	79	1	2	6	11	17	23	56
35-49	1206	7.8	48	1	2	6	11	16	22	34
50-64	3011	8.0	52	1	2	6	11	16	21	40
65+	5347	9.7	83	1	2	8	13	19	26	51
TOT. SINGLE DX	2419	5.0	24	1	1	3	7	11	14	21
" MULTIPLE DX	10292	8.8	70	1	2	7	12	18	24	46
TOTAL 0-19 YRS	204	5.2	34	1	1	3	7	12	17	29
20-34	1062	7.3	59	1	1	5	10	15	20	43
35-49	1746	7.0	43	1	1	5	10	15	18	32
50-64	3709	7.4	48	1	2	6	10	15	19	35
65+	5990	9.1	79	1	2	7	12	18	25	49
GRAND TOTAL	**12711**	**8.1**	**64**	**1**	**2**	**6**	**11**	**17**	**22**	**43**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6409	3.5	17	1	1	3	4	7	9	19
20-34	10490	4.1	21	1	1	3	5	8	11	21
35-49	7028	4.9	24	1	1	3	6	10	13	23
50-64	5381	5.6	29	1	1	4	7	11	14	25
65+	4449	7.2	50	1	2	5	9	13	18	38
2. MULTIPLE DX										
0-19 YRS	8447	5.7	63	1	1	4	6	11	16	46
20-34	15129	6.2	49	1	2	4	7	12	18	37
35-49	17240	7.3	49	1	2	5	9	14	19	38
50-64	32122	8.6	61	2	3	7	11	16	21	44
65+	81324	11.0	101	3	3	8	13	21	30	70
TOT. SINGLE DX	33757	4.8	28	1	1	3	6	10	13	25
" MULTIPLE DX	154262	9.3	84	2	2	7	11	18	25	57
TOTAL 0-19 YRS	14856	4.8	45	1	1	3	5	9	13	36
20-34	25619	5.4	39	1	1	4	6	10	15	33
35-49	24268	6.6	43	1	2	5	8	13	17	34
50-64	37503	8.2	58	2	2	6	10	15	20	42
65+	85773	10.8	100	2	3	8	13	21	29	68
GRAND TOTAL	**188019**	**8.5**	**77**	**1**	**2**	**6**	**10**	**17**	**23**	**53**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3077	5.1	47	1	1	3	5	11	20	37
20-34	1675	6.2	36	1	2	5	8	12	15	33
35-49	1557	6.6	24	1	2	6	9	12	15	25
50-64	1131	7.2	53	1	2	5	9	13	18	42
65+	1019	8.0	58	1	2	6	10	15	21	49
2. MULTIPLE DX										
0-19 YRS	3242	7.2	98	1	2	4	7	16	27	64
20-34	3245	7.6	65	1	2	6	9	14	19	54
35-49	3385	8.0	49	2	3	7	10	14	20	38
50-64	4949	9.2	73	2	3	7	11	17	24	50
65+	12056	12.1	134	3	4	9	14	24	36	95
TOT. SINGLE DX	8459	6.2	44	1	1	4	8	12	18	37
" MULTIPLE DX	26877	9.9	104	2	3	7	12	20	29	73
TOTAL 0-19 YRS	6319	6.2	75	1	1	4	6	14	23	49
20-34	4920	7.2	56	1	2	5	8	13	18	46
35-49	4942	7.6	42	2	2	6	9	14	18	34
50-64	6080	8.8	71	2	3	7	10	16	23	49
65+	13075	11.8	130	2	3	9	14	23	35	92
GRAND TOTAL	**35336**	**9.0**	**92**	**1**	**2**	**6**	**11**	**18**	**26**	**64**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	5.9	35	1	1	3	8	15	18	30
20-34	165	5.8	45	<1	<1	3	8	14	19	35
35-49	88	6.9	54	1	1	3	9	18	20	34
50-64	78	8.4	101	<1	1	4	11	24	32	43
65+	107	13.6	135	1	2	11	19	29	37	52
2. MULTIPLE DX										
0-19 YRS	174	15.4	199	1	2	12	21	32	46	61
20-34	286	18.0	320	1	2	12	24	50	63	99+
35-49	253	16.8	250	2	3	13	23	37	52	99+
50-64	306	19.1	312	2	4	13	25	47	70	99+
65+	699	23.5	272	4	6	20	32	48	66	99+
TOT. SINGLE DX	574	7.8	77	<1	1	4	11	19	28	40
" MULTIPLE DX	1718	20.0	286	2	3	16	28	46	63	99+
TOTAL 0-19 YRS	310	11.2	150	1	1	8	16	26	34	55
20-34	451	13.6	255	1	1	8	18	35	53	98
35-49	341	14.3	218	1	2	10	19	33	45	99+
50-64	384	16.9	288	1	2	12	23	42	65	99+
65+	806	22.2	265	3	5	19	30	46	62	99+
GRAND TOTAL	**2292**	**16.9**	**261**	**1**	**2**	**13**	**24**	**39**	**55**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	4.9	37	<1	1	2	6	13	17	29
20-34	89	5.8	83	<1	<1	2	6	14	33	42
35-49	41	2.7	12	<1	1	2	3	8	15	99+
50-64	23	3.5	23	<1	<1	2	5	7	15	23
65+	29	6.9	101	<1	1	3	8	20	27	47
2. MULTIPLE DX										
0-19 YRS	56	7.6	85	<1	<1	3	11	21	26	47
20-34	94	11.7	278	<1	1	4	12	44	51	65
35-49	61	10.6	227	1	1	4	12	31	67	99+
50-64	74	16.8	337	1	1	9	26	42	52	83
65+	113	21.7	483	2	2	17	37	64	98	99+
TOT. SINGLE DX	257	4.9	56	<1	<1	2	5	12	23	43
" MULTIPLE DX	398	14.7	337	1	1	7	21	48	61	99+
TOTAL 0-19 YRS	131	6.0	60	<1	<1	3	8	16	24	33
20-34	183	8.8	192	<1	1	3	8	32	44	59
35-49	102	7.4	155	1	1	3	9	25	49	99+
50-64	97	13.6	294	<1	1	5	20	38	48	82
65+	142	18.6	440	1	1	11	28	59	86	99+
GRAND TOTAL	**655**	**10.9**	**249**	**<1**	**1**	**4**	**14**	**35**	**55**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	275	2.3	19	<1	<1	2	2	3	5	15
20-34	266	2.5	6	<1	<1	2	3	5	7	11
35-49	225	2.6	7	<1	1	2	3	5	7	14
50-64	188	2.1	6	<1	1	1	3	4	5	8
65+	73	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	204	3.8	30	<1	1	2	4	7	11	21
20-34	271	5.2	83	<1	1	3	5	11	20	72
35-49	331	5.5	67	1	1	3	6	12	19	43
50-64	389	6.4	84	1	1	3	7	15	26	63
65+	549	15.1	226	1	2	11	21	46	99+	99+
TOT. SINGLE DX	1027	2.4	10	<1	<1	2	3	4	6	13
" MULTIPLE DX	1744	8.5	140	1	1	4	11	22	39	99+
TOTAL 0-19 YRS	479	2.9	25	<1	<1	2	3	5	7	21
20-34	537	3.9	47	<1	<1	2	4	7	12	32
35-49	556	4.3	45	<1	1	2	5	8	14	31
50-64	577	5.0	63	1	1	2	5	12	20	47
65+	622	13.6	217	1	2	10	19	41	92	99+
GRAND TOTAL	**2771**	**6.2**	**100**	**<1**	**1**	**3**	**7**	**16**	**27**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3951	3.5	20	<1	1	3	4	6	8	19
20-34	3569	3.8	35	<1	<1	2	4	7	11	32
35-49	2311	4.9	27	1	1	3	6	10	13	29
50-64	2229	5.8	31	1	1	4	8	12	15	27
65+	2153	6.6	31	1	2	5	9	13	16	28
2. MULTIPLE DX										
0-19 YRS	6840	6.0	78	1	1	4	6	11	21	70
20-34	5059	6.3	66	1	1	4	7	14	21	46
35-49	7037	6.6	46	1	2	5	8	13	18	36
50-64	16014	7.7	49	2	2	6	10	15	19	37
65+	39983	9.7	80	2	3	7	12	18	25	56
TOT. SINGLE DX	14213	4.6	30	<1	1	3	6	9	13	27
" MULTIPLE DX	74933	8.4	72	2	2	6	10	16	23	51
TOTAL 0-19 YRS	10791	5.1	59	1	1	3	5	9	16	56
20-34	8628	5.3	55	<1	1	3	6	11	18	42
35-49	9348	6.2	43	1	1	4	8	12	17	34
50-64	18243	7.5	48	1	2	6	9	14	19	36
65+	42136	9.5	79	2	3	7	12	18	25	55
GRAND TOTAL	**89146**	**7.8**	**67**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number **Title**

- Graft (continued)
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy
- Implant, implantation
  - 745 Breast
  - 740 Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number **Title**

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number — Title

Transplant, transplantation (continued)
731 Muscle, except of hand
729 Hand
731 Tendon, except of hand
729 Hand
648 TUR of prostate
543 Turbinectomy, nasal
536 Tympanoplasty, except revision
539 Revision
537 Tympanotomy

758 Ultrasound, diagnostic
635 Ureterectomy
634 Ureterostomy
633 Ureterotomy
636 Urethroscopy
642 Urethrotomy
634 Urinary diversion
764 Uroflowmetry, uroflometry

763 Vaccination
689 Vacuum extraction for delivery
686 Vaginoscopy
595 Vagotomy
577 Varicose vein operation
655 Vasectomy
656 Vasoplasty
655 Vasotomy
656 Vasovasostomy
757 Venography
504 Ventricular shunt, except revision
505 Revision
753 Ventriculography
684 Vulvectomy

X-ray — *see Radiography*

751 Z-plasty, skin

R3850-1.7 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Southern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF S[illegible]

•

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States